



## Kvt

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Kvt** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Kvt T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">Td-175-12zi</a>	9,42 / 14,28" / 7,24" Press-fit rings for metallic materials 26686 PEM® TY-D® TD Sintered steel 4600 A, galvanized, colorless passivated
<a href="#">F2/S23-M8x10</a>	Fastener with threaded bush Round head Ø 23 mm open bigHead® F2 / S23 Galvanized steel
<a href="#">Cls-M4-1</a>	M4 / 0.97 / 7.87 Press-in nuts for metallic materials PEM® CLS / CLSS INOX 18/8 AISI 302/303, passivated
<a href="#">Cls-M6-1</a>	M6 / 1.38 / 11.18 Press-in nuts for metallic materials PEM® CLS / CLSS INOX 18/8 AISI 302/303, passivated
<a href="#">Cls-M8-1</a>	M8 / 1,38 / 12,7 Press-in nuts for metallic materials PEM® CLS / CLSS INOX 18/8 AISI 302/303, passivated
<a href="#">MB850-090</a>	9/10 / 13.6 Sealing plug KOENIG EXPANDER® MB850 Drawing: MB850-090 Case hardening steel, galvanized Sleeve: Case-hardened steel, galvanized, thick-layer passivated Ball: Tempered roller bearing steel REACH: CAS-No 7439-92-1, Pb > 0.1%
<a href="#">MB850-070</a>	7 / 7.5 / 10.1 Plugging
<a href="#">MB 090</a>	9 / 8,8 / 22 Setting punch, mechanical for sealing plugs series MB Drawing: Setting punch Metr.MB 030-220 Tool steel tempered ~ 50 HRC
<a href="#">MB 070</a>	7 / 6,8 / 18 Setting punch, mechanical for sealing plugs series MB Drawing: Setting punch Metr. MB 030-220 E Tool steel tempered ~ 50 HRC

<a href="#">SKC550-050</a>	5 / 5,5 / 2,8 Sealing plug KOENIG EXPANDER® SKC550 Drawing: SKE-V-015.D_kv Case hardened steel, blued Sleeve: case-hardened steel, blued Pen: Tempered steel, special oil film REACH: CAS-No 7439-92-1, Pb> 0.1%
<a href="#">M6 HUC/FEF 2,5</a>	M6 / 0.5-2.5 Blind rivet nuts Flat head, partial hexagon shank, open FASTEKS® FILKO HUC / FEF Galvanized steel, thick-layer passivated REACH: CAS-No 7439-92-1, Pb> 0.1%
<a href="#">KNM5x0,8</a>	M5x8 / 6.9 Threaded inserts with locking wedges Easy series KEENSERTS® KNM INOX 1.4305
<a href="#">KNM6x1</a>	M6x10 / 8.8 Threaded inserts with locking wedges Easy series KEENSERTS® KNM INOX 1.4305
<a href="#">KNM8x1,25</a>	M8x12 / 10.8 Threaded inserts with locking wedges
<a href="#">KNM10x1,5</a>	M10x14 / 12.8 Threaded inserts with locking wedges
<a href="#">KNM12x1,75</a>	M12x16 / 14.75 Threaded inserts with locking wedges
<a href="#">FH4-M8-25</a>	M8 / 25 / 9,6 Self-clinching studs for INOX and metallic materials PEM® FH4 INOX AISI 400, passivated
<a href="#">FH-4MM-30ZI</a>	4 / 30 / 6 Press studs for metallic materials PEM® FH Hardened steel, galvanized, colorless passivated
<a href="#">FH-M8-20ZI</a>	M8 / 20 / 9.6 Self-clinching studs for metallic materials PEM® FH Hardened steel, galvanized, colorless passivated
<a href="#">99R10-01A1</a>	106320
<a href="#">2600-LW/D6834</a>	105830
<a href="#">V99S10-05AG</a>	106323
<a href="#">UNN-32045-024</a>	min. order?
<a href="#">UNN-32045-013</a>	min. order?
<a href="#">Unn-32044-045</a>	min. order?
<a href="#">FH-M5-22ZI</a>	M5/22/6.5 Self-clinching studs for metallic materials PEM® FH Hardened steel, zinc-plated, colorless passivated
<a href="#">FH-M5-35ZI</a>	M5/35/6.5 Self-clinching studs for metallic materials PEM® FH Hardened steel, zinc-plated, colorless passivated
<a href="#">SO-M5-20ZI</a>	M5/20/7.12 self-clinching bushings open, for metallic materials PEM® SO Hardened steel, zinc-plated, colorless passivated
<a href="#">M8 HC/ROKS 5,0</a>	M8 / 3-5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO® HC/ROKS INOX A2
<a href="#">M8HUKO55 A2 (HUT/ROKS)</a>	M8 / 3-5,5 / 548305 TUBTARA® HUKO (HUT/ROKS) INOX A2
<a href="#">M6 HC/ROKS 4,5</a>	M6 / 2,5-4,5 FASTEKS® FILKO® HC/ROKS INOX A2
<a href="#">M6HUKO50 A2 (HUT/ROKS)</a>	M6 / 3-5 / 546525 TUBTARA® HUKO (HUT/ROKS) INOX A2
<a href="#">M6-65 HBM/KS A2</a>	ECOSYN-BCT M6-65 HBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, partial hex shank Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
<a href="#">M8-65 HHBM/KS A2</a>	ECOSYN-BCT M6-65 HBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, partial hex shank Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
<a href="#">M5-55L20HBM/KSA2 ECOSYN</a>	ECOSYN-BCT M5-55L20 HBM/KS A2 (Sw7.0) Clamping range: 2.5-5.5MM Small countersunk head, partial hex shank Open, A2 stainless steel, length 20 mm Blind rivet nut ECOSYN-BCT Multigrip

<a href="#">M10-65 HHBM/KSA2</a>	ECOSYN-BCT M10-65 HHBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, full 6kt shaft Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
<a href="#">M10 HC/ROF 5,5 FASTEKS+</a>	FASTEKS FILKO M10 HC/ROF 5.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 3.0-5.0 MM PART-6KT SHANK, FLAT HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
<a href="#">M5 HC/ROKS 3,5 FASTEKS+</a>	FASTEKS FILKO M5 HC/ROKS 3.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 1.5-3.5MM PART 6KT SHANK, SMALL COUNTERSUNK HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
<a href="#">M4 HC/ROKS 3,0</a>	M4 / 1,8-3 FASTEKS® FILKO® HC/ROKS INOX A2
<a href="#">M10 HC/ROF 5,5 FASTEKS+</a>	FASTEKS FILKO M10 HC/ROF 5.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 3.0-5.0 MM PART-6KT SHANK, FLAT HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
<a href="#">M6-65 HBM/KS A2</a>	ECOSYN-BCT M6-65 HBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, partial hex shank Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
<a href="#">M5-55L20HBM/KSA2 ECOSYN</a>	ECOSYN-BCT M5-55L20 HBM/KS A2 (Sw7.0) Clamping range: 2.5-5.5MM Small countersunk head, partial hex shank Open, A2 stainless steel, length 20 mm Blind rivet nut ECOSYN-BCT Multigrip
<a href="#">M8-65 HHBM/KS A2</a>	ECOSYN-BCT M8-65 HHBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, full 6kt shaft Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
<a href="#">M6 HC/ROKS 4,5</a>	M6/2.5-4.5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO® HC/ROKS INOX A2
<a href="#">M8 HC/ROKS 5,0</a>	M8/3-5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO® HC/ROKS INOX A2
<a href="#">M4 HC/ROKS 3,0</a>	M4/1.8-3 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO® HC/ROKS INOX A2
<a href="#">M5 HC/ROKS 3,5 FASTEKS+</a>	FASTEKS FILKO M5 HC/ROKS 3.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 1.5-3.5MM PART 6KT SHANK, SMALL COUNTERSUNK HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
<a href="#">M10 HC ROF 5,5 VERZINNT M10X21,3 A2</a>	
<a href="#">M5 HC ROKS 3,5 VERZINNT M5X11,6 A2</a>	
<a href="#">M8 HC ROKS 5,0</a>	M8X17,4 A2
<a href="#">M6 HC ROKS 4,5 A2</a>	
<a href="#">M6-65 HBMKS A2 M6X18</a>	
<a href="#">M8-65 HHBMKS A2 M8X20</a>	
<a href="#">M5-55L20 HBMKS A2 M5X20,0</a>	
<a href="#">M4 HC ROKS 3,0 M4X10</a>	A2
<a href="#">M10 HC/ROFG 5,5 FASTEKS</a>	FASTEKS+ FILKO M10 HC/ROFG 5.5 Blind rivet nut, clamping range: 2.5-5.5MM Part 6kt shaft Flat head, closed, stainless steel A2, Surface: NI 0.5-2µ + SN GL 4-7µ DIN50965 (Tinned)
	FASTEKS FILKO M5 HC/ROKS 3.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 1.5-3.5MM PART 6KT SHANK, SMALL COUNTERSUNK

<a href="#">M5 HC/ROKS 3,5 FASTEKS+</a>	HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
<a href="#">M8 HC/ROKS 5,0</a>	M8/3-5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO HC/ROKS INOX A2
<a href="#">M6 HC/ROKS 4,5</a>	M6/2.5-4.5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO HC/ROKS INOX A2
<a href="#">M6-65 HBM/KS A2</a>	ECOSYN-BCT M6-65 HBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, partial hex shank Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
<a href="#">M8-65 HBM/KS A2</a>	M8 / 2.5-6.5mm Blind rivet nuts Multigrip small countersunk head, partial hexagonal shank, of fen ~ecosyn® BCT INOX
<a href="#">M5-55L20HBM/KSA2 ECOSYN</a>	ECOSYN-BCT M5-55L20 HBM/KS A2 (Sw7.0) Clamping range: 2.5-5.5MM Small countersunk head, partial hex shank Open, A2 stainless steel, length 20 mm Blind rivet nut ECOSYN-BCT Multigrip
<a href="#">M4 HC/ROKS 3,0</a>	M4/1.8-3 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO HC/ROKS INOX A2
<a href="#">CON SIL/ALY PSZCL M3X6</a>	
<a href="#">CON SIL/ALY PSZCL/SOX M3X10</a>	
<a href="#">CON SIL/ALY PSZCL M3X10</a>	
<a href="#">CON SIL/ALY PSZCL/SOX M3X12</a>	
<a href="#">M 5 x 16 / X15 20146</a>	Cylinder screws 3233675 with hexagon socket and extremely low head INOX A2
<a href="#">M 4 / 4,3/12/1 1356</a>	Discs 1117130 without bevel DIN 9021, ~ISO 7093 INOX A2 140 HV
<a href="#">PMC 4/6,3</a>	4 x 6.3 / 21 Terminal blind rivets POP® PMC Copper with brass plate
<a href="#">KVT-6,3-14 ET</a>	6,3 x 0,8 /14/ Ø6,4/0,8 Press-in earthing lugs for metallic materials steel, tinned
<a href="#">TD 810 GT</a>	
<a href="#">PLUG-IN CLIPS</a>	
<a href="#">TD 816 GT</a>	
<a href="#">BLIND RIVET NUT,M10 HC/ROFG 4.0</a>	
<a href="#">PLUG-IN CLIPS</a>	
<a href="#">TD 66 GT</a>	
<a href="#">BLIND RIVET NUT,M10 HC/ROF 4,0</a>	
<a href="#">POP-IMEX, D=4, 3.2-4.8, TD 56 GT</a>	
<a href="#">Blind rivet nut, M10 HC/ROKS5,5</a>	
<a href="#">WELDING PIN,KN243 M6X40 ALU,EN 573-3</a>	
<a href="#">M8 HC/ROF5</a>	
<a href="#">Blind rivet nut, M8 HC ROKSG 5</a>	
<a href="#">TD 404 GT</a>	
<a href="#">MAGNA-LOK, MGLP-U8-6 D=6.4, 2-9.5</a>	
<a href="#">S.BLIND R AL6,4 2-15,8 MGLP-B8-EHUCK</a>	

<a href="#">S.BLIND R AL6,4 2-9,5 MGLP-B8-6HUCK</a>	
<a href="#">S.RIVET PIN AL6,4 1,6-15,9MGPB-E8-10HUCK</a>	
<a href="#">S.BLIND R AL4,8 1,6-11,1 MGLP-B6EHUCK</a>	
<a href="#">S.RIVET COLLAR AL6,4 MGC-F8 HUCK</a>	
<a href="#">MB 600-120</a>	12 / 13 / 17.8 sealing plug KOENIG EXPANDER® MB 600 INOX 1.4305, colorless passivated
<a href="#">M8 HUC/FEKS 5,0</a>	M8 / 3-5 Blind rivet nuts small countersunk head, partial hexagon shank, open FASTEKS® FILKO HUC/FEKS Steel, galvanized thick-layer passivated
<a href="#">M8HUKO55 ST (HUT/FEKS)</a>	M8 / 3-5.5 / 528569 Blind rivet nuts small countersunk head, full hexagon shank, open TUBTARA® HUKO (HAT/FEKS) galvanized steel
<a href="#">M8 HUC/FEKS 3,0</a>	M8 / 1-3 Blind rivet nuts small countersunk head, partial hexagon shank, open FASTEKS® FILKO HUC/FEKS Steel, galvanized thick-layer passivated
<a href="#">M8HUKO30 ST (HUT/FEKS)</a>	M8 / 0.5-3 / 528549 Blind rivet nuts small countersunk head, full hexagon shank, open TUBTARA® HUKO (HAT/FEKS) galvanized steel
<a href="#">M12-40 HEXTSN ST</a>	M12 / 1-4 Blind rivet nuts small countersunk head, partial hexagon shank, open FASTEKS® FILKO HEXTSN Steel, galvanized thick-layer passivated
<a href="#">M8 RC/ROKS 3,0</a>	M8 / 1-3 Blind rivet nuts small countersunk head, knurled shank, open FASTEKS® FILKO RC/ROKS STAINLESS STEEL
<a href="#">M8UKO30KN A2 (RUT/ROKS)</a>	M8 / 0.5-3 / 5481607 Blind rivet nuts small countersunk head, shaft with optimized Knurling, open TUBTARA® UKO KN (RUT/ROKS) INOX A2
<a href="#">M5-30 RTSN A2</a>	M5 / 0.5-3 Blind rivet nuts small countersunk head, knurled shank, open FASTEKS® FILKO RTSN INOX A2
<a href="#">M 4 x 8 / X20</a>	lens screws with hexalobular socket, without shank ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, galvanized blue
<a href="#">M 24</a>	Hexagon nuts type 1 ISO 4032, ~DIN 934 STAINLESS STEEL A4
<a href="#">M 24-</a>	Spring washers Smooth ends DIN 127 B, ~UNI 1751 B STAINLESS STEEL A4
<a href="#">M8-30 RBS/KS ST</a>	M8 / 1.5-3 Blind rivet nuts Micro knurled, small countersunk head, open BCT® RBS/KS Steel, galvanized thick-layer passivated
<a href="#">SOS-M4-8</a>	M4 / 8 / 7.12 Press-fit threaded bushings open, for metallic materials PEM® SOS INOX (AISI 300), passivated
<a href="#">CLS-M3-1</a>	M3 / 0.97 / 6.35 Press-fit nuts for metallic materials PEM® CLS/CLSS INOX (AISI 300), passivated
<a href="#">SP-M4-1</a>	M4 / 0.97 / 7.87 Press-fit nuts for stainless steel and metallic materials PEM® SP INOX A286, passivated
<a href="#">CLS-M4-2</a>	M4 / 1.38 / 7.87 Press-fit nuts for metallic materials PEM® CLS/CLSS INOX (AISI 300), passivated
<a href="#">PFC2-M4-50</a>	M4 / 7.9 / 0 Captive press-fit screws with slot, for metallic materials PEM® PFC2 INOX (AISI 300), passivated Holder / screw / spring: INOX AISI 300 Retaining ring: Nylon
<a href="#">300160830</a>	PEM SELF-CLINCHING STUD YQE-18272 05X REV. B (HFH-M6-12 ZNNI) 05X: ZNNI - DBL 8451.76
<a href="#">300154612 C1-84721</a>	

<a href="#">300122897_M4-7i-095-35</a>	
<a href="#">300148877 C1-51252-X1</a>	
<a href="#">300104916</a>	
<a href="#">Ms204426ad3-5</a>	
<a href="#">300155583 C1-88513</a>	
<a href="#">145-M2</a>	145-M2 M2 x 4 Gewindeeinsätze selbstschneidend für Thermoplaste Tappex® TRISERT® Zeichnung: 145M2
<a href="#">Drs M30x1,5 300104932</a>	
<a href="#">300147017 C1-33898</a>	
<a href="#">300139884</a>	
<a href="#">300137208 Smtso-M3-3 Et</a>	
<a href="#">CIs-M8-2</a>	
<a href="#">Knhm 8x1.25</a>	
<a href="#">M10x1,5 Knhm</a>	
<a href="#">Rs M17x1 300104892</a>	
<a href="#">300103589</a>	
<a href="#">300104303 Sp-M5-1</a>	
<a href="#">Knhml8x1,25</a>	M8 x 14 / 12.8 Threaded inserts with locking wedges heavy series, with 4 locking wedges, self-locking KEENSERTS® KNHML INOX 1.4305, Molykote (MIL-L-8937)
<a href="#">Drs M17x1 300104929</a>	
<a href="#">300118793</a>	
<a href="#">Mb 600-070</a>	
<a href="#">145-M4</a>	M4 x 5,6 Gewindeeinsätze selbstschneidend
<a href="#">Ms20426ad3-5</a>	
<a href="#">Artikel: 300110693 Mb 600-120 Ganz Rostfrei 12 Mm Durchm. Koenig Expander Dichtstopfen</a>	
<a href="#">300176102 (Smtso-2,1-3 Et)</a>	
<a href="#">300110724</a>	
<a href="#">Knhm 10x1,5</a>	
<a href="#">Ms21059I08</a>	
<a href="#">Extool-030 300160392</a>	
<a href="#">300149529</a>	
<a href="#">Knm 8x1,25</a>	
<a href="#">300115288</a>	
<a href="#">Sp-M8-1</a>	
<a href="#">300155920 C1-86386</a>	
<a href="#">300103590</a>	

[Ewtool 040-1](#)

[Rs M30x1,5 300104896](#)

[300171971 C1-110771](#)

[Ms20426ad3-7](#)

[300200039 Pb2500-Qw](#)