



Kvt

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Kvt** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Kvt T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Td-175-12zi	9,42 / 14,28" / 7,24" Press-fit rings for metallic materials 26686 PEM® TY-D® TD Sintered steel 4600 A, galvanized, colorless passivated
F2/S23-M8x10	Fastener with threaded bush Round head Ø 23 mm open bigHead® F2 / S23 Galvanized steel
Cls-M4-1	M4 / 0.97 / 7.87 Press-in nuts for metallic materials PEM® CLS / CLSS INOX 18/8 AISI 302/303, passivated
Cls-M6-1	M6 / 1.38 / 11.18 Press-in nuts for metallic materials PEM® CLS / CLSS INOX 18/8 AISI 302/303, passivated
Cls-M8-1	M8 / 1,38 / 12,7 Press-in nuts for metallic materials PEM® CLS / CLSS INOX 18/8 AISI 302/303, passivated
MB850-090	9/10 / 13.6 Sealing plug KOENIG EXPANDER® MB850 Drawing: MB850-090 Case hardening steel, galvanized Sleeve: Case-hardened steel, galvanized, thick-layer passivated Ball: Tempered roller bearing steel REACH: CAS-No 7439-92-1, Pb > 0.1%
MB850-070	7 / 7.5 / 10.1 Plugging
MB 090	9 / 8,8 / 22 Setting punch, mechanical for sealing plugs series MB Drawing: Setting punch Metr.MB 030-220 Tool steel tempered ~ 50 HRC
MB 070	7 / 6,8 / 18 Setting punch, mechanical for sealing plugs series MB Drawing: Setting punch Metr. MB 030-220 E Tool steel tempered ~ 50 HRC

SKC550-050	5 / 5,5 / 2,8 Sealing plug KOENIG EXPANDER® SKC550 Drawing: SKE-V-015.D_kvı Case hardened steel, blued Sleeve: case-hardened steel, blued Pen: Tempered steel, special oil film REACH: CAS-No 7439-92-1, Pb> 0.1%
M6 HUC/FEF 2,5	M6 / 0.5-2.5 Blind rivet nuts Flat head, partial hexagon shank, open FASTEKS® FILKO HUC / FEF Galvanized steel, thick-layer passivated REACH: CAS-No 7439-92-1, Pb> 0.1%
KNM5x0,8	M5x8 / 6.9 Threaded inserts with locking wedges Easy series KEENSERTS® KNM INOX 1.4305
KNM6x1	M6x10 / 8.8 Threaded inserts with locking wedges Easy series KEENSERTS® KNM INOX 1.4305
KNM8x1,25	M8x12 / 10.8 Threaded inserts with locking wedges
KNM10x1,5	M10x14 / 12.8 Threaded inserts with locking wedges
KNM12x1,75	M12x16 / 14.75 Threaded inserts with locking wedges
FH4-M8-25	M8 / 25 / 9,6 Self-clinching studs for INOX and metallic materials PEM® FH4 INOX AISI 400, passivated
FH-4MM-30ZI	4 / 30 / 6 Press studs for metallic materials PEM® FH Hardened steel, galvanized, colorless passivated
FH-M8-20ZI	M8 / 20 / 9.6 Self-clinching studs for metallic materials PEM® FH Hardened steel, galvanized, colorless passivated
99R10-01A1	106320
2600-LW/D6834	105830
V99S10-05AG	106323
UNN-32045-024	min. order?
UNN-32045-013	min. order?
Unn-32044-045	min. order?
FH-M5-22ZI	M5/22/6.5 Self-clinching studs for metallic materials PEM® FH Hardened steel, zinc-plated, colorless passivated
FH-M5-35ZI	M5/35/6.5 Self-clinching studs for metallic materials PEM® FH Hardened steel, zinc-plated, colorless passivated
SO-M5-20ZI	M5/20/7.12 self-clinching bushings open, for metallic materials PEM® SO Hardened steel, zinc-plated, colorless passivated
M8 HC/ROKS 5,0	M8 / 3-5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO® HC/ROKS INOX A2
M8HUKO55 A2 (HUT/ROKS)	M8 / 3-5,5 / 548305 TUBTARA® HUKO (HUT/ROKS) INOX A2
M6 HC/ROKS 4,5	M6 / 2,5-4,5 FASTEKS® FILKO® HC/ROKS INOX A2
M6HUKO50 A2 (HUT/ROKS)	M6 / 3-5 / 546525 TUBTARA® HUKO (HUT/ROKS) INOX A2
M6-65 HBM/KS A2	ECOSYN-BCT M6-65 HBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, partial hex shank Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
M8-65 HHBM/KS A2	ECOSYN-BCT M6-65 HBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, partial hex shank Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
M5-55L20HBM/KSA2 ECOSYN	ECOSYN-BCT M5-55L20 HBM/KS A2 (Sw7.0) Clamping range: 2.5-5.5MM Small countersunk head, partial hex shank Open, A2 stainless steel, length 20 mm Blind rivet nut ECOSYN-BCT Multigrip

M10-65 HHBM/KSA2	ECOSYN-BCT M10-65 HHBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, full 6kt shaft Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
M10 HC/ROF 5,5 FASTEKS+	FASTEKS FILKO M10 HC/ROF 5.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 3.0-5.0 MM PART-6KT SHANK, FLAT HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
M5 HC/ROKS 3,5 FASTEKS+	FASTEKS FILKO M5 HC/ROKS 3.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 1.5-3.5MM PART 6KT SHANK, SMALL COUNTERSUNK HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
M4 HC/ROKS 3,0	M4 / 1,8-3 FASTEKS® FILKO® HC/ROKS INOX A2
M10 HC/ROF 5,5 FASTEKS+	FASTEKS FILKO M10 HC/ROF 5.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 3.0-5.0 MM PART-6KT SHANK, FLAT HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
M6-65 HBM/KS A2	ECOSYN-BCT M6-65 HBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, partial hex shank Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
M5-55L20HBM/KSA2 ECOSYN	ECOSYN-BCT M5-55L20 HBM/KS A2 (Sw7.0) Clamping range: 2.5-5.5MM Small countersunk head, partial hex shank Open, A2 stainless steel, length 20 mm Blind rivet nut ECOSYN-BCT Multigrip
M8-65 HHBM/KS A2	ECOSYN-BCT M8-65 HHBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, full 6kt shaft Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
M6 HC/ROKS 4,5	M6/2.5-4.5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO® HC/ROKS INOX A2
M8 HC/ROKS 5,0	M8/3-5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO® HC/ROKS INOX A2
M4 HC/ROKS 3,0	M4/1.8-3 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO® HC/ROKS INOX A2
M5 HC/ROKS 3,5 FASTEKS+	FASTEKS FILKO M5 HC/ROKS 3.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 1.5-3.5MM PART 6KT SHANK, SMALL COUNTERSUNK HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
M10 HC ROF 5,5 VERZINNT M10X21,3 A2	
M5 HC ROKS 3,5 VERZINNT M5X11,6 A2	
M8 HC ROKS 5,0	M8X17,4 A2
M6 HC ROKS 4,5 A2	
M6-65 HBMKS A2 M6X18	
M8-65 HHBMKS A2 M8X20	
M5-55L20 HBMKS A2 M5X20,0	
M4 HC ROKS 3,0 M4X10	A2
M10 HC/ROFG 5,5 FASTEKS	FASTEKS+ FILKO M10 HC/ROFG 5.5 Blind rivet nut, clamping range: 2.5-5.5MM Part 6kt shaft Flat head, closed, stainless steel A2, Surface: NI 0.5-2µ + SN GL 4-7µ DIN50965 (Tinned)
	FASTEKS FILKO M5 HC/ROKS 3.5 TIN PLATED BLIND RIVET NUT CLAMPING RANGE: 1.5-3.5MM PART 6KT SHANK, SMALL COUNTERSUNK

M5 HC/ROKS 3,5 FASTEKS+	HEAD, OPEN, STAINLESS STEEL A2, Surface nickel strike + tin plating 5my shiny according to DIN 50965
M8 HC/ROKS 5,0	M8/3-5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO HC/ROKS INOX A2
M6 HC/ROKS 4,5	M6/2.5-4.5 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO HC/ROKS INOX A2
M6-65 HBM/KS A2	ECOSYN-BCT M6-65 HBM/KS A2 Clamping range: 2.5-6.5MM Small countersunk head, partial hex shank Open, stainless steel A2 Blind rivet nut ECOSYN-BCT Multigrip
M8-65 HBM/KS A2	M8 / 2.5-6.5mm Blind rivet nuts Multigrip small countersunk head, partial hexagonal shank, of fen ~ecosyn® BCT INOX
M5-55L20HBM/KSA2 ECOSYN	ECOSYN-BCT M5-55L20 HBM/KS A2 (Sw7.0) Clamping range: 2.5-5.5MM Small countersunk head, partial hex shank Open, A2 stainless steel, length 20 mm Blind rivet nut ECOSYN-BCT Multigrip
M4 HC/ROKS 3,0	M4/1.8-3 Blind rivet nuts small countersunk head, partial hexagonal shank, open FASTEKS® FILKO HC/ROKS INOX A2
CON SIL/ALY PSZCL M3X6	
CON SIL/ALY PSZCL/SOX M3X10	
CON SIL/ALY PSZCL M3X10	
CON SIL/ALY PSZCL/SOX M3X12	
M 5 x 16 / X15 20146	Cylinder screws 3233675 with hexagon socket and extremely low head INOX A2
M 4 / 4,3/12/1 1356	Discs 1117130 without bevel DIN 9021, ~ISO 7093 INOX A2 140 HV
PMC 4/6,3	4 x 6.3 / 21 Terminal blind rivets POP® PMC Copper with brass plate
KVT-6,3-14 ET	6,3 x 0,8 /14/ Ø6,4/0,8 Press-in earthing lugs for metallic materials steel, tinned
TD 810 GT	
PLUG-IN CLIPS	
TD 816 GT	
BLIND RIVET NUT,M10 HC/ROFG 4.0	
PLUG-IN CLIPS	
TD 66 GT	
BLIND RIVET NUT,M10 HC/ROF 4,0	
POP-IMEX, D=4, 3.2-4.8, TD 56 GT	
Blind rivet nut, M10 HC/ROKS5,5	
WELDING PIN,KN243 M6X40 ALU,EN 573-3	
M8 HC/ROF5	
Blind rivet nut, M8 HC ROKSG 5	
TD 404 GT	
MAGNA-LOK, MGLP-U8-6 D=6.4, 2-9.5	
S.BLIND R AL6,4 2-15,8 MGLP-B8-EHUCK	

S.BLIND R AL6,4 2-9,5 MGLP-B8-6HUCK	
S.RIVET PIN AL6,4 1,6-15,9MGPB-E8-10HUCK	
S.BLIND R AL4,8 1,6-11,1 MGLP-B6EHUCK	
S.RIVET COLLAR AL6,4 MGC-F8 HUCK	
MB 600-120	12 / 13 / 17.8 sealing plug KOENIG EXPANDER® MB 600 INOX 1.4305, colorless passivated
M8 HUC/FEKS 5,0	M8 / 3-5 Blind rivet nuts small countersunk head, partial hexagon shank, open FASTEKS® FILKO HUC/FEKS Steel, galvanized thick-layer passivated
M8HUKO55 ST (HUT/FEKS)	M8 / 3-5.5 / 528569 Blind rivet nuts small countersunk head, full hexagon shank, open TUBTARA® HUKO (HAT/FEKS) galvanized steel
M8 HUC/FEKS 3,0	M8 / 1-3 Blind rivet nuts small countersunk head, partial hexagon shank, open FASTEKS® FILKO HUC/FEKS Steel, galvanized thick-layer passivated
M8HUKO30 ST (HUT/FEKS)	M8 / 0.5-3 / 528549 Blind rivet nuts small countersunk head, full hexagon shank, open TUBTARA® HUKO (HAT/FEKS) galvanized steel
M12-40 HEXTSN ST	M12 / 1-4 Blind rivet nuts small countersunk head, partial hexagon shank, open FASTEKS® FILKO HEXTSN Steel, galvanized thick-layer passivated
M8 RC/ROKS 3,0	M8 / 1-3 Blind rivet nuts small countersunk head, knurled shank, open FASTEKS® FILKO RC/ROKS STAINLESS STEEL
M8UKO30KN A2 (RUT/ROKS)	M8 / 0.5-3 / 5481607 Blind rivet nuts small countersunk head, shaft with optimized Knurling, open TUBTARA® UKO KN (RUT/ROKS) INOX A2
M5-30 RTSN A2	M5 / 0.5-3 Blind rivet nuts small countersunk head, knurled shank, open FASTEKS® FILKO RTSN INOX A2
M 4 x 8 / X20	lens screws with hexalobular socket, without shank ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, galvanized blue
M 24	Hexagon nuts type 1 ISO 4032, ~DIN 934 STAINLESS STEEL A4
M 24-	Spring washers Smooth ends DIN 127 B, ~UNI 1751 B STAINLESS STEEL A4
M8-30 RBS/KS ST	M8 / 1.5-3 Blind rivet nuts Micro knurled, small countersunk head, open BCT® RBS/KS Steel, galvanized thick-layer passivated
SOS-M4-8	M4 / 8 / 7.12 Press-fit threaded bushings open, for metallic materials PEM® SOS INOX (AISI 300), passivated
CLS-M3-1	M3 / 0.97 / 6.35 Press-fit nuts for metallic materials PEM® CLS/CLSS INOX (AISI 300), passivated
SP-M4-1	M4 / 0.97 / 7.87 Press-fit nuts for stainless steel and metallic materials PEM® SP INOX A286, passivated
CLS-M4-2	M4 / 1.38 / 7.87 Press-fit nuts for metallic materials PEM® CLS/CLSS INOX (AISI 300), passivated
PFC2-M4-50	M4 / 7.9 / 0 Captive press-fit screws with slot, for metallic materials PEM® PFC2 INOX (AISI 300), passivated Holder / screw / spring: INOX AISI 300 Retaining ring: Nylon
300160830	PEM SELF-CLINCHING STUD YQE-18272 05X REV. B (HFH-M6-12 ZNNI) 05X: ZNNI - DBL 8451.76
KNHM16X2	53533 9056778 16x22/20.5 Threaded inserts with locking wedges heavy series, with free-running thread KEENSERTS® KNHM INOX 1.4305

HFHS-M10-20	M10 / 20 / 15.7 Press-fit threaded bolts for metallic materials PEM® HFHS INOX (AISI 300), passivated
300154612 C1-84721	
300122897, M4-Zi-095-35	
300148877 C1-51252-X1	
300104916	
Ms204426ad3-5	
300155583 C1-88513	
145-M2	145-M2 M2 x 4 Gewindeeinsätze selbstschneidend für Thermoplaste Tappex® TRISERT® Zeichnung: 145M2
Drs M30x1,5 300104932	
300147017 C1-33898	
300139884	
300137208 Smtso-M3-3 Et	
ClS-M8-2	
Knhm 8x1.25	
M10x1,5 Knhm	
Rs M17x1 300104892	
300103589	
300104303 Sp-M5-1	
Knhml8x1,25	M8 x 14 / 12.8 Threaded inserts with locking wedges heavy series, with 4 locking wedges, self-locking KEENSERTS® KNHML INOX 1.4305, Molykote (MIL-L-8937)
Drs M17x1 300104929	
300118793	
Mb 600-070	
145-M4	M4 x 5,6 Gewindeeinsätze selbstschneidend
Ms20426ad3-5	
Artikel: 300110693 Mb 600-120 Ganz Rostfrei 12 Mm Durchm. Koenig Expander Dichtstopfen	
300176102 (Smtso-2,1-3 Et)	
300110724	
Knhm 10x1,5	
Ms21059I08	
Exttool-030 300160392	
300149529	
Knm 8x1,25	
300115288	

[Sp-M8-1](#)

[300155920 C1-86386](#)

[300103590](#)

[Ewtool 040-1](#)

[Rs M30x1,5 300104896](#)

[300171971 C1-110771](#)

[Ms20426ad3-7](#)

[300200039 Pb2500-Qw](#)