

Lambrecht



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Lambrecht Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Lambrecht Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
00-07610.000 010	PSİKOMETER,Automatik MODEL:761 -5°C/+60°C 00-07610.000 010
00.14522.100040	PROFESSIONAL wind speed sensor
00.14577.100040	INDUSTRY Windgeschwindigkeitssensor, inkl. 12 m Kabel
00.14577.110040	INDUSTRY wind speed sensor
00.14577.110030	INDUSTRY-Modbus wind speed sensor
00.14577.100040 4-20 MA	
00.14567.100040	INDUSTRY wind direction sensor, incl. 12 m cable
TYP:00/95665/400210	IN 100-240V AC-OUT:24V DC2/5A IP65 TYP:0014966/400000
00.14522.110040	PROFESSIONAL wind speed sensor with electronically controlled heating Measuring element: aluminum wind vane Measuring range: 0.3...75 m/s Output signal: 4...20 mA Operating voltage: 20...28V DC, 800mA
00.14521.110040	PROFESSIONAL wind direction sensor with electronically controlled heating Measuring element: aluminum wind vane Measuring range: 0...360 degrees Output signal: 4...20 mA Operating voltage: 20...28V DC, 800mA
32.14567.060000	Sensor cable for Modbus sensors, 12 m 4-pin, M12 connector also for INDUSTRY, PRO-WEA, PROFESSIONAL, ORA, THP[pro], ARCO SDI-12
00.08128.085072	Air pressure sensor 8128 in a weatherproof die-cast aluminum housing Measuring range: 600...1100 hPa Output signal: 0...5 V DC Operating voltage: 9.5...28V DC
00.14577.100 040	
00.14576.250004	Operating temperature range -30...+70c Power supply 10...30VDC Power supply heating 24 VDC; 600mA 15 VA

34.02520.048.000
00.14567.110040
00.02520.111 100
34.02520.052.000
00.14575.200 004
33.02520.144.000
32.1475.Xxx.Xxx
00.14577.100000
00.14594.21.0000
00.08763.055002
00.14567.100 040
34.02520.022.000
33.14570.05 0001
0014575.200.004
33.14570.050 000
14567
00.14565.200 304
00.14574.000 002
00.09630.100000
00.15188.002 000
P/N: 00.14572.105 000 (1457 S2)
00.10690.700 000
00.02520.110 700
34.02520.116.000
00.02520.170700
00.09170.210000 Replaced By 00.09630.200000; 00.09630.100000
00.09630.200000
34.02520.016 000
Calibration Certificate
00.14594.11.0000

[00.08141.600 000](#)

[14575200004](#)

[Rep-14575200004](#)

[Cable 10 M With 12pin Bayonet Plug,
Art N: 32.16420.066 100](#)

[00.14522.100 040](#)

[00.14524.100040](#)

[00.14577.110040](#)

[00.14521.100040](#)

[00.08141.600 004](#)

[00.15153.000002](#)

[00.15188.202 000](#)

[00.06280.025000](#)

[33.02520.144000](#)

[Eolos-Nav 2, Art N: 00.16432.210 002](#)

[00.14550.120 400](#)

[34.02520.011.000](#)