Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ludwig Schneider

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Ludwig Schneider Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Ludwig Schneider Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Art.-Nr.: 1681252	V-shape machine glass thermometer DIN 16181, straight Model, housing 110 x 36 mm, aluminum-brass colors, Measuring range: 0 + 120 ° C in 2 ° C capillary form: white backing prismatic display liquid: blue, screw-in socket: G 1/2, Form B Material: Brass Ms58 Installation length: 40 mm Customs tariff number: 90251180, Country of origin: European Union / Germany
1681253	V-shape machine glass thermometer DIN 16181, straight Model, housing 110 x 36 mm, aluminum-brass colors, Measuring range: 0 + 120 ° C in 2 ° C capillary form: white backing prismatic display liquid: blue, screw-in socket: G 1/2, Form B Material: Brass Ms58 Installation length: 50 mm Customs tariff number: 90251180, Country of origin: European Union / Germany
1681254	V-shape machine glass thermometer DIN 16181, straight Model, housing 110 x 36 mm, aluminum-brass colors, Measuring range: 0 + 120 ° C in 2 ° C capillary form: white backing prismatic display liquid: blue, screw-in socket: G 1/2, Form B Material: Brass Ms58 Installation length: 63 mm Customs tariff number: 90251180, Country of origin: European Union / Germany
1672254	V-shape machine glass thermometer DIN 16182, 90 ° angle, 110 x 36 mm housing, plug-in form, aluminum Brass colors, measuring range: 0 + 120 ° C in 2 ° C capillary form: white backed prismatic display liquid: blue, Screw-in socket: G 1/2, form B Material: brass Ms58 Installation length: 63 mm Customs tariff number: 90251180, Country of origin: European Union / Germany
1672252	
1672253	
1681255	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1672255	
1672256	
Item no .: 1681253	V-shape machine glass thermometer DIN 16181, straight Model, housing 110 x 36 mm, aluminum-brass colors, Measuring range: 0 + 120 ° C in 2 ° C capillary form: white backing prismatic display liquid: blue, screw-in socket: G 1/2, Form B Material: Brass Ms58 Installation length: 50 mm
Item No: 1681257	V-shape machine glass thermometer DIN 16181, straight Model, housing 110 x 36 mm, aluminum-brass colors, Measuring range: 0 + 120 ° C in 2 ° C capillary form: white backing prismatic display liquid: blue, screw-in socket: G 1/2, Form B Material: Brass Ms58 Installation length: 100 mm
Item no: 1684253-111	Replacement capillary for V-shape thermometer, straight model Nominal size 110 mm capillary shape: white backed prismatic Display liquid: blue Measuring range: 0 + 120 ° C in 2 ° C Installation length L1 = 50 mm
Item no: 1684257-111	Replacement capillary for V-shape thermometer, straight model, nominal size 110 mm. Capillary shape: white backed prismatic display liquid: blue measuring range: 0 + 120 ° C in 2 ° C Installation length L1 = 100 mm
Art.-Nr.: 69218	Resistance thermometer type WT-BL-MI-60-D-Mu as follows: Connection head form B, light metal, M20 x 1.5, Screw socket M24 x 1.5 made of brass, Protective tube / sheathed cable ø 6 mm made of stainless steel, nominal length NL = 500 mm, sensor 1 x Pt 100 according to DIN EN 60751 class A, 3-wire circuit, connection via head transmitter 5331 A3B, electrically isolated, supply voltage 7-35 VDC, Output 4-20 mA, temperature range -100 ° to 400 ° C, with screw connection G 1/2 made of stainless steel, max. Installation length EL = 470 mm Customs tariff number: 90251900, Country of origin: European
Art.-Nr.: 39013	Resistance thermometer type WT-BL-MI-60-D as follows: Connection head form B, light metal, M20 x 1.5, Screw socket M24 x 1.5 made of brass, Protective tube / sheathed cable ø 6 mm made of stainless steel, nominal length NL = 200 mm, sensor 1 x Pt 100 according to DIN EN 60751 class A, 3-wire circuit, connection via ceramic socket with 4 Connection terminals, temperature range -100 ° to 400 ° C, with screw connection G 1/2 made of stainless steel, max. Installation length EL = 170 mm
Art.-Nr.: 30764	Resistance thermometer type WT-BL-MI-60-D as follows:

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Connection head form B, light metal, M20 x 1.5, Screw socket M24 x 1.5 made of brass, Protective tube / sheathed cable ø 6 mm made of stainless steel, nominal length NL = 115 mm, sensor 1 x Pt 100 according to DIN EN 60751 class A, 3-wire circuit, connection via ceramic socket with 4 Connection terminals, temperature range -100 ° to 400 ° C, with Screw-in screw connection G 1/2 made of stainless steel, max. Installation length EL = 86 mm
Ludwig Schneider	
Ludwig Schneider	
Ludwig Schneider	
1685253	V-shape machine glass thermometer, DIN 16185, straight Shape, housing: 150 x 36 mm, brass-colored aluminium, Measuring range: 0+120°C in 2°C, capillary: white coated prismatic, blue filling, thread: G 1/2 form B, Material: brass Ms58, installation length l1: 50 mm, Immersion tube diameter: 10 mm
1676253 * * * Alternate item	V-shape machine glass thermometer, DIN 16186, Angle shape 90°, housing: 150 x 36 mm, plug-in shape, aluminum brass colored, measuring range: 0+120°C in 2°C, Capillary: white coated prismatic, blue filling, thread: G 1/2 form B, material: brass Ms58, installation length l1: 50 mm, immersion tube diameter: 10 mm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.