

Lutron

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Lutron** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Lutron T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.





¼r¼n	Açıklama
Artikelnummer: Es2	Our new TMT-819 field strength meter / electrosmog meter Display: 58mm x 34mm LCD, 5 digits Measuring range: 100 Mh - 3 GHz 0 - 199.99 V / m, 0 - 99,999 W / m ² , 0 - 9.9999 mW / cm ² Measurement accuracy: 0.01 V / m, 0.001 W / m ² , 0.0001 mW / cm ² Bandwidth: 100 MHz - 3 GHz Sensor: external sensor with handle Power supply: 9V battery Operating environment: Temperature: 0-50 ° C Air humidity: max. 80% Weight: 523 g Dimension: Measuring device: 199mm x 76mm x 37 mm External sensor: 70mm x 240mm
Lutron - SMDC-21	
SMDA-22	
Lutron - LCR-9184	

DT-2249A-
3024308
8902/30
AL-05
AM-4247SD
ASPS-DH-1-45
BTV21216P
CC-ma
CCP-5A-2304IS-1PN-LCP
DO-5509
DT-2238
DT-2239A
EMF 839
FG-5000A
GXI-3104-CE
GXI-3504-T-CE-WH
Herst. Art
HQFE-4A-D
HQP6-1
HQP6-2
HQWT-S-P4W -SN
HT-3009
HWP6-2
LCR-9183
LM-8000A
LM81LX
LOSE-4T10-D
LQSE-2DAL-D
LQSE-4M-D
LQSE-4S10-D
LQSE-4S5-D
LRF2-OCR2B-P-WH
LUT GRX-TVM2
LX-1108
metal probe voor AM-4206M

MHB-382SD
NTGRX-4S-IR WH
P1152
P1194
P1200
P21A
PCE-FM1000
PE-11
PFP-1-B-FAW-CPN5692
PH-208
PH-222
Probe end for YK-21PH
Program for data transmission with RS 232 for DW6092
PUV-360
QS LINK
QSE-CI-4M-D
QSE-CI-DMX
QSE-CI-NWK-E
QSE-IO
QSNE-4S10-D
QSPS-DH-1-75
Quantum SeeTouch
RN-DRSU-B-FAN-M
RN-SRSU-B-F-SN-M
SL4012
SVQ-EDU-10
TM-917HA
TR-SLT1A4
UVA 340
UVC-254
VB-8210
Y424310
YE Lutron Probe for VB-8210
YK 80 AP
YK-21PH

YK-35UV	
YK-80AM	
QSNE-4T10-D	
RS-SA05	
LCR_meter LUTRON LCR-9184	Lutron LCR-9184 is a digital LCR meter with dual LCD display. 19999 / 1999 counts. Features: Five different test frequency are available 100 Hz/120 Hz/1 KHz/10 KHz/100 KHz. Ls/Lp/Cs/Cp/Rs/Rp with D/Q/ /ESR parameters. Sorting function. Range: L: 20 H-2000H C: 20pF-20mF R:20Ω - 200MΩ Basic accuracy 0,5%.
PCE-SLT-TRM	sound transmitter incl. microphone SLT-TRM; Power supply: 90 ... 260 V AC
LCR-9184 - LCR	
PCE-T236	Handtachometer PCE-T236
5510HA	
LCR-9184	
SMDC-21	
CA-05A	
Lutron Carrying Case	
QP-2L	
QSNE-4A5-230D	
LCR-9184 LCR METRE	
RNSU-452B-FMC-M	digital dimmer - universal
PS-9302	Lutron PS-9303SD is a pressure meter with SD card Meter can cooperate with 2, 5, 10, 20, 50,... Presure meter LUTRON PS-9303SD Lutron PS-9303SD is a pressure meter with SD card Meter can cooperate with 2, 5, 10, 20, 50, 100, 200 and 400 Bar sensor 8 kind pressure unit SD card capacity: 1 GB to 16 GB RS232/USB PC computer interface Power by UM3/AA (1.5V) x 6 batteries or DC 9V adapter
Grx-3106-T-Wh	6 ZONE GRX-3100 MAIN TRANS WH
Dt-2230	
Eomx-4s-Ir-Wh	
Ph-221	
Rs-Sa05-B-Faw-M	
Ct-2012	
Qsps-Dh-1-60	
Dt 1236l	
Ph-220s	
Fg-5100	
Ct 2012	
Egrx-4s-Ir-Wh	
Am-4206m	

Cm 9930	
DI-9954	
Dw 6090	
F0332979	
Dt-2239a	
Qsne-4t10-D	
Gp8-1204ml-20	DIMMING PANEL 8CIRCUIT 120V GRAFIK EYE
C-Pcbl-216-Cl-1	ECOSYSTEM 2 CONDUCTOR PLENUM CABLE
Ar-Security-AI	AURORA SECURITY PACKAGE ALMOND DIMMERS
Oxhd-04	
Dt2236	
Gch-2018	
Dc 515	
Qsne-4a-D	
Ar-Ent-2s3d-La	AURORA 2 SWITCH 3 DIMMER PACKAGE
Grx-3106-T-Ce-Wh	
Gxi-3504-T-Au-Wh	
Lbox-405	
As-35a	
Fg 5000 A	
Cbox-406	
Tm-914c/F	
Grx-4508-T-Wh	
Dt2238	
DI 9954	
SI4010	
AM-4201 ANEMOMETER	
Grx-4116-T-Wh	CONTROL UNIT 16ZONE TRANSLUCENT BLACK
Dt-2235b	
Eomx-8s-Ir-Wh	
Ccp-5a-2304is-1pn-Lcp	
EMR-DT	As-35c Replacement measuring wheel for PCE-T236
Reflecting Tape / Ref-Tape	
Qsne-2dal-D	
Ar-Ent-2s3d-Wh	AURORA 2 SWITCH 3 DIMMER PACKAGE

Do-5519	
Sc-942	
Ar-Security-Wh	AURORA SECURITY PACKAGE WHITE DIMMERS
Rs-232 To Usb Cable	
End For Dt-2268	
Am-4204 Anemometre Hotwire	
Dt-2268 (82195)	
Dt 2249a	
Rsnu452	
Cc-421	
Oxel-03	
Dw-6090a	
Cbox 406	
Am-4202	
Dt 2239	
Ar-Security-La	AURORA SECURITY PACKAGE LIGHT ALMOND DIMMERS
As-35b	
C-Pcbl-522s-CI-1	ECOSYSTEM 6 CONDUCTOR SHIELDED PLENUM CABLE
Dt 2268	
Cd-4301	
Hd-3008	
Dt-2236, Tachometer	
Tm-908	
Am 4202	
Grark Eye Grx 4108(By Grx-4508-T-Wh)	
Ar-Ent-2s3d-Al	AURORA 2 SWITCH 3 DIMMER PACKAGE
Hp-4	4000 WATT HI-POWER 2-4-6 DIMMING MODULE
Dt-2269	
Gp20-1204ml-20	DIMMING PANEL 20CIRCUIT 120V GRAFIK EYE
Rbox-408	
200-0380	
Cd 4301	
200 0380	
Mg3002	
Tc-920	
Dt 2235b	

Grx-4104-T-Br	MAIN TRANSFER BR 4 ZONE GRX-4100
Sl-4033sd	
Tbxe-2289	
Dt-8890	
Dw 6092	
082 226 688	
Qsm3-Xw-C	
Cm-9930	
Grx-It-W h	
Dt-2339	
Ar-Security-Iv	AURORA SECURITY PACKAGE IVORY DIMMERS
Dt-1236l	
Mtl-35a	
Rha-75	
Dt-2249a	
Rha-33	
Dt-2268	
Grafik Eye 3000 Model	
Am 4206m	
Ar-Ent-2s3d-Iv	AURORA 2 SWITCH 3 DIMMER PACKAGE
Oxygen Meter Do-5510ha	