



Madas

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Madas Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Madas Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Frg/2mbz Dn40	
RG/2MTE, DN 15 (RG22E 010)	Gas pressure regulator RG / 2MTE, DN 15 Thread connection 1/2 ", without safety membrane, Pe.:400-500 mbar, with adjusting spring regulator- Wh.:16-60 mbar, weight: 1.5 kg, customs tariff number: 84818059
RG/2MTE, DN 15 (RG22E 020)	Thread connection 1/2 ", without safety membrane, Pe.:400-500 mbar, with setting spring regulator- Wh.:60- 200 mbar, weight: 1.5 kg, customs tariff number: 84818059
RG22DX 010	Gas pressure regulator RG / 2MTC, DN 15 Thread connection 1/2 ", without safety membrane, Pe.:300-400 mbar, with adjusting spring regulator- Wh.:16-60 mbar, weight: 1 kg, customs tariff number: 84818059
FMC02 B50	Gas filter FMC, DN15 thread connection 1/2 ", 50 Micron, Pe.max .: 2 bar, weight: 0.4 kg, Customs tariff number: 84213915
EVPC50 005	
FRG/2MTE	GAS REGULATOR DN15
FR22E 010	Gas pressure regulator FRG/2MTE DN15, with filter, spring: 16-60 mbar,
REGULATOR. GAS DN15 MADAS FRG/2MTE	
FB04Z44 7544	Gas pressure regulator FRG/2MBZ, DN 25 threaded connection 1", with adjusting spring regulator Wh.:170-400 mbar, Pe.max.:6 bar, Who.:200-550 mbar, Whu.: 50-110

	mbar, SBV with spring Pas.:+ 40-200 mbar, Qmax 100Nm ³ /h,
M16RM 2" threaded normally open solenoid valve	
RC040020 030	Gas pressure regulator RG/2MC, DN 25 threaded connection 1", with safety membrane, with adjustment spring regulator Wh.:40-110 mbar, Pe.max.:2 bar, weight:1.5 kg,
REGULATOR GAS DN15 MADAS FRG/2MT	
FM04 B10	Gas filter FM, DN25 thread connection 1", 10 micron, Pe.max.: 2 bar,
FM040000 B10	Gas filter FM, DN25 thread connection 1", 10 micron, Pe.max.:6 bar,
RB10Z 2121	Gas pressure regulator RG/2MBZ, DN 100 flange connection PN16, with adjusting spring regulator Wh.:20-55 mbar, Pe.max.:0.5-5 bar, Who.:40-110 mbar, Whu.: 15-25 mbar, SBV with spring .:Pas+15-50 mbar,
EVO02 009	Gas solenoid valve EVO DN15, thread connection 1/2", Pe.max.:200 mbar, Voltage: 230V/50-60Hz, Protection class:IP65,
M16-RM N.A. DN 150	
FRG/2MTE	REGULATOR GAS DN15
EVPF02 008	DN15, threaded connection 1/2", Pe.max.: 360 mbar, Voltage: 230V/50-60Hz, Protection class: IP65, Weight: 1.5 kg
M16/RM N.A DN150 Pe Max: 500 mbar	
AG/RC DN25 MM-AG-RC-DN25 PMAX:500mBar. P2:0.2-120mBar	
RG/2MBZ	RB09Z 544X DN80 flange connection PN16, Inlet pressure 0.5-5 bar, Adjustment spring: 200-350 mbar, SAV Upper shut-off point spring: 300-600 mbar, lower cut-off point spring: 70-110 mbar, , Customs tariff number: 84169000
EV02E T5105	SELENOID VALF
Cn-0045 Connettore	
Ag08b Ag/Rc Dn 65	
Fm Dn65 Filtre 50 Mikron	
Fm 0 60000 B50	
M16/Rm N.C. Dn 50 230 Vac	
Fm Dn300 Of-1320, 10 Á;M	
Evo02 008 Evo/Nc Dn 15	

4evo Ce-06ac003357
Frg/2mc Dn20, 10-28 Mbar
Evo01 008 Evo/Nc Dn 10 230 Vac
Fm Dn80 Filtre 10 Mikron
Of-1320 For Fm Dn300
Fcs070000 X20 Dn50 15-33 Mbar 5bar
Fm-Dn300 10 Mm
M16/Rm N.C. Dn 300 230 Vac
M16/Rm N.C. Dn 25 230 Vac
Fm Dn300 Flanged Type P.Max 6bar
Bo-0325 Bobina
Cn-0045
F 6-111 Dn40
Frg/2mc Dn 25 (Gas Pressure Regulator With Filter Thread Connection Fc040020 030 P1=1-2 Bar P2=40-110 Mbar)
Rg/2mcdn80
Of-0296
M16/Rm N.C. Dn 150 230 Vac
Evpf/Nc Dn25
Rc50 040
Ff10 B50
M16/Rmn.C.Dn32
Bo-0050
Ff15 M10
M16/Rm N.C. Dn 32 Flanged 230 Vac
M16/Rm N.C. Dn32 230 Vac
Frg/2mc Dn 25 Flanged Version
M16/Rm N.C. Dn 80 230 Vac
Kit-Me2mc 25
M16/Rm N.C. Dn 50 Flanged 230 Vac
M16/Rm N.C. Dn 25 Flanged 230 Vac

[Evp03 208](#)

[Evpf06 008](#)

[Fm Dn300 P.Max 2bar](#)