

Maple Systems

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Maple Systems Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Maple Systems Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Oit4160-A00	Operator Interface Terminal With 2x20 VFD OIT-3165
Hmi-530c-001	TOUCHSCREEN 7.7IN DSTN COLOR DISPLAY 1AMP 24VDC
Hmi5104th	TOUCH SCREEN
Hmi520c-006	OPERATOR INTERFACE 5.7INCH TFT 256COLOR
Map340d-240f	OPERATOR INTERFACE 12/30VDC
Hmi520t-007	OPERATOR INTERFACE MONITOR 24VDC 370MA
Hmi5121p	GRAPHIC HMI, 12.1IN LCD, ALUM.HOUSING, 800MHZ
Pc415a	DISPLAY
Pc115b	15" XGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.5 GHZ CELERON M. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 4 SERIAL, 2 USB,2 PS/2
He800thm100b	4 Channel Thermo-Couple Input HE800
Pc115bf	15" XGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.0 GHZ CELERON M ULVFANLESS. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 4 SERIAL, 2
Oit3200-A00	OPERATOR INTERFACE
Hmi5104t	10.4" 640 X 480. CPU 200 MHZ RISC. FLASH MEMORY32 MB. DRAM64 MB. USB PORTS 3
Hmi612x-Xp	12.1" TFT LCD800 X 600 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 500 MHZCISC. 2 GB DOM1 ETHERNET, 2 SERIAL, 3 USBMICROSOFT WINDOWS
Hmi5104x	10.4" 640 X 480. CPU500 MHZ CISC. FLASH MEMORY256 MB. DRAM256 MB. USB PORTS 3

Ürün	Açıklama
Oit-4450-Boo	2 LINE DISPLAY 40 CHARACTERS EACH
Hmi5100l	10.0 65K-COLOR SLIM-FORM
Oit-4400-Boo	2 LINE DISPLAY 40 CHARACTERS EACH
San460c-001	OPERATOR INTERFACE 8-30VDC
Hmi5303-005e	OPERATOR INTERFACE TOUCH SCREEN
Hmi608t	8" TFT LCD640 X 480 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 200 MHZRISC. 32 MB FLASH, CF SLOT1 ETHERNET, 2 SERIAL, 3 USBMICROSOFT
Hmi-520h-005e	OPERATOR INTERFACE 5.7INCH 256 COLOR TFT
He5000cs100x	Operator Panel HE5000
Web64000xp-Rtu	UPGRADE WEB4000XP-RT RUNTIME LICENSE TO WEB64000XP-RT
Pc110bf	10.4" SVGA TFT,5-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.0 GHZ CELERON M ULVFANLESS. 256 MB DDR, 40 GB HDD,IDE CF SLOT (INTERNAL),1 ETHERNET, 2 SERIAL
Pc117b	17" SXGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.5 GHZ CELERON M. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 4 SERIAL, 2 USB,2 PS/
Hmi550h-03	OPERATOR INTERFACE 10.4INCH COLOR TFT
Hmi5070t	DISPLAY
Hmi530ckit	SCREEN , SOFTWARE , CABLE
Hmi530t	7.7"640 X 480. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY2 MB .ETHERNET COMPACT FLASH PORTNO
Web1500ce	WINDOWS CE PROJECTS ONLY OPERATING SYSTEM. WEBSTUDIO DEVELOPMENT SOFTWARE FOR WINDOWS CE APPLICATIONS. INCLUDES DEVELOPMENT SOFTWARE AND ONE RUNTIME L
Oit-4400-B00	2 LINE DISPLAY 40 CHARACTERS EACH
Web-lw-Pb	CONVERTS PANELBUILDER™ APPLICATIONS INTO WEBSTUDIO APPLICATIONS (OPTIONAL)
Hmi-550h-001	OPERATOR INTERFACE 10.4INCH 24VDC 1A
Pc417a	DISPLAY

Ürün	Açıklama
Hmi-520m-005	OPERATOR INTERFACE 5.7IN COLOR STN
Web4000xp-C	UPGRADE A WEB4000XP DEVELOPMENT SOFTWARE TO THE LATEST VERSION
Pc117bf	17" SXGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.0 GHZ CELERON M ULVFANLESS. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 4 SERIAL,
Oit-4450-Aoo	2 LINE DISPLAY 40 CHARACTERS EACH
Web4000xp-Rtu	UPGRADE WEB1500XP-RT RUNTIME LICENSE TO WEB4000XP-RT
Web4000xp	WINDOWSXP OR CEPROJECTS OPERATING SYSTEM. WEBSTUDIO DEVELOPMENT SOFTWARE FOR WINDOWS XP OR CE APPLICATIONS.INCLUDES DEVELOPMENT SOFTWARE AND ONE RUNTI
Web-lw-Pm	CONVERTS PANELMATE™ APPLICATIONS TO WEBSTUDIO APPLICATIONS (OPTIONAL)
Hmi550hkit	PVIEW 10.4 TOUCH W/SOFTWARE AND CONFIG. CABLE
Web4000xp-Rt	WINDOWSXP OPERATING SYSTEM. WEBSTUDIO RUNTIME LICENSE FOR WINDOWS XP. INCLUDES 1 RUNTIME LICENSEFOR 4,000 APPLICATION TAGS, 3 COMMUNICATION DRIVERS, A
Hmi550t	10.4"640 X 480. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY2 MB .ETHERNET COMPACT FLASH PORTNO
Web1500xp-C	UPGRADE A WEB1500XP DEVELOPMENT SOFTWARE TO THE LATEST VERSION
Hmi612x-Ce	12.1" TFT LCD800 X 600 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 500 MHZCISC. 256 MB DOM1 ETHERNET, 2 SERIAL, 3 USBMICROSOFT WINDOW
Hmi520t	5.6"320 X 234. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY2 MB .ETHERNET COMPACT FLASH PORTNO
Com501b003	TERMINAL
Web4000xp-U	UPGRADE WEB1500XP DEVELOPMENT SOFTWARE TO WEB4000XP
Web1500xp	WINDOWSXP OR CEPROJECTS OPERATING SYSTEM. WEBSTUDIO DEVELOPMENT SOFTWARE FOR WINDOWS XP OR CE APPLICATIONS.INCLUDES DEVELOPMENT SOFTWARE

Ürün	Açıklama
	AND ONE RUNTI
Web64000xp-Rtc	UPGRADE A WEB64000XP-RT RUNTIME LICENSE TO THE LATEST VERSION
Web64000xp	WINDOWSXP OR CEPROJECTS OPERATING SYSTEM. WEBSTUDIO DEVELOPMENT SOFTWARE FOR WINDOWS XP OR CE APPLICATIONS.INCLUDES DEVELOPMENT SOFTWARE AND ONE RUNTI
Oit-4400-Aoo	2 LINE DISPLAY 40 CHARACTERS EACH
Hmi5121t	12.1" 800 X 600. CPU 200 MHZ RISC. FLASH MEMORY32 MB. DRAM64 MB. USB PORTS 3
Web64000xp-U	UPGRADE WEB4000XP DEVELOPMENT SOFTWARE TO WEB64000XP
Hmi5070th	OPERATOR INTF
Gef340a001	OPERATOR INTERFACE PANEL
Pc110b	10.4" SVGA TFT,5-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 1.5 GHZ CELERON M. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 2 SERIAL,2 USB, 2
Hmi520m-006	OPERATOR INTERFACE 5.7IN 4COLOR STN LCD 24VDC
Oit-4450-B00	2 LINE DISPLAY 40 CHARACTERS EACH
Omi5121ace	OPER INTERFACE
Hmi-520c-005e	OPERATOR INTERFACE 5.7IN 256 COLOR STN LCD
Hmi5150x	15" 1024 X 768. CPU500 MHZ CISC. FLASH MEMORY 256 MB. DRAM256 MB. USB PORTS3
Hmi610x-Ce	10.4" TFT LCD640 X 480 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 500 MHZCISC.256 MB DOM1 ETHERNET, 2 SERIAL, 2 USBMICROSOFT WINDOWS
Hmi530te	7.7"640 X 480. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY4 MB .ETHERNET COMPACT FLASH PORTYES
Hmi530c-005	TOUCH SCREEN
Hmi550te	10.4"640 X 480. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY4 MB .ETHERNET COMPACT FLASH PORTYES
Hmi615x-Ce	15" TFT LCD1024 X 768 PIXELS, 65536 COLORS4-WIRE

Ürün	Açıklama
	ANALOG RESISTIVE TOUCHSCREEN. CPU 500 MHZCISC. 256 MB DOM1 ETHERNET, 2 SERIAL, 3 USBMICROSOFT WINDOWS
Web64000xp-Rt	WINDOWSXP OPERATING SYSTEM. WEBSTUDIO RUNTIME LICENSE FOR WINDOWS XP. INCLUDES 1 RUNTIME LICENSEFOR 64,000 APPLICATION TAGS, 3 COMMUNICATION DRIVERS,
Oit5400-B00	OPERATOR INTERFACE
Omi5100a-Ce	OPERATOR INTERFACE TOUCH SCREEN 10INCH
Web64000xp-C	UPGRADE A WEB64000XP DEVELOPMENT SOFTWARE TO THE LATEST VERSION
Pc419a	PANEL PC 19INCH TOUCHSCREEN
Hmi520m-001	HMI 520M Operator Panel HMI 520M
Oit3175-A00	OIT3175A w/4x20 LCD Panel
Hmi5150xl	INTERFACE
Pc217a	17" SXGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 2.4 GHZ CELERON. 256MB DDR, 80 GB HDD,1 ETHERNET, 4 SERIAL, 2 USB,2 PS/2, 1 PARALLEL, 1 VGA,WINDO
Hmi-5100t	OPERATOR INTERFACE 10INCH TOUCHSCREEN TFT LCD
Hmi530c05	TOUCH SCREEN
Hmi550c-004	OPERATOR INTERFACE 10IN COLOR LCD
Web4000xp-Rtc	UPGRADE A WEB4000XP-RT RUNTIME LICENSE TO THE LATEST VERSION
He5000cs100y	Panel HE5000
Oit-4400-A00	2 LINE DISPLAY 40 CHARACTERS EACH