

Marechal



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Marechal Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Marechal Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
6168017	DECONTACTOR DSN6 INLET POLY BLUE Size.3 IP66 / 67/69 3P + N + E 63A 440V AC
3994013600 Ds9 Socket Metal Size.5 Marec	MARECHAL MODEL: 3994013600 DECONTACTOR DS9 SOCKET METAL BLUE SIZE.5 IP66/67 3P+E 150A 440V AC
3998013600 Ds9 Inlet Metal Size.5 Marech	MARECHAL MODEL: 3998013600 DECONTACTOR DS9 INLET METAL SIZE.5 IP66/67 3P+E 150A 440V AC
595c7m63 Wall Box Metal Blue Size5+70d A	MARECHAL MODEL: 595C7M63 WALL BOX METAL BLUE Size.5 +70D ANGLE ADAPTER M63
555p0d45 Elastomer Black Size.5 +cable	MARECHAL MODEL: 555P0D45 STRAIGHT HANDLE ELASTOMER BLACK Size.5 +CABLE GLAND 35- 45MM
319a426 Ds9 Plug Cap Elastomer Black	MARECHAL MODEL: 319A426 DS9 PLUG CAP ELASTOMER BLACK
2518013	DECONTACTOR DXN1 RECESSED PLUG II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLY BLACK Size.A IP66 / 67 3P + E 20A 440V AC
2514013	DECONTACTOR DXN1 SOCKET II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLY BLACK Size.A IP66 / 67 3P + E 20A 440V AC
251ab53	DXN1 WALL BASE 30 DEGREES POLY BLACK Size.A + M20 10-14MM
251a753	DXN1 HANDLE STRAIGHT POLY BLACK Size.A + M20 10-14MM
SET COMPLETT DXN1	DECONTACOR DXN1 SOCKET II2GD EX DB EB IIC GB-EX KOD.2514017352/ DECONTACOR DXN1 INLET II2GD EX DB EB IIC GB-EX KOD.2518017 / DXN1 WALL BOX 30D POLY BLACK SIZE.A+CABLE GLAND KOD.251AB5325P/ DXN1 STRAIGHT HANDLE POLY BLACK SIZE.A+CABLE GLAND KOD.251A44325P/ DXN1SELF-EJECTION MECHANISM PLUG LEVER KOD.251A338/ DXN1 SELF-EJECTION MECHANISM TENSION CORD KOD.251A336/

SOLENOID	SOLENOID TO BE USED IN FIRE EXTINGUISHING SYSTEM / SERVICE: WATER AND FOAM NORMALLY CLOSED (NC) 1 / 4"30 BAR RESISTANT. VOLTAGE 24V9W
DS9 3994017751	
DS6 FEMALE SOCKET METAL 3964013	
DS6 MALE PLUG METAL 3968013	
DS6 MALE PLUG BOX METAL 594P040M	
DS6 MALE PLUG PIN 316A011	
DS6 FEMALE SOCKET PIN 316A021	
Marechal	
Marechal	
Marechal	
3994013600 DS9 SOCKET METAL SiZE.5 MAREC	3994013600 DECONTACTOR DS9 SOCKET METAL BLUE SiZE.5 IP66/67 3P+E 150A 440V AC
3998013600 DS9 INLET METAL SiZE.5 MARECH	3998013600 DECONTACTOR DS9 INLET METAL SiZE.5 IP66/67 3P+E 150A 440V AC
595C7M63 WALL BOX METAL BLUE SiZE5+70D A	595C7M63 WALL BOX METAL BLUE Size.5 +70D ANGLE ADAPTER M63
555P0D45 ELASTOMER BLACK Size.5 +CABLE	555P0D45 STRAIGHT HANDLE ELASTOMER BLACK Size.5 +CABLE GLAND 35- 45MM
319A426 DS9 PLUG CAP ELASTOMER BLACK	319A426 DS9 PLUG CAP ELASTOMER BLACK
socket	
DECONTACTOR DXN1 SPINA	II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLIE. NERO IP66/67 2P+2P+T 20A 24V DC
596M6	60 Degree Inclined Panel Mount Adapter
3944013	
3948013	
3924053z1312	
1998032 Dn 9 Einbaustecker Metall	
Mar3928013 00569	
319a963	
Ds13114097+311a083(Ex.Ds1-3110097)	
3111015000a	

3113215rk4l
3414082000a
3p+n+e
256a25332p
3928013972
01 P8 061
61c8003
3924017972
3924013972
Dxn1 (20a) 380-440v 3p + K + E PLUG
0124017825a
3928043233
2518092 (Dxn 1)
2514015 Dxn 1 Einbaudose
1968191600
09na95332m
Mah3924013 00612
3998017
879a053420
3928053z1312
3994017600
Pfq4
392a053
1998013
61-340193-972
Sp Ip66/67 Brown
01 P4 061
3411082000a
392a913
Ds6
3994017

09na95332m Pn 5 M Griff Gerade Metall Blau M32	
Siehe Anhang	
Dn9 19980 13	
61c4003	
3168017	
198a053	
1994013	
659a013d35	
Dxn1 2514015	
1980000023	
Dxn1 (20a) 220-250v 1p + K + E	PLUG
2694017z0357	
399a053	
3110017000a	
2564097+18	
316a013	
352a013d49	
61 3a 253 32p	
879a823	
3994013612	
879a053	
1000volt 700amper Ip66 / 67 Plug-In Typ Sp)	
269ab53z0357	
Ds9 M 3998097656	Please look at the attachement
1.985.127	
51da058	
9244013	
1994032 Dn 9 Einbaudose Metall	
616a053	

3928017	DS 2 MOUNTING METAL Contacts: 3P + N + PE / Voltage: 440V Frequency: AC Hz / current: 250A Protection class: 54 / Position: 01
1988017	
3924043233	
199a653	
3198197	
0121017001a	
6168013	
6164013	
3924013600	DS2 Metal Panel Socket IP66/67 3P+E 250A 440V AC
61-38093-972	
196a126	
1998032	
3994013	
256a426	
3164017	
2568097	
616a473	
196a95332m	
01na013	
3924017600 Ds2	
01na126 Pn 5 K Stecker-Kappe	
3194197+18	
25-68017	
Ds2 250a	
616a013	
2518092 Industrial Electric Plug	
256ab58	
3928017972	
1964191605	

51-Ba757	
25-34015	
3998013	
X756033402	
09p4041	
25-64017	
09a4001 Einbaudose Pn 12c Metall	
392a027	
251ab53 Dxn 1 Wandsocket	
3111017000a	
556p0d35 (New Art. No. Since 01.01.17)	HANDLE JUST ELASTOMER BLACK SIZE.6 + CABLE GLAND 25-35MM
1994013 199a653 19	
6164013843	
3928017 + 392a013	
619a25363p	
3944223600	
3924017	DS 2 SOCKET METAL BLUE Contacts: 3P + N + Pe / Voltage: 440V Frequency: AC Hz / Electricity: 250 A Protection class: 55 / Position: 01
3928013	
3110015000a	
263ab53	
2634015	
1994032	
09a8001 Pn 12c M Einbaustecker Metall	
01p4061	