



Masoneilan

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Masoneilan Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

rn	Aıklama
Typ: Converter Model 4000 I/P	MASONEILAN accessories Art.No .: 055100214-999-0000
30-30222 Cl.300	BODY COMPLETE FOR MODEL 30-30222 CL.300 SIZE 12" FV-50103 ACTUATOR & ACCESSORIES CONTROL VALVE REF. MASONEILAN DIVISIONDRESSER
(035104040)	
35-35212 /Spec Data Sheet	
35-35212 K129-623	4700P 01 01 [35-35212] 2 inches, stainless steel, ASME CL 300, A351 g CF8M (316 pieces), Flangeless01 -35-35212 Flange connection, stainless steel housing, full CV, 4700P model with pneumatic valve
88-21624	DN25/PN16
Part Number 035107040	Bieten Sie separate Preise fr LJF- und RPP-Typen an
35-35612	
12422-51-AB	
VENTİL	
Type: 35-35212	Masoneilan Camflex Controll Valve (Only valve body) Type: 35-35212 ANSI 3" / ASME CL 600 Flangless Cv: from 15,6 to 39 it need to be chosen before order Body: Carbons steel, WCC Class IV (IEC 534-4) Only valve body (for data sheet we need data from the technology)
51090-00210-00-00	
35-35312	
041126-1811530000	
010867-003-779	
05-030162001-888	

05-030160001-888	
005675793-29470000	
Diyafram.2" For Valve 35-35212	P.N:035104040-716
35002	
Typ: 78-40 Airset 5-100	MASONEILAN Zubehr Typ: 78-40 AIRSET 5-100 PSI OUTPUT PRESSURE -40 TO 80 DEG C Art.Nr.: 204500368-999-0000
35-35502-8013-258	
Typ: 78-4 Airset 5-40	MASONEILAN Zubehr Typ: 78-4 AIRSET 5-40 PSI OUTPUT PRESSURE -40 TO 80 DEG C Art.Nr.: 204500362-999-0000
0551000779994711	POSITIONER
055100215999	POSITIONER
35-35222	
35-35202	
38-205x1size-1in	
808898172061	KIT
Camflex Ii - Dn 3	
35-35212 3 600#	FLANGELESS CAMFLEX II CONTROL VALVE
87-21124 + 4700e	
230-00617-300	
356154-151-825	
011477-188-779	TRANSDUCER 4-20MA
4800p	POSITIONER
3841615	CONTROL VALVE
011482121888000	
004391002-888	
A351grcf8m47-21125	
47-21125	
Type: 35-35212 Ansi 1"	Masoneilan Camflex Controll Valve Type: 35-35212 ANSI 1" / ASME CL 600 Flangless Cv: from 0,5 to 15 need to be chosen before order Body: Carbons steel, WCC Class IV (IEC 534-4) Fail to CLOSE Pneumatic actuator (for data sheet we need data from the technology)
060177001-999	

055100216999	POSITIONER
35-35512	
060184-003-999	
358740-000-210	
496-857 Pn:42	ELECTRONIC CARD, MASONEILAN 496-857 PN: 42 CIRCUIT BOARD
00008387001-686	
358745-000-149	
Type: 35-35212 Ansi 1,5"	Masoneilan Camflex Controll Valve Type: 35-35212 ANSI 1,5" / ASME CL 600 Flangless Cv: from 15,6 to 39 it need to be chosen before order Body: Carbons steel, WCC Class IV (IEC 534-4) Fail to CLOSE Pneumatic actuator (for data sheet we need data from the technology)
010237004596	UNKNOWN
037012-140-699	
Ctg244/1045	
Pet10108	TRANSMITTER
12420-51ab	HART LEVEL TRANSMITTER HEAD, C/W 600, TORQUE TUBE
035104-040-716	
Fv-928	
10132	VALVE
8013-757	
20-35112	
Tv-602a	
435003-193-999	
Fvp110f1a6nlciff	POSITIONER
590010-001-999	TRANSDUCER 11-28DC 4-20MA IN 100MA MAX 3-15PSIG
35202/Hw	
Fvp110f2a6nlciff	POSITIONER
435002190-999-0000	
Flanged Glob Type Pne. Akt. Proportional Control Valve Stainless	DN:25 PN:40
490799193b0000	CONTROL VALVE

4000 I/P Converter	Please look at the attache ^m ent
Type: 35-35212 Ansi 3"	Masoneilan Camflex Controll Valve ANSI 3" / ASME CL 600 Flangless Cv: from 58 to 145 it need to be chosen before order Body: Carbons steel, WCC Class IV (IEC 534-4) Fail to CLOSE Pneumatic actuator (for data sheet we need data from the technology)
37-10134	CONTROL VALVE
2-4-9500-084	
060189-006-999	
35-35122	
005675109-930	
21000	
971977081779	VALVE
Type Svi2ap-21123111	Masoneilan Hart positioner Type SVI2AP-21123111 Digital display, buttons 4...20 mA+HART, basic diagnostic II 1G EEx ia IIC T5 Electrical connection: NPT 1/2" Mounting kit (mounted to the valves) Airset 78-40 Monting kit for airset
Flanged Glob Type Pne. Akt. On-Off Valve Stainless	DN:25 PN:50
Cv230	
005675794-29470000	
35-35812	CONTROL VALVE ACTUATOR CAMFLEX II SIZE1 600ANSI
21123111	VALVE
51577003-999	
Fv-948	
Complete Assy,Type Svi2 Ap 31113111	
0115342808880000	TRANSDUCER
775/35psi	
35402	
400088328999	POSITION SWITCH 400088328999 for TRANSMITTER-OPTO ELECTRONIC PNEUMATIC VALVE
Model 8013-758,Input 4-20ma,Output 0.2-1 Bar	MASONEILAN DIGITAL POSITIONER & CONTROLLER SREIS SVI REF.MASONEILAN
88-21124	CONTROL VALVE
Complete Assy,Model:055100-156 P/N:055100-778	

38-21116-Size6\"class300	
035104040-716	
Tv-602b	
8821914	VALVE
435001-104-567	
035003104-567-0000	
35-35112	
Type: Svi1000/G	Masoneilan Hart- positioner Type: SVi1000/G With buttons 4...20 mA+HART II 1 G Ex ia IIC T4 Electrical connection: NPT 1/2" Airset 78-40 Mounting kit (mounted the the valve)
0411261619990000	
4351003119990000	
78-40	
011470098193	VALVE
11477188779	TRASDUCER I/PEX3-15PI FM/CSA XP IS NI 1/2NPT
011490772193b000	CONTROL VALVE