



Masoneilan

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Masoneilan Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Masoneilan T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Typ: Converter Model 4000 I/P	MASONEILAN accessories Art.No .: 055100214-999-0000
30-30222 CL.300	BODY COMPLETE FOR MODEL 30-30222 CL.300 SIZE 12" FV-50103 ACTUATOR & ACCESSORIES CONTROL VALVE REF. MASONEILAN DIVISIONDRESSER
(035104040)	
35-35212 /Spec Data Sheet	
35-35212 K129-623	4700P 01 01 [35-35212] 2 inches, stainless steel, ASME CL 300, A351 g CF8M (316 pieces), Flangeless01 -35-35212 Flange connection, stainless steel housing, full CV, 4700P model with pneumatic valve
88-21624	DN25/PN16
Part Number 035107040	Bieten Sie separate Preise f¼r LJF- und RPP-Typen an
35-35612	
12422-51-AB	
VENTİL	
P.N: 010864003-779	diaphragm
P.N: 035107040-716	diaphragm
PLUG 18K 4 CV 23 LIN 6-STG TYPE C BAL	P.N:011509400-206-0000,18463,4"

LINER 784 4 6-STG CV=23,	P.N:011509399-213-0000,18463,4"
35-35202	membrane and inner suit
8013-257	
060177009-999 Relay	
DIAPHRAGM ACTUATOR - CFX 4,5" - STD	Part No: 035104040-716-0000
12812	
Type: 35-35212	Masoneilan Camflex Controll Valve (Only valve body) Type: 35-35212 ANSI 3" / ASME CL 600 Flangless Cv: from 15,6 to 39 it need to be chosen before order Body: Carbons steel, WCC Class IV (IEC 534-4) Only valve body (for data sheet we need data from the technology)
51090-00210-00-00	
35-35312	
041126-1811530000	
035004004594	PLUG
35-35212, Pn 26041	
010867-003-779	
05-030162001-888	
Mnc-712581/009	
05-030160001-888	
005675793-29470000	
Diyafram.2" For Valve 35-35212	P.N:035104040-716
35002	
88-21121	CONTROL VALVE
Typ: 78-40 Airset 5-100	MASONEILAN Zubeh¼r Typ: 78-40 AIRSET 5-100 PSI OUTPUT PRESSURE -40 TO 80 DEG C Art.Nr.: 204500368-999-0000
Mod:2715 - Press. Range: 0-30 Psig	
35-35502-8013-258	
4700e	VALVE
9191-258-A/782	
Typ: 78-4 Airset 5-40	MASONEILAN Zubeh¼r Typ: 78-4 AIRSET 5-40 PSI OUTPUT PRESSURE -40 TO 80 DEG C Art.Nr.: 204500362-999-0000
0551000779994711	POSITIONER

Mnc-712581/007	
Relay S/A	
Mod:2715 - Press. Range: 0-100 Psig	
055100215999	POSITIONER
35-35222	
35-35202	
38-205x1size-1in	
808898172061	KIT
Camflex Ii - Dn 3	
35-35212 3 600#	FLANGELESS CAMFLEX II CONTROL VALVE
87-21124 + 4700e	
Positioner For Model 35-35412	
400088-312-779	
230-00617-300	
356154-151-825	
011477-188-779	TRANSDUCER 4-20MA
801ddpy-2-G Sn: 0652-9	
4800p	POSITIONER
9191-258-A/842	
Pu-10665/062	
3841615	CONTROL VALVE
526	
Spare Level Dn 100 For Masoneilan 320	
011482121888000	
004391002-888	
A351grcf8m47-21125	
Sv12a-P21123111	VALVE DIGITAL POSITIONER
Svi2	
47-21125	
	Masoneilan Camflex Controll Valve Type: 35-35212 ANSI 1" / ASME CL 600 Flangless Cv: from 0,5 to 15 need to be chosen

Type: 35-35212 Ansi 1"	before order Body: Carbons steel, WCC Class IV (IEC 534-4) Fail to CLOSE Pneumatic actuator (for data sheet we need data from the technology)
060177001-999	
055100216999	POSITIONER
055100-214-888	
400117-654-206fv-40102a	
3841515cv1000	VALVE
35-35512	
Trim For Model 35-35412	
060184-003-999	
358740-000-210	
496-857 Pn:42	ELECTRONIC CARD, MASONEILAN 496-857 PN: 42 CIRCUIT BOARD
Pu ? 10665/262	
00-051645008-999	
00008387001-686	
78-Tq2xxx-Fs	
Model: 2715 Range 0-30 Psi	
055200-191-999	
358745-000-149	
P/N: 35-35212 S/N: 78-0179-03-1	
Type: 35-35212 Ansi 1,5"	Masoneilan Camflex Controll Valve Type: 35-35212 ANSI 1,5" / ASME CL 600 Flangless Cv: from 15,6 to 39 it need to be chosen before order Body: Carbons steel, WCC Class IV (IEC 534-4) Fail to CLOSE Pneumatic actuator (for data sheet we need data from the technology)
2715 0-30 Psig	
010237004596	UNKNOWN
8013-058	
12423-51	
037012-140-699	
12122	
854017001040	REGULATOR

Ctg244/1045	
Pet10108	TRANSMITTER
12420-51ab	HART LEVEL TRANSMITTER HEAD, C/W 600, TORQUE TUBE
035104-040-716	
00-010233001-163	
035006104594	PLUG
00-010233002-163	
Fv-928	
10132	VALVE
Model: 2715 Range 0-100 Psi	
14/19548	
8013-757	
Plug For Model 78-Cb-2	
Model: 4000 I/P P.N: 055100-212-888	
88060942010000	
247/60349	
20-35112	
536h	
Tv-602a	
26401	
9191-167-A/505	
Lubricant No.5	
435003-193-999	
Fvp110f1a6nlciff	POSITIONER
590010-001-999	TRANSDUCER 11-28DC 4-20MA IN 100MA MAX 3-15PSIG
35202/Hw	
Actuator For Model 35-35412	
Fvp110f2a6nlciff	POSITIONER
Svi2ap2112311	POSITIONER
300637000732	VALVE
435002190-999-0000	

00021000371163	
435006195999	RING
Flanged Glob Type Pne. Akt. Proportional Control Valve Stainless	DN:25 PN:40
490799193b0000	CONTROL VALVE
4000 I/P Converter	Please look at the attachement
Type: 35-35212 Ansi 3"	Masoneilan Camflex Controll Valve ANSI 3" / ASME CL 600 Flangless Cv: from 58 to 145 it need to be chosen before order Body: Carbons steel, WCC Class IV (IEC 534-4) Fail to CLOSE Pneumatic actuator (for data sheet we need data from the technology)
37-10134	CONTROL VALVE
Fvp110 - F1a3n/Lc1/Bp/Ks25	
2-4-9500-084	
13/24730	
060189-006-999	
35-35122	
283/7078	
Torque Tube For Modelã 12322-058	
Model: 535camp;535v	
8012-4c	ELECTROPNEUMATIC VALVE POSITIONER 4-20MA
005675109-930	
21000	
971977081779	VALVE
Type Svi2ap-21123111	Masoneilan Hart positioner Type SVI2AP-21123111 Digital display, buttons 4...20 mA+HART, basic diagnostic II 1G EEx ia IIC T5 Electrical connection: NPT 1/2" Mounting kit (mounted to the valves) Airset 78-40 Monting kit for airset
Diaphragm For Valve Series 35-35202 Diameter 3 Å39;	
Flanged Glob Type Pne. Akt. On-Off Valve Stainless	DN:25 PN:50
Plug Stem 010868-397-163 010868-397-163	
Cv230	
011534360-888-0000	

Svi Iiap	
005675794-29470000	
35-35812	CONTROL VALVE ACTUATOR CAMFLEX II SIZE1 600ANSI
21123111	VALVE
51577003-999	
Fv-948	
204500362999	
Complete Assy,Type Svi2 Ap 31113111	
Svi221121111	CONTROLLER
0115342808880000	TRANSDUCER
775/35psi	
35402	
400088328999	POSITION SWITCH 400088328999 for TRANSMITTER-OPTO ELECTRONIC PNEUMATIC VALVE
435004122163	SHAFT
Jc23000/595 Pã4519m	
Model 8013-758,Input 4-20ma,Output 0.2-1 Bar	MASONEILAN DIGITAL POSITIONER & CONTROLLER SREIS SVI REF.MASONEILAN
88-21124	CONTROL VALVE
Complete Assy,Model:055100-156 P/N:055100-778	
38-21116-Size6\"class300	
035104040-716	
204500368999	
Tv-602b	
8821914	VALVE
435001-104-567	
Fvp110-F1a3n/Ks25/Bp/Lc1	
Body Bonnet For Model 35-35412	
063200002999	POSITIONER
035003104-567-0000	
Camflex Ii Cam, 041126-181	

283/7079	
Sv12	
Type:78-Tq2xxx-Fs	
Model: 8012-2-C	
00400105634999	
12893-00	
Relay For Model: 8012	
35-35112	
Type: Svi1000/G	Masoneilan Hart- positioner Type: SVi1000/G With buttons 4...20 mA+HART II 1 G Ex ia IIC T4 Electrical connection: NPT 1/2" Airset 78-40 Mounting kit (mounted the the valve)
0411261619990000	
012101020-999	
4351003119990000	
78-40	
011470098193	VALVE
Pneumatic Positioner Cam Shaft For Camflex Ii	
11477188779	TRASDUCER I/PEX3-15PI FM/CSA XP IS NI 1/2NPT
12420-51	HART LEVEL TRANSMITTER HEAD, C/W 600, TORQUE TUBE
00400098307716	
011490772193b000	CONTROL VALVE
Mnd-660759/093	