Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Mayr

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Mayr Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Mayr Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
ROBA -ES 19"	If the keyway is optional, the Ø16 part with the keyway and the Ø8 part will be without the keyway (if not, it can be without keyway in both parts)
EV028 FEM-240M-25	brake spring actuated - electromagnetically released Supply voltage 220 - 240 VAC Brake disc thickness 18 - 26mm ZTN85052000
EV028 FEM-480M-25 (Alternative for pos1)	spring actuated - electromagnetically released Supply voltage 380 - 480 VAC Brake disc thickness 18 - 26mm ZTN85052000
ENCODER KIT E 028 2 ENCODERS (BO / BG / V)	
Brake EV 028 FEM-240M-25	4453-281511-000000 Gewicht: 25 KG / ST Zolltarifnummer: 85052000
Brake EV 028 FEM-480M-25	
1/932,333	BO 19H7
8185947	018.100.2 Roba switch 24V Size1
0925011 Clutch	
ROBA SWITCH, 20/017.000.2	
0002340	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0002341	
0009560	
0010104-1	
0014374-1	
0023963	
0034214	
0113426-1	
02/450.715.0	
02500272	
055.010.6	
0802739	
0911954	
0921798	
0921840	
1/100.210/25/DIN 6885-1	
1038577	
140 / 030INT6	
14940000A12DIN10DIN	
19/940.000.A	
2/017002	
2/490.710.0	
2/932.333/24/24	
20/017.002	
200/899.000.01S	
207473	
238596	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
3/490.825.0	
3/910.400	
32/891.100.0	
32/891.104.1	
4/931.333	
4000021	
400v 3A EL3219	
4041259	
4041261	
4083775	
4102233	
440GT27121	
53/k13.301.2s (OEM for AWG)	
60/891.020 /1S (OEM)	
6600059	
7000145	
7000379	
7000616	
7000789	
7001407	
7001939	
70027450	
7003503-2	
7005098-1	
7005404-1	
7006026	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
7008384-1	
7008644	
7009839-1	
7011039	
7011668	
7011897	
7012443	
7013308	
7014348-1	
7014718-1	
7016439	
7018142	
7019183	
7021842	
7024940-2	
7026782	
7029674	
7032790	
7043859-1	
7057399-1	
7062073	
7064394	
8/100.110	
8164595	
8165389	
8167145	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
8180151	
8180154	
8180160	
8194546	
8195779 P1100263 (OEM)	
8199286	
8202506	
8204985	
8205516-1	
8212378	
8226141 OEM!!	
8229877	
8245887	
8259099	
8259633	
8261610	
8263178	
8263448	
8264037	
8284032	
891.124.1S	
932.333	
940.000.A	
9500	
951.221	
EAS-NCC-0/490.525.0.D	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Gr.3/150.100	
LR108927 oem	
ROBA DS C25 X C32 10/951.441/25/32 ROBA-DS10.951.441	
ROBA-Rurschnabe - Gro?e 1	
S7100764	
MTC 32A	
7014518	sliding hub Load-holding, friction-locking safety clutch ROBA sliding hub size 5 Type 170.312 drill 65mm H7 Nut: DIN 6885 BI.1 JS9 Installation width drive element w: 120mm liner long : 128mm nominal torque 1400 to 2100 Nm Please note: For manufacturing reasons, the bore in this version is now provided with a recess on the side of the adjusting nut according to catalog no. K.123.V15.DE
mayr® Item No.: 7022838	ROBA®-topstop® Type-tested, reliable safety brake according to the Machinery Directive ROBA top stop size 120 Type 899.000.02 wave Shaft: 24mm Fit shaft: k6 Bore: 24mm Fit: F7 Solenoid 12V Flange housing (motor side) Centering Z1: 110mm Fit: F8 Pitch Circle: 130mm bearing flange (output side) Centering Z: 110 mm Fit: j6 Braking torque 30 Nm overexcitation required

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	with release monitoring proximity switch PNP normally open Optional operation with ROBA-brake-checker possible: - ROBA brake checker plus DC size. 2 types 028.600.2 - ROBA brake checker plus DC size. 2 types 028.100.2 - ROBA brake checker DC size. 2 types 058.600.2 according to catalog no. K.899.V15.DE Design as delivered with mayr serial number X3111821!
mayr® Item No.: 8185947	ROBA-switch 24V quick switching module size 1 Type 018.100.2 Input voltage 24V DC Output voltage 6, 8, 12, 16 V DC, freely selectable Operation with overexcitation or derating integrated DC-side shutdown maximum current load 5.0 amps at <= 45° C ambient temperature 2.5 amps at max. 70° C ambient temperature Degree of protection IP00 Approvals: UL, CE according to dimension sheet no. M.0181002.D
Roba-DS 40	
Art.-Nr.: 7059366-1	EAS® - compact® synchronous clutch The best-selling, backlash-free safety clutch EAS compact size 2 Type 494.525.3 hub (key) Bore: 35mm Fit: H7 Groove: DIN 6885 sheet 1 JS9 hub/494. (Adjusting spring) Bore: 35mm Fit: H7 Groove: DIN 6885 sheet 1 JS9 Sprocket yellow 92Sh-A attitude Torque: preset Limit torque for overload 40 to 100 Nm according to catalog no. K.490.V17.DE
Art.-Nr.: 7054515	EAS® sp Pneumatically switchable, infinitely variable Safety clutch for optimal adjustment of the moments of disengagement EAS Sp Gr. 1

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Type 456.125.8 hub Bore: 30mm Fit: H7 Groove: DIN 6885 sheet 1 JS9 Recess: on the stator side Limit switch normally closed hub (elastic coupling) Bore: 40mm Fit: H7 Groove: DIN 6885 sheet 1 JS9 Limit torques for overload 25 to 150 Nm according to catalog number K.406.V09.D Execution as supplied with mayr serial number ZO125794!
0800157	limit switch Type 055.000.5 mechanical actuation Version in light metal housing Switching capacity changer 250VAC / 15A Degree of protection IP54 Execution according to our drawing no. F001010000003M1 according to dimension sheet no. M.0550005.D
3/490.600.1S	
Roba Es-24	
ROBA-ES Size 24, Type 940.033.A	
8180151	mayr art.-no.: 8180151 ROBA-switch Quick-Switch Rectifier Size 10 Type 017.000.2 Input voltage 100 - 250 V AC Output voltage 45 - 113 V DC Operation with overexcitation or power reduction Maximum Current Load 2.0 Amp. at <= 45° C Ambient temperature 1.0 Amp. at max. 70° C Ambient temperature Protection rating IP65 (clamping IP20) Test mark: UL, CE according to dimensions sheet no. M.017+002.D
mayr art nr 8180152	Type 017.000.2 ROBA-Switch fast switching rectifier 1.8 amps at <=45 C ambient temperature
403800	ES24 sprocket green 64Sh-D

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	fit to ROBA-ES size 24, type 940.620.A S Art.8272656 as with mayr serial no. YO123472
6600102	Roba-D Torsionally stiff, flexible full jet coupling 5/911.101. Hub 1/Pßf 91- Bore 90 Fit H7 Slot DIN 6885 BL.1 Dimension (M/Z) M with adjusting screw (S) S set screw thread M/Z M
EAS®-HSE	mayr® item no.: 7085554-1 high-speed safety clutch EAS-HSE size 3 Type 4139.60411 clamping ring hub Bore: 30 mm Fit: H6 clamping ring hub (Type 9210.) Pos. Article designation Bore: 30 mm Fit: H5 Torque setting: 300 Nm Limit torque for overload 185 to 370 Nm Balancing quality of safety coupling G2.5 based on 3000 rpm / ROBA-DS unit G2.5 based on 5000 rpm
EAS-HSE size 3 Type 4139.60411	shrink disk hub bore: 45 mm fit: H6 shrink disk hub large MF bore: 45 mm fit: H5 adjustment torque: 300 Nm torque limit for overload 185 to 370 Nm Safety coupling dyn. balanced G2.5 at 3000 rpm / ROBA-DS unit G2.5 at 5000 rpm.
ROBA-DS 7025339-1	Compact, torsionally rigid, backlash-free shaft coupling ROBA-DS Gr. 160 Type 953.221

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Clamping ring hub 1 / clamping outside Bore: 60 mm Fit: H7 Clamping ring hub 2 / clamping outside Bore: 60 mm Fit: H7 Assembly Delivery: in individual parts Nominal torque 2600 Nm Impact torque 3900 Nm Borerelated, frictionally transmittable torque of the shaft/hub connection according to .Observe the catalog or a comparable fit. according to catalog no. K.950.V17.DE Version as supplied with mayr® serial number X2124729!
0007063-4	ROBAR slip hub Load-holding, friction-locking safety clutch ROBA slip hub size 4 Type 100.210 hub Bore: 40mm Fit: H7 Groove: DIN 6885 BI.1 JS9 Installation width drive element w: 16mm liner Length: 22.5mm Sprocket disc 1x17.02 Number of teeth: 21 Number of tracks: 1 Attitude Torque: 600 Nm Rated torque 550 to 1100 Nm according to catalog no. K.123.V16.DE
0066190	Roba Stop GR4 Proven, reliable, electromagnetic safety brake 802.410.3 24V Cable length: 400mm hub Hole: pre-drilled=7mm Braking torque 6 Nm according to catalog K.800.V06.D
7003458 smartflex	Reliable, flexible and permanently backlash-free metal bellows coupling smartflex size 0 type 932.333

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Reduction bushing 1 Bore: 8mm Fit: H7 Reduction bushing 2 Bore: 14mm Fit: H7 Nominal torque 16Nm Bore-related, frictionally transmittable torque of the shaft/hub connection; Reducing bush 1 max. 9.6 Nm with fit H7/h6 or comparable pass game. Reducing bushing 2 max. 16 Nm with fit H7/h6 or comparable fit play. according to catalog no. K.932.V11.DE Version as supplied with mayr® serial number TN123064!
4.804.410.3	Roba-stop 6 Nm Brake gear .....: 2 pcs Brake Pad .....: 2 pcs
0002344	ROBAR slip hub Load-holding, friction-locking safety clutch ROBA slip hub size 2 Type 100.110 hub Bore: 25mm Fit: H7 Groove: DIN 6885 Bl.1 JS9 Installation width drive element b: 12mm liner Length: 17mm Rated torque 26 to 130 Nm according to catalog no. K.123.V16.DE Version as supplied with mayr® serial number Y5101762!
ROBA-guidestop size 35	Type 3854.001D1 holding force: 4400 N LONG TYPE VERSION
ROBA-guidestop size 35	Type 3854.001D1 holding force: 2200 N SHORT TYPE VERSION
RSM 8/891.100.0	
8193517	DS100BGR.Lamellenpack.Erz. f.Type 953.--1 Spare part suitable for ROBA-DS size 100, type 953.001, mayr item no. 7018797, mayr serial number Z9109084
Brake Checker- 20/059.500.2	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0925117	Robotic GR.3 540,100S 24V rotor Bore 17mm Fit: H7 Nominal torque 10Nm
7036236-9	EAS® duty torque The perfect overload protection for extruders EAS duty torque size 6 Type 4043.70400 hub Bore: 120mm Fit: H7 Groove: DIN 6885 Sheet 1 JS9 Hub elastic. coupling Bore: 85mm Fit: H7 Groove: DIN 6885 Sheet 1 JS9 Assembly Delivery: control flag pressure flange Attitude Torque: 3926 Nm Hub (pos.1), overload module with cam ring (pos.2) and flange hub with claw ring (Pos.3) each completely balanced with balancing quality G2.5 based on 1500 1/min. Limit torque for overload 2800 to 5600 Nm according to catalog no. K.4043.V04.DE Version as delivered with mayr serial number GN102011!
7055376-1	EAS® duty torque The perfect overload protection for extruders EAS duty torque size 5 Type 4043.70400 hub Bore: 120mm Fit: H7 Groove: DIN 6885 Sheet 1 JS9 Hub elastic. coupling Bore: 85mm Fit: H7 Groove: DIN 6885 Sheet 1 JS9 Assembly Delivery: control flag pressure flange Attitude Torque: 3956 Nm Hub (pos.1), overload module with cam ring (pos.2) and flange hub with claw ring (Pos.3) each completely balanced with balancing quality G2.5

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	based on 1500 1/min. Limit torque for overload 2000 to 4000 Nm according to catalog no. K.4043.V04.DE Version as delivered with mayr serial number V8124020!
REF.NO:300726	RELIABLE SPRING LOADED SAFETY BRAKE ROBA STOP-M, TYPE:891.100.1, SIZE:500, BORE: 60MM, H7
7005586	Roba slip hub load-holding frictional safety clutch type 100.210 bore 20mm Fit: H7 DIN6885 sheet 1JS9 Installation width of drive element b: 10mm liner length: 15mm Rated torque 70-130NM
7004734	Roba DX Threshing tires, play-free, elastic metal bellows coupling GR.3 931,333 Clamp cable 1 Bore: 35mm Fit H7 DIN 6885 sheet 1JS9 Clamping hub 2 Bore 35mm Fit H7 DIN 6885 sheet 1JS9
ROBA 20/017.000.2SO	
7018797-1	ROBA®-DS Compact, torsionally rigid, backlash-free shaft coupling ROBA-DS size. 100 Type 953.001 Hub 1 feather key Bore: 65mm Fit: H7 Groove: DIN 6885 BI.1 JS9 Hub 2 key Bore: 65mm Fit: H7 Groove: DIN 6885 BI.1 JS9 assembly Delivery: in individual parts Nominal torque 1600 Nm Shock torque 2400 Nm according to catalog no. K.950.V17.DE

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Version as delivered with mayr® serial number Z9109083!
8180152-1	ROBA-switch fast-switching rectifier size 20 Type 017.000.2 Overexcitation time: 0.45 s assembly Assembly: assembled input voltage 200 - 500 V AC Output voltage 90 - 225 V DC Operation with overexcitation or power reduction max. current load 1.8 amps at <= 45° C ambient temperature 0.9 amps at max. 70° C ambient temperature protection class IP65 (terminals IP20) Test marks: UL up to 300V AC, CE
7080263-1	smartflex® Reliable, flexible and permanently backlash-free metal bellows coupling smartflex 3/932.433 S Type 932.433 SF3 bellows KFT 3/932.4 SF3 reducing bush BO 32 Bore: 32 mm Fit: H7 SF3 reducing bush BO 32 Bore: 32 mm Fit: F7 Assembly: assembled Version as supplied with mayr® serial number Q3122826!
017.110.2	
mounting kit 1802911	
7002081-1	smartflex size 3 Type 932.333 Bellows long (8 shafts) Reducing bush 1 Bore: 40 mm Fit: H7 Reducing bush 2 Bore: 40 mm Fit: H7 Assembly Assembly: assembled Nominal torque 200 Nm Bore-related, frictionally transferable torque of the shaft/hub connection; Reducing bush 1 max. 200 Nm with fit H7/h6 or comparable fit clearance.

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Reducing bush 2 max. 200 Nm with fit H7/h6 or comparable fit clearance.
8251033-1	ROBA-brake-checker plus DC monitoring module size 2 Type 028.100.2 Assembly Assembly: assembled Technical data: Input voltage 24 V DC Output voltage 4,6,8,12,16 V DC, freely selectable Operation with overexcitation or power reduction Release and drop detection of the armature disk Preventive function monitoring (wear and error detection, function reserve) Integrated DC-side shutdown Max. current load 10.0 amps at <= 45° C ambient temperature 5.0 amps at max. 60° C ambient temperature (UL) 5.0 amps at max. 70° C ambient temperature (CE) Protection class IP65 (terminals IP20) Test mark: CE; UL
8298129-1	ROBA servostop size 60 Type 8981.29101 Assembly Assembly: assembled Solenoid coil 8 V Braking torque 1.4 Nm Overexcitation 24 V is required to release the brake safely and quickly
8261749-1	ROBA-guidestop size 45 Type 3840.020B0 Assembly Assembly: assembled Holding force: 15000 N Min. operating pressure: 70 bar for safe release of the brake required! for Bosch guide R1805/6/7 / R1845/6/7 with wiper supplied loose no dynamic emergency stop braking permitted as rail hardness < 55 HRC
2/932.333	
2/028.600.2	ROBA®-brake-checker
X1087398	
torque limiter	Shaft diameter : 20 mm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Hole axis : 55 mm Length : 74 mm Outer diameter : 85 mm
8285560-1	ROBA-stop M size 4 Type 891.015.1 S hub Bore: 12 mm Fit: H7 Groove: DIN 6885 Bl.1 JS9 solenoid 24 V Cable length: 400 mm special braking torque 6 Nm Anchor plate and flange plate nitrided with radial shaft seal for shaft diameter 12 mm Special design according to our drawing no. E07002154000310 assembly Delivery: assembled
0013947	
7004279-1	ROBA-DS size 10 Type 951.441 clamping hub 1 Bore: 25 mm Fit: H7 clamping hub 2 Bore: 25 mm Fit: H7 assembly Delivery: fully assembled nominal torque 100 Nm shock torque 150 Nm Bore-related, frictionally transferable Torque of the shaft/hub connection according to the catalog or comparable clearance. Version as supplied with mayr® serial number G8121297!
7019302-1	ROBA-DS size 25 Type 951.001 hub 1 key Bore: 30 mm Fit: H7 Groove: without groove hub 2 key Bore: 32 mm Fit: H7 Groove: without groove assembly

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Delivery: in individual parts
7003338-2	ROBA-DS size 10 Type 950.440 clamping hub 1 Hole: pre-drilled = 13 mm clamping hub 2 Hole: pre-drilled = 13 mm assembly Delivery: in individual parts nominal torque 100 Nm shock torque 150 Nm Bore-related, frictionally transferable Torque of the shaft/hub connection according to the catalog or comparable clearance.
ROBA 20/017.000.2	
8202574-1	tendo permanent magnet DC motor size 52 Type K11.201.1 S Rated voltage: 24 V DC Rated power: 180 watts Rated speed: 3500 min-1 Nominal torque: 0.5 Nm Rated current: 12 A Max. permissible current: 68 A (must not be exceeded due to Demagnetization) Operating mode: S1 Protection class: IP 69K Electrical connection: cable with plug Worm gear size 35: Output speed: 700 min-1 Output torque: 2.1 Nm Reduction ratio: 5:1 / 1-stage Hollow shaft: 15 H7 Design: B14 flange (both sides) Special design according to our drawing no. M63252025000210 Assembly: assembled Version as with mayr® serial number YN116627 g
ROBA stop M	
Elastomer Coupling Element	Yellow, Star Coupling, Elastomer, Polyurethane, 92 Shore A, OD = 135 mm, t1 = 26 mm, t2 = 35 mm, DIN 6885
0112946-2	EAS-NC Gr. 0 Type 450.615.0 Conical bushing Bore: 19 mm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Fit: H7 Attitude Torque: 30 Nm Limit torque for overload 15 to 40 Nm Version as supplied with mayr® serial number WD120287!
8226732-1	ROBA topstop size 200 Type 899.000.01 Wave Shaft (dxl): 32x58 mm Shaft fit: k6 Bore d1: 32 mm Fit: F7 Groove: output side Solenoid coil 24V Flange housing (motor side) Centering Z1: 180 mm Fit: F8 Bearing flange (output side) Centering Z: 180 mm Fit: j6 Assembly Assembly: assembled Braking torque 100 Nm with release monitoring proximity switch PNP closer Version as supplied with mayr® serial number Y7111634!
7013782-1	ROBA-DS size 40 Type 953.991 Clamping ring hub 1 large Bore: 40 mm Fit: H7 Clamping ring hub 2 large Bore: 40 mm Fit: H7 Assembly Delivery: in individual parts Nominal torque 650 Nm Shock torque 975 Nm
7013783-1	ROBA-DS size 40 Type 953.991 Clamping ring hub 1 large Bore: 45 mm Fit: H7 Clamping ring hub 2 large Bore: 50 mm Fit: H7 Assembly

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	Delivery: in individual parts Nominal torque 650 Nm Shock torque 975 Nm
EAS-COMPACT CLUTCH 2/490.614.0/40	
7000625-1	smartflex size 2 Type 932.333 Bellows long (8 waves) Reducing bushing 1 Bore: 24 mm Fit: H7 Reducing bushing 2 Bore: 24 mm Fit: H7 Assembly Assembly: assembled Nominal torque 100Nm Bore-related, frictionally transferable Torque of the shaft/hub connection; Reducing bush 1 max. 84 Nm with fit H7/h6 or comparable fit clearance. Reducing bush 2 max. 84 Nm with fit H7/h6 or comparable fit clearance. Version as supplied with mayr® serial number P7104418! The stated price includes a 1.80% material surcharge (temporary, variable)!
ROBA-ES	Sizes 14 to 65
EK2	
ROBA-ES_SIZE_19_TYPE_940_502	
ROBA-Rutschnabe Grobe 01	
P.No. 8224265	
8194231	
Eas24006055	
60/891.020 /1s ()	
8173908 / Ac3.34/0/5/1/1/4/H/3	
Lr108927	
0921840 Sicherheitsbremseroba-Stop M Gr. 250typ 891.010.0 S	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
8195570	
017 000 2s	
14624150	LIMITER
Ds63/K21.301.1s (Sg40so) With K21r63g4	
7000782/F15i	
2/484.525.4/41.28/	
1038054	
8236423	
440g-T27121 Elektromagnetische Schalter	
25/951.001/30h7/30h7	
1000/891.011.2/180	
437.401.0	
2/494.505.4/32/28	
4/436.705.8	CLUTCH COUPLING
7011897 Sicherheitsbremse Roba-Stop M Gr.32type 897.100.0	
Art.-Nr.: 7000603	
0022011-1	
7000570	
7018887-1	
8222958	
7000772	
200-500v Alternatif T= 0.05-2 Sec R : 0?-10m?	
Roba-Stop X1067996 0598 804.410.3 24v 25w 6nm , By Roba-Stop Type 802	
Type 952.000 S	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
7049021-1	
7005522-1	
Smartflex-1/932.333 7000782/F15i	
8188960	
8168010	BRAKE
To101910 7000130	
8164590/F45	
1/025.000.6	
2/891.105.2/24/15 Bremse	
0035082	
Type: 110.110 Roba-Rutschnabe Gr. 1 Old Description, New Type: 100.110 Roba-Rutschnabe Gr. 1 Mit Standardkettenrad Or Ohne Kettenrad (Ask Customer)	
X10688081002 Spitzenlast-Bremse Roba-Stop Typ 10/863.614.3 180v 135w 620 Nm D=55 Mm	
28/940.011.P/28h6/25h6	
7043859-1 Kupplung Roba - Ds	
P/N: 8212406 Type: 891.080.1 S	
3/911.310/20/28	
1/932.33/16/24	
00041401498 3 100 110	
Roba-Stop Type 802	
0802866 Schalter Ultime	
920301/F45	
7000722	
Kupplung Mayr Roba-Ds 25/951.881/28/28/6885/1, Tn1170064	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
P/N: 8180152 Type: 017.000.2	
0911954 Durchrastkupplung Type 490.600.1 S	
017.000.2s	
03/P60.112.2/230-480v	
Type 024.000.6	
8212378 Eas1 Bgr 440.704.0 So Miy Nachschmierung	
1/100.210/25/Din 6885-1	
055.010.6 Schalter Endplatte	
100.210	
0921798 Sicherheits-Bremseroba-Stop-M Gr.150	
802741	
Roba Es-19/24(D??.16?19)	
7001030	
30100002	
Rsm-X1 Rotor	
1009083	
911.400	
Easnc3/4505150	
8181677-1	
8229877 Coupling Roba-Ds 10/951.443 S	
Eas-Nc Gr. 1 Type 450.515.0, Konusbuchse, Bohrung 25 Mm	
Type: 100.110 Roba-Rutschnabe Gr. 1 Ohne Kettenrad	
M5125178, 7001030 Smartflex	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
100.110	
7024940-2 Eas - Compact Synchronkupplung	
Art. 8180152 20 Type. 017.000.2	
8164595 M100 Rotor Ko So	
8185299	
1920665	
Eas2/400.405.1	
N4103484	
7000145 Kupplungroba-Es Gr. 19typ 940.000.Akatalog Nr.: K.940.V13.De	
0920427	
Mayr Art No. 0922157	ROBA-stop-M Reliable, spring-loaded safety brake ROBA-Stop M Gr.32 Type 891.210.1 p hub Hole: 25mm Fit: H7 But: DIN 6885 BI.1 JS9 Magnetspule20V Cable length: 400mm Braking torque 32Nm with coil holder for manual release IP65 Version as supplied with may serial number U6115177
8180125	Type 017.000.2 ROBA-Switch fast-acting rectifier
Eas14006055	
2/133.110/35/40	
0924188	
8200652 Laufruhiger, Permanenterregter Gleichstrommotor	
8226142 !!	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
8226141 !!	
F039004004n	
Type 135.110	
2/100.110/20/6885-1/7	
38034000 Friction Cluch2/100.110/20 Size2	
X1068161 0794	
8004103	
0800157 Limit Switch055.000.5 /0598	
Eas Nc 1/450.805.0s 09141011201 Oem	
8200652 Gearmotor Type K11.201.1 S 24 V Dc, 180 W 3500 Min-1 Ip69k	
7001030 Kupplung1/932.433/11/19 Mit Metall. Wellrohr	
7053534-1	
Roba-Ds Gr.160 Type 953.261 Ds Torsionally Stiff, Backlash-Free All-Steel Coupling	
7011897 Bremse	
8204839	
7046838	
0002354 Type 100.210	
3/123210	
899.000.200	
M5125178 Bo 11 H7/19 H7	
Type 95.00	
0920806	
8263534	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
7038231-1	
0002341 Sicherheitskupplung Roba-Rutschnabe 2/100.110	
0013947-1	EAS-axial size 2 Type 300.400 free lift stroke H1: 0 mm stroke H2: 0 mm installation length Length L4: 63 mm Attitude Release force: not set release force 200 to 500N
5/100.312/1	SAFETY CLUTCH 1IN BORE ROBA SLIP HUB
0056403	
14005051	CLUTCH
Din 6885	
4000022	
7000789 Metallbalgkupplung	
100/951.551	
8180152 Gleichrichter	
8186566	
226686 (7025897-1)	
64/896.10?.31/24/25/6885/1 Bremse	
Roba Dc	
20/019.100.2	
0910626	
055.000.5	
2/494.605.4/32/28	
Art Nr. 7000625	Metal bellows coupling smartflex Reliable, flexible and permanently backlash-free

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	smartflex size 2 Type 932.333 Bellows long (8 waves) Raduzierbuchse 1 Bore: 24mm Fit: H7 Reducing socket 2. Bore: 24mm Fit: H7 Nominal torque 100 Nm
Eas-Nc Gr. 4 Type 451.615.0, Konusbuchse, Bohrung 50 Mm	
8200652 Dc-Antrieb	
7053535-1	
0017284-1	
58104519 4/500.100	
7005404-1 Kupplung Manipulationssicheren	
Easnc24505150	
Roba Es-19/24(D??.16?14)	
Eas-Nc Gr. 4 Type 451.615.0, Konusbuchse, Bohrung 55 Mm	
150/891.070.1 S Bremse Komplett Mit Rotor	
150/891.080.1 S Bremse Komplett Mit Rotor	
0924188 Bremse, Motor Schubbewegung X/Y 891.124.1 Roba-Stop-M891.124.1mayrroba-Stop-M	
8202845	
8192149	
Roba-Rurschnabe - Grã246;Ã223;E 1	
Roba-Dx	
52/K11.20 1.1 S	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Eas-Nc / 450	
0925011/0410	
32/891.0101so	
2/484.825.0/32h7/3	
1/123.210.25.6885-1	
0800157	
Roba Es-19/24(D??.16?15)	
7011039 Roba-Stop M Gr.100type 891.100.0sicherheitsbremse	
Type 135.210	
Type 940.000.A	
7009836	
T4126906 Smartflex-Wellenkupplung 7000772 Bo 11h/7 16 H7	
017._00.2	
2/017.000.2 Roba Switch Schnellschaltmodul	
Roba-Ds-16/953.551	
500.100-Gr.4	
0920440	
P/N: 7000572 Type: 932.333 (Gr.1)	
X1068161	
Eas4/4374010	
017.000.2	
Art.-Nr.: 7013484	
7012443 Elektromagnetkupplung	
410.400.0	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0066190	
055.000.5 0607	
E08405000000110	
20/017.000.2	
2/400.505.5	CLUTCH ELECTRO MAGNETIC 25MMH7 24VDC 30W
0/454.605.4/15/25	
931333	
Tthd-10009-140	
Roba 95.000	
0004135	
Art-Nr. 8180151	
100/891.101.0 Bremse J6102362 X1050307 Netzspannung 207v, Leistung 90w, Haltekraft 180nm	
8204985 Elektromagnetische Bremse	
Type 100.110 (0000080)	
7000712	
932.433	
Robatic Gr. 3 Type 500.100	
7021842 Roba Dxdrehsteife, Spielfreie, Elastische Metallbalgkupplungroba-Dx Gr. 0type 931.333	
Eas-Nc Gr. 3 Type 450.515.0, Konusbuchse, Bohrung 45 Mm	
8200652 Getriebemotor Type K11.201.1 S 24 V Dc, 180 W 3500 Min-1 Ip69k	
135.110	
Robasproc-1/110.110	
8187550 Roba-Stop-M Elektromagnetische	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Sicherheitsbremse	
Bremse Rn M1110001 0/100.110 000008	
8212807	
0013975-1	
024.000.6	
0014180-1	
400v 3ael3219 Gleichrichter Bremse Mayr 1/024 400v 3a	
8165389 Roba-Stop-Mfederbelastete Sicherheitsbremsetype 891.030.1 S	
0017284 1	
0550025	
6/580.100 S	
932_333_Ã216;30h7	
055.010.6 Limit Switch	
E55002000	
8206997 ()	
2/437.601.0	
8227570	
0802471	
8185591	
Pmctendo Ac3.34/0/5/1/1/4/H/3 Motoren 8173908	
03/P60.112.3/230-480v ,	
0921798 Sicherheitsbremseroba-Stop M Gr. 150typ 891.040.0 S	
T9119697 1/932.333 Bo	
10/017.000.2	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Roba Es-19/24 (D??.19?19)	
Easnc+0550005	
M1110001 Art 000008	
Type 450.715.0	
32/891.100.0 Sicherheitsbremse Roba-Stop M Gr.32type 897.100.0	
Eas4365008	
Roba/ Rn1/135.111/25h7/6885-1/20h7/6885-1	
4000023	
0802866 Schalter Ultimelimit Switch	
Easnc01/4536100	
0034214 Kupplung Type 500,102	
S7100764 0019274 1/300.510 Replaced By 0019274-1	
4376000	
8180152 Hochgeschwindigkeits-Gleichrichter Gr. 20; 200-500vac; 1, 8a	
7017903-3	
0800157 Schalter	
Endschaltertyp 1 220v	
7000738	
7001180	
P/N: 0000768-2 Type: 100.110 Roba-Rutschnabe Gr. 1 Mit Standardkettenrad	
P/N: 8180160 Type: 017.000.2	
Ms24/25	
932 333	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
8180152	
0970347	
Roba Es-19/24(D??.15?19)	
3/911.310/20/20	
Type 450.615.0	
Art.-Nr.: 7001225 Smartflex Gr.3 Type 932.333	
Eas-Ncc-0/490.525.0.D	
148148	
0802459	
K443.01.037.000.1.1.0	
0801959	
8165878	
00041401498 3/100.110	
24/940.611.Ap/22/25	
Rsm-Ss Rotor	
0802741	
3/310.610/L3=90 Kupplung	
Type 100.110	
1/012.000.2	
7021842 Kupplungroba Dxdrehsteife, Spielfreie, Elastische Metallbalgkupplungroba-Dx Gr.0type 931.333	
7057399-1 Eac-Gesperrte Kupplung	
0128835	
S5110897	
3/802.410.3 So	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
7002602	
6.820.610.1	
0802866	
8200210	
4041921	
Flexible Intermediate Ring For Art. 8208063	
0004161	
Eas-Nc Gr.3 Type 450.615.0, Konusbuchse, Bohrung 45 Mm	
7000850 Kupplung 3/932.333	
055.000.05	
7029406	
0/100.110/30/6885-3/30 /	
24/940.611.Ap/17/22	
7009302-1	
7009839-1 Eas-Nc Synchronkupplung / Durchrastkupplung	
7017647	
1-932.3-3-24-15-1-R	
40000021	
800.410.3	
8200652	
K11.201.1 S	
1/012.000.2 0801959 Centralina Freno	
0916413 Eas Sm-Zr Sicherheitskupplung Eas-Sm-Zr 1/400.016.0s 24v	
Roba-Es/24/940.122.24/28	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
910470-S0	
Roba-Lastic1/131.110/25/17	
8200760	
7029406 Bremse Vertikale Achseroba-Stop-M Gr.16, Type 891.100.2	
Nm38740 Nh2 K4142272	
0802871	
0019274-1	
0022012-1	
Eas3/400.605.0	
Roba-Es 19/940.011zap.15h719h7	
2/494.505.4/40/40	
7032790 Kupplung	
8197213	
7014566	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.