

Mcmaster-Carr



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Mcmaster-Carr Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Mcmaster-Carr Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
91853a031	18-8 Stainless Steel Locknut for Use with Cotter Pins 3/8"-16 Thread Size
94758a615	18-8 Stainless Steel Flange Nut 1/4"-28 Thread Size
96880a530	Mil. Spec. Steel Pan Head Phillips Screws 10-32 Thread Size, 1" Long PK25
92949a566	18-8 Stainless Steel Button Head Hex Drive Screw 1/4"-28 Thread Size, 1" Long
6325k58	Metal Gear - 14-1/2 Degree Pressure Angle Round/Machinable Bore, 6 Pitch, 18 Teeth
6325k123	Metal Gear - 14-1/2 Degree Pressure Angle Round/Machinable Bore, 6 Pitch, 48 Teeth
6295k213	Metal Gear Rack - 14-1/2 Degree Pressure Angle 6 Pitch, 6 ft. Length, 1.333" Pitch Height
Quick Disconnect Coupling Dn20 316l	
Quick Disconnect Coupling Dn20 316l	
5312k45	Tight-Seal Stainless Steel Bolt Clamp for Soft Hose and Tube with Zinc-Plated Steel Screw, 1- 3/8" to 1-1/2" ID
18635a52	
Level 3 Ppap	We also need a Level 3 PPAP nomination phase
5/16-18	
95185a251	Zinc-Plated Steel Press-Fit Nut for Sheet Metal, 5/16"-18 Thread Size, for 0.056" Minimum Panel Thickness, packs of 10
95185a260	Zinc-Plated Steel Press-Fit Nut for Sheet Metal, 5/16"-18 Thread Size, for 0.09" Minimum Panel Thickness, packs of 10

95185a270	Zinc-Plated Steel Press-Fit Nut for Sheet Metal, 5/16"-18 Thread Size, for 0.125" Minimum Panel Thickness, packs of 10
23345t13	Steel V-Groove Track Wheel Tapered Bearing, 6" X 3", 1-1/2" Axle, 10000# Cap
7421A34	
6111K661	
4488K524	Medium-Pressure Pipe Repair Clamp 304 Stainless Steel, 15" Long, for 8.54" to 8.94" Pipe OD
68095K374	Low-Pressure Steel Unthreaded Pipe Flange, Butt-Weld Adapter, 6 Pipe Size,
43425K487	Standard-Wall Butt-Weld Steel Unthreaded Fitting, Straight Reducer, 6 x 4 Pipe Size
68095K373	Low-Pressure Steel Unthreaded Pipe Flange, Butt-Weld Adapter, 4 Pipe Size
4513K74	High-Pressure Steel Pipe Fitting, Straight Adapter, 3/4 NPT Female x Butt Weld
43425K237	Standard-Wall Butt-Weld Steel Unthreaded Fitting, Short 90 Degree Elbow Connector, 6 Pipe Siz
68095K179	Low-Pressure Steel Unthreaded Pipe Flange Stub-End Adapter, 6 Pipe Size
43425K235	Standard-Wall Butt-Weld Steel Unthreaded Fitting, Stub-End Adapter, 6 Pipe Size
45985K35	Quick-Install Fiberglass Pipe Insulation Tube with 3/8" Thick Wall, 1-7/8" ID, 20 ft Length
46015K815	Quick-Install Fiberglass Pipe Insulation for 90 Degree Elbows, 3/8" Thick Wall, 1-7/8" ID
1095K32	
1148N1	
11765T75	
1298K59	
1398A14	
1439K611	
1439K811	
1567A44	
1567A46	
1604A41	

[1646A36](#)

[20635A63](#)

[2209K612](#)

[2335T24](#)

[2447N1](#)

[4179A733](#)

[4485A033](#)

[4513K63](#)

[4513K64](#)

[4630A12](#)

[48185A83](#)

[5225K712](#)

[5234K68](#)

[5234K69](#)

[5314A26](#)

[5324K94](#)

[5324K95](#)

[5536T22](#)

[5891T622](#)

[5909K295](#)

[5909K33](#)

[5909K46](#)

[5909K59](#)

[5913T1](#)

[5951K51](#)

[59535K13](#)

[60025A72](#)

[6044K53](#)

[6058K811](#)

[62005K612](#)

[6301K45](#)

[6301K84](#)

[6422K49](#)

[6483K630](#)

[7130K41](#)

[7130K45](#)

[7178A12](#)

[7290A24](#)

[7466K588](#)

[7902T147](#)

[84895A34](#)

[8545K206](#)

[86075T61](#)

[86435K121](#)

[86435K41](#)

[86435K61](#)

[86435K81](#)

[8643K552](#)

[90128A745](#)

[90158A100](#)

[90285A121](#)

[90285A124](#)

[90285A131](#)

[90670A175](#)

[90670A185](#)

[90902A229](#)

[90997A210](#)

[91166A340](#)

[9132K230](#)

[91475A552](#)

[91732A961](#)

91732A963
91776A104
9177T21
92133A105
9225K81
9225K84
9232T111
92390A395
93115K171
93286A054
93286A154
93335A666
9416K15
94241A550
94485A033
9452K159
94705A218
9540K48
9540K772
9573K81
97245A358
9756K22
9756K24
9756K52
98089A309
98296A878
98306A682
98350A460
9889T304
9960K54
SKU 90026A108

1646A34	PULL HANDLE WITH THREADLESS HOLE
92000A105	
98689A111	
92148A070	
92010A012	
92010A016	
92010A001	
92010A003	
30345T353	
99637A311	
13665A27	
93580A615	
90955A101	
5422K29	Banding for LowProfile Band Clamps for Firm Hose, 316 Stainless Steel, 1/2
5422K34	Band - IT Buckles MC Master Carr #5422K34
051	2250K27
051- 9600K324	
94820A250	½-20
94235A120	M12X1.75
1190K35	051 per 100 pieces
160062	similar DIN 916 / St/St (A2) ASME B 18.3 10-32 UNF x 1/4"
3520T67	Microns 100
3912T12	CHAIN-BLOCKS, 3 TON, HAND CHAIN HOIST, OZ PREMIUM SERIES, 6000 LB. CAPACITY 20FT LIFT
3912T11	CHAIN-BLOCKS, 2 TON, HAND CHAIN HOIST, OZ PREMIUM SERIES, 4000 LB. CAPACITY 20FT LIFT
3912T42	CHAIN-BLOCKS, 1 TON, HAND CHAIN HOIST, OZ PREMIUM SERIES, 2000 LB. CAPACITY 20FT LIFT
3305T13	COMEALONG, 3 TON, RATCHET PULL, 10 FT LIFT
3305T12	COMEALONG, 2 TON, RATCHET PULL, 10 FT LIFT
3305T11	COMEALONG, 1 TON, RATCHET PULL, 10 FT LIFT

3523T4	CHAIN-HOIST, 1/2 TON, COMPACT LEVER, 1100 LB. CAPACITY
3550T27	SLINGS, WIRE, SOFT EYE, 10 TON
3550T24	SLINGS, WIRE, SOFT EYE, 5 TON
3550T21	SLINGS, WIRE, SOFT EYE, 2 TON
3550T17	SLINGS, WIRE, SOFT EYE, 1 TON
3383T681	SLINGS, CANVAS, 2 TON ENDLESS, 8FT LONG
9077T15	SLINGS, CANVAS, 3 TON ENDLESS 8FT LONG
3383T682	SLINGS, CANVAS, 5 TON ENDLESS 8FT LONG
9077T1	SLINGS, CANVAS, 2 TON
9077T2	SLINGS, CANVAS, 3 TON
8941T73	CLAMP, BEAM 3 TON, T-HANDLE AND MOUNT BAR, FOR 3-1/4" - 12-1/2" BEAM WIDTH
3271T37	TROLLEY, BEAM, FOR LIFTING 3 TON SWL,
8941T74	CLAMP, BEAM 5 TON, T-HANDLE AND MOUNT BAR, FOR 3-5/8" - 12-1/8" BEAM WIDTH
3271T38	TROLLEY, BEAM, FOR LIFTING 5 TON SWL,
M12 1.75 HELICOIL	
91732A541	051 Mc Master Carr
2250K27	GREASE FITTING, STRAIGHT, 3/8 BSPT MALE, 18 MM OVERALL HEIGHT, 303 STAINLESS STEEL
8379K35	
8379K35	051 Mc Master Carr
NAS620C2	947620-4022 WASHER
051	Mc Master Carr MS51831-204
98511A543	
96653A188	
92865A542	MCMaster-CARR 92865A542 Medium-Strength Grade 5 Steel Hex Head Screw Zinc-Plated, 1/4
92865A585	MCMaster-CARR 92865A585 Medium-Strength Grade 5 Steel Hex Head Screw Zinc-Plated, 5/16
92865A673	MCMaster-CARR 92865A673 Medium-Strength Grade 5 Steel Hex Head Screw Zinc-Plated, 7/16

92865A720	MCMaster-CARR 92865A720 Medium-Strength Grade 5 Steel Hex Head Screw Zinc-Plated, 1/2
92865A765	MCMaster-CARR 92865A765 Medium-Strength Grade 5 Steel Hex Head Screw Zinc-Plated, 9/16
92865A847	MCMaster-CARR 92865A847 Medium-Strength Grade 5 Steel Hex Head Screw Zinc-Plated, 3/4
92865A804	MCMaster-CARR 92865A804 Medium-Strength Grade 5 Steel Hex Head Screw Zinc-Plated, 5/8
95462A029	MCMaster-CARR 95462A029 Medium-Strength Steel Hex Nut Grade 5, Zinc-Plated, 1/4
95462A030	MCMaster-CARR 95462A030 Zinc-Plated Medium-Strength Steel Hex Nut SAE Grade 5, 5/16
95462A031	MCMaster-CARR 95462A031 Medium-Strength Steel Hex Nut Grade 5 Zinc-Plated 3/8-16 Thread Siz
95462A032	MCMaster-CARR 95462A032 Zinc-Plated Medium-Strength Steel Hex Nut SAE Grade 5, 7/16
95462A033	MCMaster-CARR 95462A033 Zinc-Plated Medium-Strength Steel Hex Nut SAE Grade 5, 1/2
95462A528	MCMaster-CARR 95462A528 Zinc-Plated Medium-Strength Steel Hex Nut SAE Grade 5, 9/16
95462A533	MCMaster-CARR 95462A533 Medium-Strength Steel Hex Nut Grade 5, Zinc-Plated, 5/8
2009532	MCMaster-CARR 2009532 Painted Steel Return Grille for 30
95462A538	MCMaster-CARR 95462A538 Zinc-Plated Medium-Strength Steel Hex Nut SAE Grade 5, 3/4
0800005023Z	LOCK: 3/8-16(NYLON FLANGE) *BL OX*
0800005025Z	NUT LOCK: 3/8-16 FLANGE DEF THRD *BL OX*
1494a11	
Cod. 7804k4146	
Blc8bc21s	
92290a332	
9649t13	
23345t13 / Drop Forged Steel	
6436k36	
45235k62	
1338a44	
92290a117	

9654k303	
7397a31	
Part Number 90134a036	
91828a251	
94150a335	
92290a168	
91475a031	
Blc8bc16s	
Blc8bc36s	
8451k33	
90134a036	
2211a12	Product code : 2211A12
92290a180	
6391k131	
3013t45	
92290a426	
9433k82 (Pack 1x3)	
39865t31	
Stl 10 Lg - No 8	