



Megadyne

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Megadyne Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Megadyne Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
ISORAN 1600 SLV 8	
AT10 50x8200	
SPB 2800	4-00017325 NARROW BELT OLEOSTATIC GOLD SPB 2800 GLD Profile: "SPB" (16.3x13 mm) External length: 2822 mm Lot number: 40103200
MEGAPOWER2 BELT 14 T5 1215 STEEL CORD	
RPP BELT 2000 RPP8 25.00 MM	
RPP BELT 1200 RPP8 15.00 MM	
T.0140 15.00 X 1620 Endless	
MEGAPOWER2 BELT 22 T5 660 STEEL CORD	
MEGAPOWER2 BELT 18 T10 1610 STEEL CORD	
MEGAPOWER2 BELT 15 T10 1560 STEEL CORD	
MEGAPOWER2 BELT 15 T10 2250 STEEL CORD	
MEGAPOWER2 BELT 18 T10 850 STEEL CORD	
MEGAPOWER2 BELT 17 T10 1560 STEEL CORD	
MEGAPOWER2 BELT 15 T10 1610 STEEL CORD	
MEGAPOWER2 BELT 16 T10 850 STEEL CORD	

MEGAPOWER2 BELT 15 T10 1610 STEEL CORD	
MEGAPOWER2 BELT 22 T5 660 STEEL CORD	
stm-pv30-1.73s pu-42	16 rollen *110 cm= 1760 meter
HTD, P 60-5M-25	SYNCHRONOUS DISC Execution: B Material: aluminum Lot number: 84839081
HTD, 30-5M-25-F	SYNCHRONOUS DISC Version: AF Material: steel
1600 PLT 8M 40 BELT	
4-00026643	SYNCHRONOUS DISC ST 50 HTD8/80-2 dv=Ø30 mm
015-T5-0185E-F	
0830S	
0846	
10AT 10-1500-4307	
1120 GLD8 25.5	
1400 SLV14 15	
14M 3850 GLD - 170MM	
16AT 10-1830-V-0208	
1760 SLV8 85mm	
1778 SLV14 DD 60	
1778 SLV14 DD 75	
1778 SLV14 PK12PV	
1890 RPP14 40	
1LRF	
210 L 25 mm	
2240 RPP14 40	
2400GLD8PVK12SCA /2400 GLD8 PK 12 PV BACK GLD R0069/	
25 ÅT10	
2800 RPP8 DD 85 mm	
2800 SLV8 85mm	
32AT10 8630	

3850 SLV RPP 14
410 05 25
42TFL.3SH.102
46" L20" W, ? THICKNESS - 117 CM. X
1.25 CM
4PJ-288
50 AT10 2280
50 TK 10 3110
50 AT10 2870
60RPU1485M
63GLD141750W
65J304PU
70 T10 9030 NFT + 2MM LINATEX
720 RPP8 644
720RPP8SILVER30
75 RPP 8 1440 DD
815 DT5 25 mm
840 RPP8 32
880 RPP8 30 mm
Art.Nr: 25 T5 2325 + NFB
AT5 545
ETE816 02245
H 270 CR WICKEL
HDT14
L075 PU
LINEA-X BELT XPB 2240
megadyne 844
MEGALINEAR 75AT10 HP
MEGALINEAR LPU 075 LANGE:10.000 MM
MFX 50HTD 8M 3400
ML 30A RPP8 1448 HP OPEN END

PIASTRA 14M 115 RPP14XP	
PLATINUM 1960 RPC14	
RPP SILVER 1288 14M 470MM	
RPP SILVER BELT 1800 SLV8 50	
RPP SILVER BELT 2450 SLV14 55	
RPU14 40	
SH 20RPP5-9000?YHG?16G00817L	
SPA 1060	
T10-980	
T-150	
T150 1000	
T525-5140	
T5-330	
TB2 - 380	
TB2-535	
XL 70 KV 1616	
XPB 2280 Lw	
XPB-1600	
XPC 2800	
4-00000889-40	NEO-ZAHNRIEMEN 1600 RPP PLT8-40
V BELT 8V 3150 -	
4-00002124-32,76	V-RIBBED BELT 14 PJ 2210 Profile: PJ Ribs: 14 Commodity number: 40103300
4-00001446-101,60	NEO BELT 507 XH 400 Length: 1289.10mm Width: 101.60mm Commodity number: 40103500
SPC 4150	NARROW V-BELTS 4-00030889
4-00013030-30	NEO TIMING BELTS finally 30 RPP8M/ M M= sold by the metre
PU TIMING BELT finally 85 HTD14 (MTD) / M	á 4.150mm
PU TIMING BELT finally 50 HTD8 (MTD) / M	á 1.600mm
SYNCHRONOUS WHEEL 28-14M-85	B1=102 mm
SYNCHRONOUS WHEEL 28-8M-50	B1=60 mm

(2D) TIME APRICOT/SILVER STRENGTH,	W:50MM, LENGTH:1464MM/ MEGADYNE-1464 SLV8 50- 1 AD = 1 PIECE (DT:1 AD)(IT:1 AD)
2D) ZA APRICOT/MEGARUBBER ISORAN RPP	SILVER8, LENGTH:2800MM, 50MM WIDTH/ MEGADYNE-2800-SLV8-50-1 AD = 1 PIECE (DT:1 AD)(IT:1 AD) A:-183320-251266-
4-00000088-170	FLEX PU-ZAHNRIEMEN 170 T5-630
4-00006441-32	PU TIMING BELTS finally 32 AT10 / M !!! A notice: Toothed belt width 32 mm please check.
4-00000166-16	FLEX PU TIMING BELT 16 T10-1010 Commodity number: 39269097
4-00000177-16	FLEX PU TIMING BELT 16 T10-1300 Commodity number: 39269097
SPB 3070/3092 varibelt	
4-00024920-115	PU TIMING BELT finally 115 RPU14 / M XHP-NFT XHP - tension members á 13.006mm
4-00024920-85	PU TIMING BELT finally 85 RPU14 / M XHP-NFT XHP - tension members á 14.000mm
BELT -HTD 3551-14M 115	GOLD / PTHNKA GLD F000312420 DRAWING:696-142-01-03-02-11/A OPEN END PART CONNECTION HOLES WILL BE ACCORDING TO THE ATTACHED TECHNICAL DRAWING.
HTD 3850-14M 115	OLD / PTHNKA GLD F000312419 DRAWING NO.696-142-01-03-02-10/C OPEN END PART CONNECTION HOLES WILL BE ACCORDING TO THE ATTACHED TECHNICAL DRAWING.
CHAIN GEAR COUPLING 1" 16 B-2 Z=16	
STRAP -Paint SPECIAL-32 AT 10 / 2590	
4-00004625	NARROW V-BELTS open-edged LINEA X XPB 1750
4-00007615-40	NEO TIMING BELT HTD 1360-8M-40
40MM SG500 BELT	
BELT 20 MM SG 500 -200 mt	
4-00005133	V-BELT Conti V Fo Pioneer XPC 2000
4-00000666-10	NEO-ZAHNRIEMEN 384 RPP SLV8-10
4-00000491-12	NEO TIMING BELT 640 RPP8-12
4-00042794-48	NEO TIMING BELT 1190 SLV3-14-48
PJ610-OV-PES-P	
M5-1050	
4-00043635	TIMING BELT RPP8 20 HP FA HP tension cord Timing belt finite

HTD600-8M	
4-00025672-55	CONTI SYNCHROBELT HTD 3850-14M-55
stm-pv30-1.73spu42 l33m	
4-00022112	SYNCHRONOUS DISC 34-HTD8M-50 6F Material: steel pre-drilled
ISORAN 1120 RPP8	
4-00049555	V-BELT 13 x 965 Li / 998 LD
STM-PV30-1	30 mm belt and belt pulley
4-00002046-14,04	V-ribbed belt 6 PJ 533
1.U.TS20.02400J.S-100	
1778 plus 14 k 12	Gt2 1760 8 mgt 42.7/12 pk
Zfr 2100-14m-35mm	
310m/Pm 3327	
50 P2-Hp-C (11m)	
1820I/4622pl	
3850 Rpp14-Plus 55	
Rspc 5600 100291610006	
15590 Ps 4 8 160 80	
Linea Gold Xpz 925 Gld	TAIL BELT open to the flanks Profile "XPZ" (9,7 x 8 mm) External length: 938 mm Product number: 40103200
Rpp 480 8m 480mm	
3v530	
T2.5 420 5mm	
L075 Pu Meterware (B=19,05)	
Rpu-14m-115	
Rhp-Hpr 1064 14m 470mm	
Spb 1500 Lw	
Rpp 966 14m 470mm	
Rpp Silver Belt 2450 Slv14 55	
Atg 20	
2100 Rpp14 Silver 40	

1165 H 100 Nft
Vcxxx9999003609
Megaflat Belt 555 Nippless 12
Set Belt 680 X 16
8m-50x4392 A. C
Rpp 896 8m 480mm
1890-Slv-14m-55
010020192588
Linea-X Belt Xpb 2240
020430560142
2600 Rpp8 Dd 50
2590 Gld14 160
Belt Megapower 30 T10 1750 Steel Cord
Pv Belt 5 Pj 895
Rpp8plus30/1760
Toothed Belt 75at20/3000 Bfx
B85
188 T5 245
T 150 910
980 Xh 2100 (533 Mm)
1092 Slv14 55 Mm
25 T10 5390 Nft + 3mm Linatex
40at10-1900 Mm
10-At5-975
1800 Rpp8-Plus 50
NEO TIMING BELT 2600 RPP SLV8-30
4-00000712-30
4400 Rpp8 Dd 50
215t10 11660 Kj Nft/Nfb Sp.4214
Isoran 720 Rpp8 329 G:30mm
357 Rpp3 380
T10 180*2010

D30 300I 291
Isoran 600 Rpp8 436 G:30mm
T150 890
2000 Rpp8-Plus 50
30 Rpp8 2640 Steel C
T150 900
Rpp8plus30/2600p8
1352 Rpp8
020430560402
50 Rpp8 1400 Steel C
15 Rpp5 860 Steel C
210I 100
H 270 Cr Wickel
Rpp14 Silver 85
Wcxxx0000043669
720rpp8silver30
Set Belt 880 X 16
200at20-6000-Hp Nft
Cc270
Power Wedge Belt 3vx 950
Rpp Silver 1288 14m 470mm
800 Plus 8 205
12 Rpp3 711
MI 30ã194;Á;Rpp8 1448 Hp Open End
020440560591
Pv Sleeve 73 PI 433
50 P2-Hp-C (8,5m)
Rpp8x30 30rpp8-4992- Fb70,Mc52683499-G95492-M409
Isoran 720 Rpp8 344 G:30mm

1400 Rhp 8	
Sp Belt Spz 2410	
020440560632	
720 Rpp8-Plus 50	
32 T10 / M	PU TIMING BELT Endlich 1.000 mm Tariff nr : 39269097
Rs10/275-7170	
1240 T150 430	
T150 960	
50 At10 Dd 3170	
010020170917	
1352 Rpp8-Plus50	
Ht150-1440-8m-50	
70 T10 9030 Nft + 2mm Linatex	
1380 At20 20 + Apl	
Nipless 534 X 12	
Isoran 1400 Rpp14	
1792 Gld8-30	
Rpp Silver Belt 1440 Slv8 50	
46? L20? W, Å189; Thickness ? 117 Cm. X 1.25 Cm	
1600-Rpp8-50-Dd	
75 At20 3000	
4790 Ps 4 8 160 80	
Spb 1250 Lw	
020440560228	
At20-8360-49.5-Nft-Tenax 1.5mm.	
Isoran 600 Rpp8 410 G:30mm	
2450 Rpp14-Plus 55	
2000 Ddrpp8 30	
Rhp Hpr 1764 14m 470mm	
T 525-5140	

770 Xh 2100 (533mm)	
T150-500x12mm	
100 P2-Hp-C (11m)	
13442974 3150 Rppp14-40mm	
Vcxxx9999003608	
50 At10/1240	
Rpu5 15 Pu	
Toothed Belt 75at20/2660 Bfx	
19at20-5800-Avafc-Nft 034	
1270	
Rpp Gold 1440 Gld	
T2.5 245 505	
3304plt1414125	BELT 236TEETH 130.08IN PITCH LENGHT
42 H 1140 Li	
25 At10-2300	Art Nr. 4-00027223-25 FLEX PU TIMING BELT 25 AT10-2300 coated with 10 mm Sylomer brown
Mfx140t102360	
5/Vx 1500	
2400rpp8silver30	
3150 Rpp14 40	
75 T10 3210	
500 At5 15 Mm	
3850 Slv14 170mm	
Rpp Silver 1400 14m 470mm	
Mfx Sg Pu	
Rpp 1778 14m 470mm	
Mfx 25aat10 3500	
020440560567	
215t10 4860 Kj Nft/Nfb Sp.4214	
Rpp Silver Belt 1800 Slv8 50	
8v 1500	

700 Xh 2100 (533 Mm)
Rs10/275-4870
Pulley 10 Htd3 9 2
020440570509
Vcpm6b1hl9003
020440570285
3cyb19003
50 T10 9070 Nft + 2mm Linatex
25 Ts 8505 J
3280 Rpp8-Plus 50
Rpp14 115
Megalinear 75at10 Hp
115rpp14 Open End (6,104m)
MI 30ã194;Á;Rpp8 3232 Hp Open End
14556416
75at20 1500
Belt For Motor Dce642b- Mgb/0004639027
Rpp 8 Plus-2400
14m 3850 Gld ? 170mm
Htd800-8m-50
T2.5 480 6mm
100p2 Hp
Al47t10/25-2
SYNCHRONOUS DISC Hub: Ø60x10
32 At10 2600 Steel Cord + Nft + 4mm Tenax
020440570353
Pluriband Spz 2360
Htd 8m
1455I/3696pl
T150 1090
215t10 5540 K Jnft/Nfb Sp.4214

Spbx2240lw
3048 Rpp8 Dd 50
020440560485
Megalinear Flat
Linea-X Belt Xpz 2410
19at20-4620-Avafc-Nft 493
Rpp8plus30/2400
210602
Platinum 1960 Rpc14
Megaflex 80ps 4,8 / 160-10390
100 P2-Hp-C (8,5m)
1.U.Ts20.17000-100 Nft+hp 100x17000 Mm Teeth Coated Cloth Reinforced Cord Pu Material Steel Wire
020440560211
Kompattex Belt 3v 950
P1 Width: 12mm, Height: 100 M
Rpp Silver Belt 1040 Slv8 50
Mpw-50t-10-10330
25 ?T10
2200 Rpp8-Plus 50
T2.5 420 7mm
T150 800
Mfx 32at5 1600
Isoran Rppgold 896 Gld8 G:12mm
115 Rpp14
020440560611
1060 T150
Spz 1012ld/Lw 1025la 9.7x8
25 T5 1100
T150 1160

Ps4_8/160_80x10_Nft525
T150 1050
3360 Slv14 170
1568-Slv-14m-85
Linea-X Belt Xpb 2000
2600 Slv8 30
1460 Pk 8
3cyb19006
5v 1000
A1b2 2510
210 ?5 10
T2.5-620
Mfx140t101950
Megalinear Lpu 075 Lã196;Nge:10.000 Mm
840 Xh 2100 (533mm)
Htd 1440-8m-30
6 Mm T2.5 245 505
Wcxxx0000043670
Isoran 600 Rpp8 406 G:30mm
85rpp14 Plus
Rpp8plus30/2800p8
1792 Plt8 30mm
T150 610
Rs10/275-2570
Rpp Silver Belt 720 Slv8 50
Rs10/275-2170
13442974
Pv 1820l 5
Etp-6
Toothed Belt 50at10/2120 DI Hf

357 Rpp3 140	
32at10/2300 Bfxdl	
020440560247	
Rpp 1764 14m 470mm	
Xpbx2120lp	
960 Rpp8-Plus 50	
Kompatex 3vx 950	
Mfx 50t20 5300	
115rpp14 Open End (9,156m)	
2120l/5385pl	
2100 Rpp14 85	
8m-30-1300	
T150 Mm	15mm
140010250091	
5ae10901	