



Megatron

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in

info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Megatron Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Megatron T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

| ¼r¼n | A¼ıklama |
|---|--|
| Try14 2 9 1 A 1 1 0 1 | Thumb Joystick |
| Rp 19 R1k /1k W3% L0,5% Dm4 | Wire single-turn potentiometer 120198 Note: We only offer the potentiometer. All attachments are not included. |
| 4610 4760 | |
| 0603448 | |
| 100172 | |
| 100196 | |
| 100220 | |
| 100625 | |
| 101099 | |
| 101890 | |
| 102367 | |
| 102913 | |
| 103269 | |
| 103273 | |
| 103302 | |
| 103309 | |
| 105712 | |
| 105716 | |

| |
|--|
| 106817 |
| 107918 |
| 109639 |
| 110952 |
| 110953 |
| 111009 |
| 112202 RC35 100 S R5K W 20% L0,05% |
| 112890 |
| 113522 |
| 113766 |
| 113846 |
| 114277 |
| 115175 |
| 115177 |
| 115279 |
| 115302 |
| 115331 |
| 115777 |
| 116918 |
| 118122 |
| 118633 |
| 120192 |
| 120199 |
| 121297 |
| 121488 |
| 122460 |
| 123558 |
| 126127 |
| 128546 |
| 129868 |
| 131113 |

| |
|---|
| 133451 TRY100 6 5 1 4 8 2 1 |
| 134870 |
| 300790 |
| 358465 |
| 370-ra-5k-7437e |
| 38H-360-2MT-8-50-B00ME |
| 4610 R1K |
| 4610 R1K W1% L0.3% CCW |
| 4610 R5K |
| 4620 R5K |
| 4625 R5K |
| 62-10K-85 8E |
| 700G08 1/4"MNPT |
| 812 5 5 1 T 1 P |
| 812-2-5-1-6-O-K 1 |
| 82635161400 |
| 851 2 1 1 1 1 |
| AC10 R10K W3% L0.2% |
| AC10/6040A R10K |
| AC10/6040A R1K |
| AL 17 ,0M 10K ohm |
| AL 1703 M |
| AL 1705 R1K W5% L0,25% |
| AL 1710 R10K W5% L0,1% |
| AL 910 R2K W3% L0,25% |
| AL1703 M R10K W5% L0,25% |
| AL1703M/7124 OEM |
| AL1705 |
| AL1710 1k0-+ 5% L-+ 0.1% |
| AL1710M/6750A OEM!! |

| |
|--|
| AL1905M |
| AL1910 R10K |
| AL1910 the same as AL1910 R10K |
| AL1910M R10K |
| AL1910M |
| ALR1910M/7174B OEM |
| CFL 400 R5K W20% L0,5% |
| CLP13 13 R1K W10% L1% |
| CLP13 25 R1K W10% L0,7% |
| CLP13-100 |
| CLP13-50 R5K W10% L0.5% IP40 |
| CLP20 50 R10K W10% L0.3% |
| CLP20-50 wid.w. 10K lin. +/- 0.3 |
| CLPR20 30 R10K W10% L0.5% |
| CLPR20-30 |
| CP22E-200 |
| ENA22 F 1 2410 OCW360 |
| ETA25 6x22 2442 CW360 R1,00B |
| GPT-4454-V.24 DC/DC-RS232 |
| HELICALOHM 48010 |
| HH1705m |
| HH2105 R10K W5% L0.25% |
| IMA2-LVDT |
| IMA2R |
| LMC8-11 R5K ±15% L1% |
| LMCR8-11 R10K ±15% L1% |
| LMCR8-11 R5K ±15% L1% |
| M101 B 100 5 B A16 |
| M735.800.254 |
| MAB 36APS |

| |
|---|
| MAB22H 1224 SSICVR1 |
| MAB28A 12HS 2410 |
| MCD1710 R10K KA W5% L0.25% |
| MCD1710 R5K W 5% L0.25% |
| MCP 50 |
| MCP 50 R5K W 5% L0.1 % |
| MCP30 |
| MCP30 R10K W10% L0.25% |
| MCP30/4547 |
| MCP40 2K OHM |
| MD 2210 R10K KA G W 5% L0,25% |
| MD 2210 R5K G W 2% L0,25% ART.?NR. 124380 |
| MD 2210 R5K G W 5% L0,25% ART.?NR. 115168 |
| MD 2210 R5K KA G W 5% L0,25% |
| MD 3210 R1K KA G |
| MD2210 R5K KA G |
| MDCG 10K 2405 |
| MDCL200-K-2410 |
| MDCT - 50 - S - 2424 (24V / 20..4mA) |
| MDCT 10 K 24 10 |
| MDCT20 K 1555 |
| MDCT20-K-2410 |
| MDCT20-S-2410/6438 OEM |
| MFP500/4884 |
| MFP500/4884 10K |
| MHP24 |
| MHP24R1k |
| MM R 10 11 R10K W15% L2% |
| MM R 10 11 R2K |
| MM R 10 11 |

| |
|--|
| MM R 20/4719 R1K |
| MM11 R10K W10% L1% |
| MM15R10KW10%L0.5% |
| MM15R1KW10%L0.5% |
| Model RP20 R200, 103309 |
| MOM18 300 513 BZ K |
| MP 20 R1K |
| MP20 /ABC/T246B/5 oem |
| MP20 1K |
| MP20 R1K W15% L1% |
| MP20/6891 1K? + 15% ,L. + 0,25% ,0306 |
| MP20/7347 OEM |
| MP21 R10k W15 L1% |
| MP21 R1K |
| MP21 R1K DM4 |
| MP23/4806 R2K RA+ 2 SCHALTNOCKEN 3MM, L±1,0%, 1,0W OEM |
| MUP1350 |
| P15-10R/100R |
| P15N/S97N - 1K OHMS |
| P15P/S30 |
| P15P/S30 - 10K OHMS |
| P15P/S30 10K |
| P15P/S45 - 1K OHMS |
| P15P30 - 1K |
| P15P30-10K |
| P15P30-4K7 |
| P15P31-4K7 |
| P15P31-4K79 |
| P15PMK-10K |

| |
|---|
| PFA-T8-062-100 |
| POT. 260 - 2K OHMS - RA - 100387 |
| POT. 260 - 2K OHMS - RA - 100387 AXE 02A25.8-6-30-3 MARQUAGE 260-RA-2K |
| POT. P15P/S30 - 10K OHMS |
| POT. P15P/S30 - 22K OHMS |
| POT. P15P/S31 - 4K7 OHMS |
| POT. P15P/S34 X2 - 4K7/22K OHMS |
| PP15P 10 KOHM |
| PR-01TLG |
| PR-01TLR |
| PR-01XSGWC |
| PR-01XSRS |
| PR-01XSRWC |
| PR-01XSYWC |
| PR19 100 Om |
| PRVV9020PE |
| PRVV9025PE |
| R22M 1K |
| R22M+RCD22- 4 |
| R5K G |
| RC13 150 G 1 W20% L0,05% |
| RC13 50 G 1 W20% L0,1% |
| RC13-100-G-1 |
| RC130 150 G/6354 |
| RC20 200 G 1 R8K W20% L0,05% |
| RC20 75 G 1 R3K W20% L0,1% |
| RC35 750 K R10K W20% L0,05% |
| RC35 750 S R10K W20% L0,05% |
| RC35-400-S |
| RCD22-10 4 |

| |
|--|
| RP 19 100 om |
| RP 19 R100 |
| RP 19 R1K |
| RP 19 R2K W3% L0,5% |
| RP 19/5037 200 OHM (OEM) |
| RP 20 R10K W3% L0,5% |
| RP 20 R1K W3% L0,5% |
| RP 20 R1K W3% L0,5% A30MM |
| RP 20 R200 |
| RP 20 R200 W3% L0,5% |
| RP 20 R500 W3% L0,5% |
| RP 20 S 20 KOmh +- 0,3% |
| RP 23 |
| RP19 100Om |
| RP19 R100 W3% L0,5% |
| RP19 R2K |
| RP19 R2K W3% L0,5% P/n 103282 |
| RP20 |
| RP20 R200 W3% L0.5% |
| RP20/7092A |
| RP20B |
| RPS45 R2K |
| S501P 500 R5K L 0,1% |
| SFCP22 |
| SMT 10/10 R10K W3% L0,25% |
| SP 6 500 5 B TTL |
| SPI18 S75 R5K L-0,1 |
| SPR18 S 100 |
| SPR18 S 100 R5K |
| SPR18 S 50 R1K W10% L0,1% (114509) |
| SPR18 S 75 R5K W10% L0,1% |

| | |
|--|--|
| SPR18-S-50 | |
| SS-400-1-2 | |
| SS-400-1-4RT | |
| SS-400-R-6 | |
| SSJU-002R | |
| SW 61 | |
| Thermal Paper 113.5±0.5mm 80µm O60±0-1 Mint 25.4 | |
| THERMISTOR (PTC) | |
| TRY14 2 7 1 A 1 1 0 2 | |
| TRY20 - 3 5 1 1 3 1 0 | |
| TRY20-3-5-1-1-3-2-0 | |
| XKDZ15-4K7-TC+ | |
| XKZA15 10K-TC+ | |
| XKZA15 1K-TC+ | |
| XKZA15 P15P/S30 - 10K OHMS | |
| XKZA15 the same as P15P30 - 4K7 | |
| XKZA15,IK-TC+,12258A/0523, | |
| XKZA15: 4K7-TC | |
| XKZA15-4K7-TC+ | |
| MOZ30/100/24/K | |
| XKZA15 | potentiometer |
| MHP32/7417 | |
| MDCT 50 S 24 24 | 114674 +-25MM 24V/20-4mA PLUG Inductive displacement sensor with elec. |
| RP 20 R1K W3% L0,5% | 103302 Wire-wound potentiometer |
| MDCG 100K 24 42 | Part Nr:133698 Inductive displacement sensor with elec. |
| TRY50 3 5 1 R 3 5 2 | Hand Joystick 126477 |
| OMS2 450 S2442 | Magnetostrictive displacement sensor |
| OMS2 PMS2 | Free locator 134574 Magnetostrictive displacement sensor |
| OMS2 L | Position sensor guided with low axial joint Magnetostrictive displacement sensor |

| | |
|--|--|
| OMS2 H | |
| OMS2 W | |
| WGR50/4.B4.1 10K | PRAZ * POTANTIMETER TYP : WGR50/4.B4.1 LIN : (+-) 0,7% WID.W. : 10K (+-) 5% |
| MP 20 R1K W15% L1% | Conductive plastic potentiometer |
| RP 19 R10K W3% L0,5% | 103273 Wire-wound potentiometer |
| AL2520/6046B | |
| 4603 R5K W5% L0,3% | 102171 Wire-wound potentiometer |
| RP20 | |
| mdct20-k-2410 | |
| RP 20 R1K W3% L0,5% Art-No.: 103302 | Wire single-coil potentiometer |
| ENA B 1 2442 OCW P LT | |
| AL1703M | |
| 131002 | SpaceMouse Module USB 3DX-700048 Finger Joystick |
| 135082 | SpaceMouse USB connection cable original connection cable Finger Joystick |
| IMA2-LVDT | AC-AC LVDT Max Strok boyu +/-25 mm 5 or 6 wire output |
| RC13P 150G/6354 | |
| 4603 R5K W5% L0,3% | Wire multi-coil potentiometer |
| MAB36A 12 2442 M12/7666 (CW30) | |
| SCX50/4712 | WID.W.2, 5k 0±15% |
| ALIR1710MD | |
| MUP 1307/8100 R | |
| 100176 | MCP 30 R10K W10% L0,25% |
| 260ra 2k 2 Ohm | |
| 114509, Spr18 S 50 R1k W10% L0,1% | |
| Mcp50 | |
| 103514 | |
| 103218 Mp 23 R2k W5% L1% | |
| Mm R 10 11 Sensormm R 10 11 R5k W15% L1% | |
| 260-Pa-2k-3683/0047 | |

| |
|--|
| Rp19r1-1ka30 |
| Al2520s |
| Clp20-50 Wid.W. 10k? Lin. +/- 0.3 Potentiometersensor |
| 0506 |
| Lmcr8-12 |
| E2813000 |
| 113846 Potentiometer Mp20 R1k |
| 103265 |
| Hhs1710 |
| Art No 4127844 |
| 372 R10k A16mm Dm6,35mm Ct |
| Mm15r1kw10%l0.5% Sensor |
| ???-50r1km Potentiometer Megatron Munchen Potentiometer Wid.W 1kom |
| ??Z30/100/24/? Impulsgeber |
| Art-Nr.113846 / Mp 20 R1k W15% L1% |
| 38h-360-2mt-8-50-B00me Optischer Drehgeber |
| Mm 10 15 R5k W15% L2% |
| 372 R10k W5% L0,5% |
| 4610 |
| Clpr1325 |
| 11532e/0513 |
| S501p-500-R5k |
| 4610 R1k W1% L0.3% Ccw |
| Hh21101kohn |
| 123159 |
| Hh 2110 R10k W5% L0,25% Art.?Nr. 101090 |
| Mab28a 12hs 2410 Sensor |
| Al1705 Multi-Turn-Potentiometer (1k) |

| |
|--|
| 106704 Mm R 10 11 R5k W15 L2 |
| Try14 2 7 1 ? 1 1 0 2 Joystick |
| P15p30-2k2 (Ex Xkza15-2k2-Tc+) |
| Rp 19 R2k W3% L0,5% Potentiometer |
| Rp20 10 |
| Mup1300 R |
| Mdct - 10 - K - 2410 |
| 42-011644 |
| 113583 |
| Axe 02a50-6-30-3 Marquage 260-Ra-A50-1k 113344 |
| Clp21-50 |
| R22m 1k Multi-Turn Potentiometer |
| Rp 19 R500 W3% L0,5% B |
| Mdct10-K-2410 |
| Evw 50 E |
| 107744 |
| 48020 Multi-Turn Potentiometer |
| Al 1710 R10k |
| 103309 Rp 20 R200 W3% L0,5% |
| 812 5 5 1 T 1 P Joystick |
| Mom18 300 513 Bz K Endlosregler |
| Rps45 |
| 121488 Hhr1910m R10k W10% L0,25% Dhybrid Potentiometer |
| Rp 20 R500 W3% L0,5% Draht- Einwendel Potentiometer |
| Rp 20 R10k |
| Mdct20k2410lvdtpc |
| Mup 1300 R5k W10% L1% |
| Smh 10885136063 (- By Mt46-5) |
| Ss-400-1-2rt |

| |
|--|
| 123176 |
| Md2210 |
| Ac10/6040 |
| R22m R10k |
| 261-2xr1k |
| 115279 Draht-Mehrwendel Potentiometermd 2210 R50k G W5% L0,25%(Ohne Dichtring) |
| 103218 Mp 23 R2k |
| Rp 19 R1k W3% L0,5% Dm4 |
| Mm20r1k |
| Rp 19 R100 /100 W3% L0,5% |
| Clp13-50 |
| 103309 Draht-Einwendel Potentiometerrp 20 R200 W3% L0,5% |
| Mdct10-K-24-10 Lvt Pc 0-10v |
| 4610 R5k Potentiometer W5% L0,3% |
| 103273 Rp 19 R10k W3% L0,5%draht- Einwendel Potentiometer |
| 101231 |
| 103309 Rp 20 R200 W3 L0 5 |
| Mm15r10kw10%l0.5% Sensor |
| Md3210 R10k Ka S W5% L0.25% |
| Mms33-Sv900 |
| Rp 19-500 Ohms |
| R22m + Rcd4 |
| Edct50-S-2410 Linearwegsensor |
| Clp13 13 R10k W10% L1% |
| Clp 20-30 R10k |
| 101894 |
| 103218 Mp 23 R2k W5 L1 |
| 115177 Draht-Mehrwendel |

| |
|---|
| Potentiometermd 2210 R10k W G W5% L0,25% |
| 114725 |
| P15-10r/100r Pot. P15 X2 - 10/100 Ohmsaxe 11b30-6 |
| Mm-R-10-11 R5 |
| M735.800.254 Drehgeber |
| Rp20 Potentiometerrp20, 200 Ohm |
| 114204 Mp 20 R10k |
| Md 3210 R10k Ka G W5% L0,25% |
| Mp11 R10k |
| Rc20p 200 G/7081a |
| 106608 |
| 114204 Mp 20 R10k W15% L1% |
| Mm3010k |
| 128181 |
| Edct50-S-2410 Sensor |
| Mab22h 1224 Ssicvr1 Endlosregler |
| Mp 21 R1k |
| 101890 Al 1710m R1k W5% L0,25% Draht-Mehrwendel Potentiometer |
| Art.?Nr. 109639 |
| Hh2105 |
| F003785 Rc35-300-K 5k |
| Md 2210 R5k Ka W G W5% L0,25% |
| P15p30-10k (Ex Xkza15) |
| Mt46-5 |
| Try103514205v2405 |
| Sp 6 500 5 B Ttl |
| Mup1350 Potentiometer R1k W5% L0.5% |
| 120199 Mp 21 R1k W15% L1% Dm4mmleitplastik Potentiometer |

| |
|--|
| Mmr10 11 R10k W15% L2% |
| 103282 Potentiometer Rp 19 R2k W3% L0,5% |
| Al1703 |
| Try103514115 |
| Art-Nr.103309rp 20 R200 W3% L0,5% |
| 81221111r |
| Ima2-R-24v-0...10v |
| 115302 Md 3210 R5k Ka S W5% L0,25%draht-Mehrwendel Potentiometer |
| ???-50r1km Potentiometer |
| 106609 |
| 103282 Rp 19 R2k W3% L0,5% Draht-Einwendel Potentiometer |
| Ena25 1 2442 Ocw 360 Sensor |
| Rc20 100 G 1 R4k W20% L0,1% |
| Clp 20 30 R10k |
| 103282 |
| Art.No 4127844 |
| Clp21 30 R2k W10% L0,7% 120487 |
| Sfcp22 Widerstand 10k |
| Mdct50 |
| Wg020100st |
| Ac10s |
| Ima2 Lvdt 5 B 24 20 |
| Rp 19 100 Om Potentiometer |
| Hubruckmeldung-Z-Gruppe |
| 260ra-2k 2 Ohm |
| Rp 20, 10 K-Ohm |
| Potentiometer |
| Md 2210 R5k Ka G W5% L0,25% Draht-Mehrwendel Potentiometer |
| Potentiometer 101896 |

| |
|---|
| L0058571 |
| Wgo20100 |
| Al1710 |
| 260 - 2k Ohms - Rear Axe 29,5 Mm |
| 100595 |
| Racc 100 |
| 11532e 0513 |
| 82635161400 Joystick |
| 130668 |
| Spi18 S75 R5k L-0,1 |
| Bd20/6224 |
| Spr18 S 100 R5k Linearwegsensör W10% L0,1% |
| Rp19 R2k W3% L0,5% P/N 103282 Potentiometer |
| Rp19 R2k Potentiometerw3% L0,5% P/N 103282 |
| Clp-13-25 |
| Al 1710m R1k W5% L0,1% D |
| Hcj 015.8090.922.0 |
| Hh2110 |
| 261 2xr1k |
| 131113 Mab40a 12 2442 Nhall-Effekt- Singleturn |
| Mrxct25/7486 |
| 4610 R10k W5% L0,3% Art.?Nr. 102243 |
| Al1703 M R10k W5% L0,25% Draht Potentiometer Mentwelder |
| Ac10 6040 |
| 109639 Mm R 10 11 R5k W15% L1% |
| 700g08 1/4quot;Mnpt |
| Md3210 |
| Hh1705m Potentiometer |
| |

| |
|---|
| Clp20 100 R10k |
| 114509 Spr18 S 50 R1k W10 L0 1 |
| Kt801 K 2kn 2410 D |
| 126127 812 2 1 1 1 1 Rfinger Joystick |
| 128546 I/38-1000-5-Bz-N-Cv-01optischer Drehgeber |
| 81221111r Joystick |
| R22m + Rcd4 Potentiometer+timer |
| 851 2 1 1 1 1 Joystick |
| Ima2 R 24v 0-10v |
| M105-V5 Hv Rot (124288) |
| 42 011644 |
| 4610. |
| Printer Ref. Mth-2523 - (Rs232 - 9 To 40vdc) |
| Bd20 6224 |
| 115169 |
| Clp13-50 R5k |
| Rp 19/5037 200 Ohm () |
| 103265 Rp 19 R100 W3% L0,5%draht-Einwendel Potentiometer |
| 700g08 1/4quot;Mbsp |
| Try50 351r352 |
| 107918 Al 910 R10k W3% L0,25% A14draht-Mehrwendel Potentiometer |
| 103282 Rp 19 R2k W3% L0,5%draht-Einwendel Potentiometer |
| Ena28f 1 2442 Ocw 360 Sensor |
| K20837 |
| 115175 Potentiometer Megatron Md3210 R1k Ka G |
| 700g31 1/4quot; Mnpt |
| 4610 R5k W5% L0,3% |
| 841211h360 |

| |
|--|
| Rc13 50 G 1 W 20% L0,1% Sensor |
| 114490 |
| Printer Ref. Gpt-4454 - V.24 - Dc24rs232c - Alimentation 18-36 Vdc - Zoom Function |
| 1k Wgo1030 |
| 812-2-5-1-6-O-? 1 |
| Mdcl200-K-2410 Sensor |
| 109343 |
| Moz30 500 24 Bz K |
| L0058654 (Inaccurate Reference, Use Either Ac10/6040a R1k Or Ac10/6040a R10k) ! |
| Mup4000/4784 R20k C007 |
| Clpr1350 |
| Mp 23 R2k W 5% L1% |
| 100596 |
| Cfl400-5??? Sensor Linear +/-20% Lin+/- 0.5 % |
| Moz30 1000 24 Bz K |
| 103265 Rp 19 R100 W 3% L0,5% Draht- Einwendel Potentiometer |
| 65.61.304 |
| 61180 |
| Rp19 100?? Potentiometer |
| Hh211010kohn |
| Rc20 75 G 1 R3k W 20% L0,1% Sensor |
| 115177 Draht-Mehrwendel Potentiometermd 2210 R10k W G W 5% L0,25%(Mit Dichtring) |
| 106744 |
| Md 3210 R1k Ka G Draht-Mehrwendel Potentiomete |
| Mpa20 10kom |
| |

| |
|---|
| 120192 Rp 19 R1k W3% L0,5% |
| Dm4mmdraht Einwendel Potentiometer |
| 103269 Potentiometer: Rp19 R1k W3% L0,5% |
| Rp 23 Potentiometer |
| Md2210 R5kg |
| 372 R1k A16mm Dm6,35mm |
| 100625 Potentiometer Pot. 372 - 5k Ohms |
| Try20-3-5-1-1-3-2-0 Miniatur-Drei-Achsen-Joystick |
| Rh24pc R5k |
| Mp 20 R5k W15% L1% |
| Mcp50 10kohm Å |
| Rp19 |
| Rps45 Potentiometric Sensor |
| L0752928dis214 |
| 118633 Mp 1545 Ashall-Effekt-Singleturn |
| Rp-19 |
| P15p/S30 - 10k Ohms (Ex. Xkza15-10k-Tc+) |
| Mup 1300 R5k W10% L1% Potentiometer |
| 1k (Wgo1030) |
| 19107587 |
| Md 3210 R10k G W5% L0,25% Art.?Nr. 115170 |
| Try20-3-5-1-1-3-1-0 |