

Meidinger

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Meidinger Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Meidinger Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Typ : S-GRN48/120/500/2G	Meidinger centrifugal fan 750 m ³ / h, 160 mbar LOOSE PARTS (per fan) 1 documentation according to investment 1 Atex Doc. Gr. II Cat.2G / 2G
Typ EXSGRN48/120/500/2G (LG270)	Ventilator Replacement device for device no. 317157x 1.2 identical version with motor II2G Ex-de IIC T4 (1), Special price, only valid in connection with resale of the old device. incl. Free delivery (DDP). On-site assembly not included. (1) New motor type 132S2 - 7.5 kW - II2G Ex-de IIC T4 3x400 V 50 Hz, 2'925 min-1, B3, IP55, F/B class, with triple thermistor protection, suitable for frequency converter operation Speed range 30-50 Hz
EX-S-GRN36/160/300/1E	V = 700 m ³ /h; Δpt = 1147 Pa; Pr = .35 kW (ρ=1,2 kg/m ³) loose parts (per fan) 1 ATEX certificate II 2G/2G - T1 700 m ³ /h bei 10 mbar
EX-P-GRN48/120/500/2G-2	V = 700 m ³ /h; Δpt = 16661 Pa; Pr = 5.27 kW (ρ=1,2 kg/m ³) Loose parts (per fan) 1 ATEX certificate Gr.II Cat. 2G/2G T2 1 Casing gas-tight ISO13349 Cat.H1
Gas blower pulley 2R/SPZ TKO85 with 1610-O24	
Fan P-GRN48/120/500/2G	
2R/SPZ TKØ160 with 2012-Ø38	Pulley complete with clamping bush

Ürün	Açıklama
	balanced
2R/SPZ TKØ85/ 1610-Ø24	Pulley complete with clamping bush balanced
Replacement assembly for GRN48 (version1)	No. 206317X STEP 1 Housing made of GGG40 gas-tight, Pos.: LG270, free shaft end, without pulley, with suction port DN125/PN10, without pressure port, Shaft seal FPM with greaser, Max. speed: 5544 min-1, with cooling disk, Explosion protection according to EN 14986, Surface protection: N60/BR 2-comp. Deck., 80µm RAL 7032.
Replacement assembly for GRN48 (version2)	No. 206317X LEVEL 2 Housing made of GGG40 gas-tight, Pos.: LG270, free shaft end, without pulley, with special Suction nozzle including connecting pipe, with pressure port DN125/PN10, Shaft seal FPM with greaser, Max. speed: 5544 min-1, with cooling disk, Explosion protection according to EN 14986, Surface protection: N60/BR 2-comp. Deck., 80µm RAL 7032
P-Grn48 / 120/500 / 1g	
Pp224 St 3x200 V 60 Hz Oem	
Typ: Fvr4001/100/500/2 Replaced By Grn48/120/500/2g	
Grn48/120/500/2g	
70807-125	
Bellow Lt 200 Ng 315-BI 125 Mm Angular	
90s2-02 - 1.5 Kw - li3g Ex Na li-T3	
Nw D280mm	
Meidinger-Ersatzteile-F3;R- Fvr40011005002-Nr-201179-Istanbul- Türkiye	
A-T28/315/560/1e	
Pp280 St 3x200 V 60 Hz Oem	

Ürün	Açıklama
Prod No:44/11 Oil Filter Cartridge(For S-Grn48/120/500/2g Gas Blower)	
P-Hrz10d/90/315/1 Dsf10	
Pp315 St 3x200 V 60 Hz. Oem	
P-Ha/400/1120/1gb	
Me80m-2	
Bellow Lt 200 Dn 280-BI 125 Mm Round	
Teal 90s/L Obsolete Replaced By 90s2-02 - 1.5 Kw - li3g Ex Na li-T3	
S-Grn48/120/500/1g	Meidinger- Centrifugal Fan Separate parts (per unit) 1 ATEX-Certificate II 2G/2G c IIA T1