

Mival



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Mival Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Mival Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Dn 250 Pn 16 steam valve	Item 64/EQ Streamlined flow valve with bellows, outside screw PN 16, maintenance free. Balanced disc. Nodular cast iron body and yoke. Stainless steel stem, bellows and sealing seats. Graphite + stainless steel gaskets. Carbon steel hand-wheel. The valve is standard provided by: position indicator, safety back-seat on the stem, rise limiter, lubricator, locking set screw. Connection flanges dressed and drilled according to EN 1092-2 PN 16 with raised face.
0061/RT/080	Cast iron bellows valve out.screw PN 16 reg.PTFE disc DN 80
0061/RT/100	Cast iron bellows valve out.screw PN 16 reg.PTFE disc DN 100
0061/RT/050	Cast iron bellows valve out.screw PN 16 reg.PTFE disc DN 50
ITEM 379	NON-RETURN VALVE WITH INTERMEDIATE FLANGE
0602/015	Bronze globe valve PN 16, F/F GAS threaded ends Ø 1/2"
0602/020	Bronze globe valve PN 16, F/F GAS threaded ends Ø 3/4"
0602/025	Bronze globe valve PN 16, F/F GAS threaded ends Ø 1"
0602/032	Bronze globe valve PN 16, F/F GAS threaded ends Ø 1¼"
0602/040	Bronze globe valve PN 16, F/F GAS threaded ends Ø 1½"
0602/050	Bronze globe valve PN 16, F/F GAS threaded ends Ø 2"
0602/065	Bronze globe valve PN 16, F/F GAS threaded ends Ø 2½"
0602/080	Bronze globe valve PN 16, F/F GAS threaded ends Ø 3"
Mesh Stainless Steel 1.4401	Dimensions: ØD=130 mm, H=205 mm
Gasket Graphite+Stainless Steel 1.4401	Dimensions: 170x150x2 mm
233 Series	

Mival61 Dn25	
Mival61 Dn50	
134 Series	
11 Sf Series	
616 Series	
55 Series	
1170 Series	
135 Series	
124/Fi/Att	
66 Series	
346 Series	
Item Euro 442 Ø 2"	Item EURO 442 Three pieces ball valve, PN 63, full bore. Stainless steel AISI 316 micro-casted body and ball, PTFE sealing seat GAS F/F or SW connections
442 Series	
740 Series	
Mival61 Dn80	
1105 Series	
268 Series	
61 Series	
124 Series	
57 Series	
Mival61 Dn100	
Mival61 Dn40	
380 Series	
232 Series	
Item Euro 442 Ø 1" 1/2	Item EURO 442 Three pieces ball valve, PN 63, full bore. Stainless steel AISI 316 micro-casted body and ball, PTFE sealing seat GAS F/F or SW connections
54 Series	
700 Series	
315 Series	

381 Series	
266 Series	
Mival61 Dn125	Item 61. Streamlined flow valve, outside screw PN 16, with bellows, maintenance free. Cast iron body and yoke. Stainless steel stem, bellows and sealing seats. Graphite + stainless steel gasket. Carbon steel hand-wheel. The valve is standard provided by: position indicator, safety back-seat on the stem, rise limiter, lubricator, locking set screw. Connection flanges dressed and drilled according to EN 1092-1 PN 16 with raised face. Item 61
510 Series	
265 Series	
447 Series	
63 Series	
347 Series	
Lug Dn100 Pn16	
41 Series	
51 Series	
10 Or Series	
15 Series	
Mival61 Dn65	
64 Series	
2010 Series	
317 Series	
53 Series	
56 Series	
R1t-300-A150-Abe16	
336 Series	
275 Series	
267 Series	