

## Moeller



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Moeller** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Moeller Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">MI4-110-KD1</a>	Panel
<a href="#">ETR2-11</a>	Time relay, 1 W, 0.05 s - 100 h, 24 - 240 V AC 50/60 Hz, 24 - 48 V DC, on-delayed
<a href="#">PS4-341-MM1</a>	
<a href="#">PS416-POW-400</a>	
<a href="#">DC1-34046FB-A20CE1</a>	Frequency converter, 400 VAC, 3-phase, 46 A, 22 kW, IP20/NEMA 0, RFI filter, brake chopper, FS4
<a href="#">NZM1</a>	
<a href="#">KT-M20</a>	Membrane nozzle M20
<a href="#">KT-M25</a>	Membrane nozzle M25
<a href="#">KT-M32</a>	Membrane nozzle M32
<a href="#">M22-K10</a>	216376 Contact element, screw terminals, front mounting, 1 NO, 24 V 3 A, 220 V 230 V 240 V 6 A
<a href="#">M22-K01</a>	216378 Contact element, screw terminals, front mounting, 1 NC, 24 V 3 A, 220 V 230 V 240 V 6 A
<a href="#">M22-DP-G-X</a>	216734 Mushroom pushbutton, RMQ-Titan, mushroom, momentary contact, mushroom green, without button plate, titanium bezel
<a href="#">NZMN1-A160</a>	Circuit breaker, 3p, 160A 3p, 160A
<a href="#">MV4-450-TA1-000 / touch screen</a>	
<a href="#">DILM9-10(24VDC)</a>	276705 Power Contactor 3 Pole 380V 400V 4kW 1NO 24V DC DC Actuation Screw Terminals
<a href="#">TO-6-65646 IEC-EN 60947</a>	

<a href="#">NZM12-800</a>	
<a href="#">DP-3AI/1AO-UI</a>	
<a href="#">DV6-340-11K</a>	Input: 3AC 400-480V, 50Hz, 25A Output: 3AC 0...Ue, 23A, 0.1...400Hz Motor: 11 KW(400V) Article No:231402
<a href="#">DF51-340-3K0</a>	Input: 3AC 400-480V, 50Hz, 10A Output: 3AC 0...Ue, 7.8A, Motor: 3 KW(400V)
<a href="#">EASY 721-DC-TC</a>	
<a href="#">Reversing Starter RAM05-W200A32-4120S1</a>	
<a href="#">TO-3-1059-A/IVS</a>	
<a href="#">62.20084-011</a>	842F 230/0.230V 1,6A
<a href="#">Dil M150 Xh122</a>	
<a href="#">Ckn6 25 1n C 003 A De</a>	
<a href="#">380v 220v Or 800va</a>	
<a href="#">205348 SI L24</a>	
<a href="#">C Pkz2</a>	
<a href="#">Nzm3 / 4 Xv6</a>	Extension axle, for max. Installation depth = 600mm <a href="https://datasheet.eaton.com/datasheet.php?model=260193&amp;locale=de_DE">https://datasheet.eaton.com/datasheet.php?model=260193&amp;locale=de_DE</a>
<a href="#">276344</a>	
<a href="#">207363</a>	
<a href="#">266109</a>	
<a href="#">0 4 42a Pkz2 Code Pkz2 Zm 16</a>	
<a href="#">PI7 B10 2 Dc</a>	
<a href="#">Nzmn3-Me450</a>	Circuit breaker, 3p, 450A <a href="https://datasheet.eaton.com/datasheet.php?model=284468&amp;locale=de_DE">https://datasheet.eaton.com/datasheet.php?model=284468&amp;locale=de_DE</a>
<a href="#">61813</a>	
<a href="#">Dil M 3210</a>	
<a href="#">Nzm3-Xksae</a>	Cover, 3p, for cable lug, size 3 <a href="https://datasheet.eaton.com/datasheet.php?model=119869&amp;locale=de_DE">https://datasheet.eaton.com/datasheet.php?model=119869&amp;locale=de_DE</a>
<a href="#">106127 Pkz2 Xh</a>	
<a href="#">207388</a>	
	Door coupling rotary handle, lockable, size 3

[Nzm3-Xtvd](#)

[https://datasheet.eaton.com/datasheet.php?  
model=260170&locale=de\\_DE](https://datasheet.eaton.com/datasheet.php?model=260170&locale=de_DE)