

Mt Motori Elettrici

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Mt Motori Elettrici Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Mt Motori Elettrici Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
A00958400	
MTC-TF AC 0,55KW 80A4 B14 1400Upm BR20	Brake motor pattern Aluminum three-phase brake motor Power P: 0.55KW Voltage: 230 / 400V 50Hz Protection class: IP55 / F Speed n1: 1400 rpm Nominal current: 1.6A Output shaft: 19x40mm with feather key Output flange: B14-120mm with 8 threads TF- AC brake: 20Nm 3 x 230V / 400V-50Hz Brake with protection class IP54 / F
TN80C/6 14	
1 B1456C -1500 L93478	
111678	
140260	
2181028261 + A00938419	
71 B	
A000-11586	

B05100A -1500
B0571B -3000 L93478
B1463B -1500 8BLV L93478
B1480C -1500 TFP
BG132 B5
CW MI 40/90 U7 1/2000 63B5
D56/4
DFS112 2/4/8
DFS112B
DN132 M4/8
FM Foro 20
for TF 100B
L93478
MLCC-465
MPT 35
MPT 40
MT TN112A/4
N 112 2P 4kW 280/480V 60Hz B5 IE2
N.1 TN 71 KW0,12 8P V230-400/50Hz IE1
N.1 TN 71 KW0,37 2P V230-400/50Hz IE1
NBR-500-1
T40
TF 100B
TF100B/4
TFP 71B 4P
TFP 90S
TFP100A/6
TFP63 KW0
TFP71C/4

TFP80B/4
TFP90S 4P
TN 112A 2P
TN 112A 2P 4,6kW 280/480V 60Hz B5 IE
2
TN 56B
TN 63 4 poli/poles kW 0,37 V230/400-
50Hz
TN 63B kW0
TN 63D
TN 71A
TN 71B
TN 71S 8P
TN 80
TN 80A2 0,75kW 230/400V 50Hz B5 IE3
TN100B
TN100B/4 SV ENC
TN100B/4 TR
TN112/4
TN112A
TN112A/6
TN132 MB/4
TN132/4
TN132MD
TN63A/2
TN63B
TN63B 4P
TN63B kW0,18 4poles V230/400 50hZ
B5
TN63B/4
TN63C 4P
TN63C/4

TN71A 2P	
TN71A/4	
TN71B/4	
TN80/4	
TN80A 2P 0,75kW 225/440V 60Hz B5 IE2	
TN80B/4	
TN80D	
TN90L KW3 2P V230-400/50 B5	
TN90L/2	
TN90L/4	
TN90S	
TN90S 4P	
TN90S/2	
TN90S/4	
TN90S/4 – RMI63 FL	
B1463B -1500 BREMS IE2 ATEX L93478	three-phase brake motor ATEX version EXII 3GD EEx 0.18 KW at 1400 rpm. 230/400 V, 50 Hz, IP 54 Efficiency class IE2 Type B14 -flange drum 90mm Size 56
205998	Designation bevel gear Gear Type H Gear size 25 Gear ratio i= 3.00 Type 70 Type of lubrication Grease lubrication Lubricant gear fluid grease Texture mineral below page A+B+D Quality / backlash max.10' Transmission painting Nitro-Cell.-Comb.(150023) matt Color RAL7035 / light grey
MRMTTN71B4 -B14-UL	IE2 MTC 0,37KW 71B4 B14 1400Upm 230/400V50Hz Aluminum three-phase motor Power P: 0.37 KW 50Hz Power P: 0.45 KW 60Hz Voltage: 230V/400V 50Hz Voltage: 280V/480V 60Hz Protection class: IP55/F Speed n1: 1400/1660 1/min Rated current: 1.13A at 50Hz Rated current: 1.24A at 60Hz Output flange: B14- 105mm Output shaft: 14x30 with feather key UL compliant, cURus marking Motor aluminum blank, fan cover galvanized Flange bearing shield MT 071 B14 B14 105mm 114/40/21 Output flange BG71 B14: 105mm Internal dimensions - centering: 114mm Bearing seat: 40mm bearing seat depth; 21mm Ball bearing seat: 6203 Flange bearing shield MT 071 B5 160mm 114/40/21 Flange BG71B5 dimensions: 160/130/110mm Internal dimensions - centering: 114mm Bearing seat: 40mm bearing seat depth; 21mm Ball bearing seat: 6203
TN71B/4 B5 0,37KW	
Tn 132 Mb/4 Motor Encod Sv 7.5 Kw 1500 Rpm	

Tn 80d\4 14 Elektromotor
Tn63b Kw0,18 V230/400 50hz B5 Motor
Tn 63d Kw0,37 4poles 1500rpm V230/400 50hz B14
Eco035.240 S2 Electric Motor
Tn 112 A/4 Motore Elettrico
L93478 Drehstrommotoren05132 Md - 1500 230/400v
Mrmtn90lb
Der Elektromotor Mt Motori Elettrici Tfp- 90s/4 Ca 50 Nm (1,1 Kw, 230/400 V, 1380 U/Min, Ip55, Im B5)
Tn90s/4 – Rmi63 Fl
Tfp132mb/4
B0556a -3000 L93478
??? 90l-2 Motore Elettrico 1.5 Kw 2830 Giri / Min
Rmi 63 Fl M1 Gearmotortn90s/4 Stm
Tn100/4
Mlcc-465 Freni Del Motore
Mtdcmpve7 1c170-3000
Tn 112a Kw4 4poles 1430rpm V230/400 50hz
Ie2-Eff1
Tn56b Kw0,09 1340rpm 4poli V230/400 50hz B14con 1 Termica
B0556a -3000
Tn71b/4 Drehstrommotor
A00623485
Elektr Magnet Cf71
Der Elektromotor Mt Motori Elettrici Tfp- 100b/4 Ca 75 Nm (3 Kw, 230/400 V, 1450 U/Min, Ip55, Im B5)
- Flanschmontage B5 Motor
Tfp80c/4 Ca Nm35 Motor-

Explosionssicherer 0.95 Kw Mit Bremse
Tn7 1b/4 Motore
Tn 132md/4 Elektromotor 11kw; 400v; 50hz; Min 1450
Der Elektromotor Mt Motori Elettrici Tfp 112a/4 Ca 100 Nm (4 Kw, 230/400 V, 1420 U/Min, Ip55, Im B5)
Tn63b/4 El. Motor Typ:Tn63b/4 230/400b 50hz, 0,18 Kw , 1380 U/Min
Tfp80b/4b5 Motor
Tn112b/4 3th B5 S1 Motore Elettrico 4kw 1440rpm
Tn71a Motor Kw0,25 4poles V230/400 50hz B5 Ip55 Cl.F
Cwmi 40/90 U7 1/2000 63b5 Gearbox
Eco035.240 S2 55 Watt, 24 Volt
Ms 90s4 El. Motor 1,1 Kw 1,500 Rpm Gear Ratio 14output Turns 93.3
Dfs112b Kw2,2/1,8/1,2 2-4-8poles V380 50hz B14 V180d.C. Stationary Brakeshaft 24x50
Tn132md 2poli Kw11 V400/690 50hz
Mn71c/4
A000-11586 Motore Elettrico