Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Nabtesco

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Nabtesco Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Nabtesco Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
217158-01 valf	
EGCS-314M-2. 09A	73794212-01 3 way valve. POS 31, x 1pc complete.
NPS -2 check chock valve complete Nabtesco. POS 32	
Coil Nabtesco DC24V AIW 0,32 φ 20c Ω	
NABTESCO RV080E-101-B-B	
RV080E INPUT GEAR KIT	
Repair kit 3/2 way valve	see list
CS05A-00	37-24-2 MSP96055
4-way Pnömatik valf	
P55E015F00 / RV-160E-171-B-B (STD)	transmission Country of origin: Japan Gross weight: 29,040KG Net Weight: 26,400KG Gear Type : Precision Gear Kit Transmission Series : RV-E Gear Size : 160E Main bearing, standard input sprocket Your advantages: integrated main storage Hysteresis loss : <1 arcmin Reduction : 1:171.0 Rated torque : 1,568 Nm Acceleration torque : 3,920 Nm Emergency stop torque : 7,840 Nm Torsional stiffness : 392 Nm/arcmin

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Rocking stiffness : 2,940 Nm/arcmin permitted tilting moment: 3,920 Nm Max. torque (static) : 7,840 Nm Max. speed 100% duty cycle: 25.0 rpm Max. speed 40% duty cycle: 45.0 rpm Radial load : 18,594 N Axial load : 14,700 N Weight : 26.4 kg Lubrication : RV_Grease **The gear component is delivered without lubrication. The customer has before use for a professional to provide lubrication.**
P45E013B00 / RV-80E-101-A-B (STD)	transmission Country of origin: Japan Gross Weight: 15,000KG Net Weight: 15,000KG Gear Type : Precision Gear - Installation Kit Gear series : RV-E, with solid shaft Gear size : 80E Includes : main bearing, standard input sprocket Your advantages: integrated main storage Technical specifications Hysteresis loss : <1 arcmin Reduction : 1:101.0 Rated torque : 784 Nm Acceleration torque : 1,960 Nm Emergency stop torque : 3,920 Nm Torsional stiffness : 196 Nm/arcmin Rocking stiffness : 1,176 Nm/arcmin permitted tilting moment: 2,156 Nm Max. torque (static) : 4,312 Nm Max. speed 100% duty cycle: 40.0 rpm Max. speed 40% duty cycle: 70.0 rpm Radial load : 12,979 N Axial load : 7,840 N Weight : 13.1 kg Lubrication : RV_Grease **The gear component is delivered without lubrication. The customer has before use for a professional to provide lubrication.**
Felt set	Gear box code: RV-320ES-241 Example Product Code: 15Z 245 273 15 80 Rotary shaft seal code
RV 100N 161	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
RV-450E-257 (A97L-0218-0266#450E-257 RV J2/J3)	
A97L-0118-0949/70C36 RV 100C-36.75	
A97L-0218-0806/120C36 RV 120C-36.75	
A97L-0218-0265/450C-37 RV-450C-37.34	
A97L-0218-0348/550F-253 RV-550F-253.9	
PF30V00004F5	
NAB_RV450E-192.4-B-B	
RV80N-101	
RV160N-102,81	
RV160N-125	
RV-700F-269.21	
P25E016F00 / RV-20E-161-B-B (STD)	Gearbox type: Precision gearbox - installation kit Gearbox series: RV-E, with solid shaft Gearbox size: 20E Includes: Main bearing, customer-specific. Input pinion Your advantages: integrated main bearing +++ highest precision +++ hysteresis loss <1 arc minute Technical data Hysteresis loss: <1 arcmin Reduction ratio: 1:161.0 Nominal torque: 167 Nm Acceleration torque: 412 Nm Emergency stop torque: 833 Nm Torsional rigidity: 49 Nm/arcmin Tilt-down rigidity: 372 Nm/arcmin Permitted tilting torque: 882 Nm Max. torque (static): 1,764 Nm Max. speed 100% duty cycle: 40.0 rpm Max. speed 40% duty cycle: 75.0 rpm Radial load: 7,786 N Axial load: 3,920 N Weight: 4.7 kg Lubrication: RV_Grease
P35E014F00 / RV-40E-121-B-B (STD)	Gearbox type: Precision gearbox - installation kit

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Gearbox series: RV-E, with solid shaft Gearbox size: 40E Includes: Main bearing, customer-specific. Input pinion Your advantages: integrated main bearing +++ highest precision +++ hysteresis loss <1 arc minute Technical data Hysteresis loss: <1 arcmin Reduction ratio: 1:121.0 Nominal torque: 412 Nm Acceleration torque: 1,029 Nm Emergency stop torque: 2,058 Nm Torsional rigidity: 108 Nm/arcmin Tilt-down rigidity: 931 Nm/arcmin Permitted tilt-down torque: 1,666 Nm Max. torque (static): 3,332 Nm Max. speed 100% duty cycle: 40.0 rpm Max. speed 40% duty cycle: 70.0 rpm Radial load: 11,588 N Axial load: 5,194 N Weight: 9.3 kg Lubrication: RV_Grease
P45E014F00 / RV-80E-121-B-B (STD)	Gearbox type: Precision gearbox - installation kit Gearbox series: RV-E, with solid shaft Gearbox size: 80E Includes: Main bearing, customer-specific. Input pinion Your advantages: integrated main bearing +++ highest precision +++ hysteresis loss <1 arc minute Technical data Hysteresis loss: <1 arcmin Reduction ratio: 1:121.0 Nominal torque: 784 Nm Acceleration torque: 1,960 Nm Emergency stop torque: 3,920 Nm Torsional rigidity: 196 Nm/arcmin Tilt-down rigidity: 1,176 Nm/arcmin Permitted tilt-down torque: 2,156 Nm Max. torque (static): 4,312 Nm Max. speed 100% duty cycle: 40.0 rpm Max. speed 40% duty cycle: 70.0 rpm Radial load: 12,979 N Axial load: 7,840 N Weight : 13.1 kg Lubrication: RV_Grease
RV-320E B type shaft input and 141 bond	
RC-20E A type spindle input and 121 bond	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
H349025595 / H811D4100-00-S	(Only the valve cover is required, not as a complete set.)
PSC-38-P	SUPER SPOOL, PNEUMATIC DIRECTIONAL VALVE
NT-0664R	Repair Kit EGCS-322M-3
MSP99190B	SWING MOTOR ASSY
RV-320E-118.5	
Gm21va-A-48/83-1	
Cs04-Rb-35-26-1 S/N: 9z001	
309,310a,B,C,D	
M4v290e/Rg6.5 S8x0011 Ksa10220	
Rv-410f053-0	
Gm21va-A-48/26-3	
Rv-110 E-111-A-B	
Rv-80e-57-A-B	
Sn: 06500528, Msp 00139c, Gm09vn-E-21/33-3	
Rv-40e-105	GEAR REDUCER SIZE 40 105:0 RATIO RV-E SERIES
7sh59621-00 ,Axial Vibration Monitor Control Box Nabco Pc No 73758407-01 Code No 727, 36_87001-06581	
S/N: 10b09547 Cs04-Rb-35-26-1 Msp99190a	
Nmt-Ca10.	
0669799UA	Contents: 0781 221 UA – Motor Assy 0669 901 UA – Reduction Assy

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	0785 608 UA – Valve Assy
Cs09m-Bb-53-35-1 Msp99169	
Rv-Ge-31-Fa	
Gh-7-11-D-A-P	
Rv-110-E-111-A-B	
Spare Parts As Rotor/Plate And Pressure Pins	
P76e056-00	GEAR REDUCER SIZE 450 KGM 171:1 RATIO RV-E SERIES
Moly White 16kg Pai	
Gh 7-11.2	
Ball Bearing- Dimensions :179 Mmx 151 Mm Width:14 Mmm- (For Cso4-Rb-35-27 Msp02141 S/N:13202746 Hydr	
P55e012d00	GEAR REDUCER SIZE 160 81:1 RATIO RV-E SERIES
6526-2102446-20 Pms-33e(Dc24v 11w)	
A97l-0218-266ã450e-257 ()	
E01x2.E02	
Gm21va-A-42-7	
74y49011-10	
Molywhite Grease (1- Can=2 Kgs)	
Ch S/N S1203a0	
Model Md 404m	
Vigogrease/Molywhite	
Seal Kit For Cs04-Rb-35-27-1	
Gm23vl-C.56/94-6	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
M4v290z-Rg10 Motor Unit	
Vico Grease Re0 16 Kgs	
74y59337-10	
Rd-80e-101	GEAR REDUCER CYCLOIDAL SIZE 80 KGM 101:1 RATIO
Repaire Kit For Pump Nabtesco (Piston ,Rotor , Svec Plate , Brake Lining ,Brake Piston Orings ,	
Cs 04-Rb-35-26-1	
Rv-450e-171-Z-B	GEAR REDUCER SIZE 450 KGM 171:1 RATIO RV-E SERIES
Cs04-Rb-35-27-1 Msp02141 S/N 411s-00-Aab	
Gumruk Ve Nakliye Masraflari.	
Gm21va-A-42/72	
Dr-42 P/N:412 000 54150	
P/N: 74758457-01	
Vigo Grease Re No 0 (Dose 2 Kg)	
M4v290/170e A790064	
74y59309-10	
Seriel No:13202746 For Cs04-Rb-35-27 ? Msp02141	
Cs04-Rb-35-27-1 Msp02141 S/N 03b00881	
74796025-01	
74y49003-19	
M4v290|170f	
M4v290erg6.5 S790143 Ksa10220	
M4v245/1400z	
Mcg 402-06	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
M4v290-Rg6.5	
S/N Sk16025055 , Type Mbd-Fiva I-45 Paert Nr. 241	
E06	
Rd-040e-153	GEARHEAD RD SERIES 153:1 RATIO
E04	
74y49041-09	
Rv-700f-269.21	
6526?2084965-40	
0401-1000500-00	
Molywhite ? 2.0kg Can	
Hm18l-J-56-2	
06941	
Gh40-11	
P35e013b00	GEAR REDUCER SIZE 40 105:0 RATIO RV-E SERIES
Gm10va-C-33/54-3	
Repair Kit For Cs04-Rb-35-27-1	
73754849-01	
M4v24j/140z	
Gm10va	
M4v290/170z	
Rv-160e-81-Z-B	GEAR REDUCER SIZE 160 81:1 RATIO RV-E SERIES
Gm09m - L - 40 - 3 Msp96004a 05710425	
P70j107dc0	GEAR REDUCER SIZE 450 KGM 171:1 RATIO RV-E SERIES
Gm09m-E-40-1	
Rv-70f-79.84	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
40E-81	gear reducer

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.