


Nass Magnet

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Nass Magnet** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Nass Magnet Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
0554 00.1-00/7090	
SSV Unit Solenoid valve	am anhang beigefgte liste AXET: 94/9/EC Exd IIC T6 Nach TS EN12266-1 3/2 normal open Krper Material : MS58 oder Edelstahl Druck klasse: PN Norminal Ausgangsdruck x1,5 min PN10 Verbindungsgrsse 1/4 npt 12 V/DC 10w min IP 65 Kabel 3x1mm 5Meter
COIL,VALVE,220VAC,EXPROOF,5/2,DIRECTION	MODEL:EX II 2G dmb IIC T5 Gb - EX II 2D Ex tb III C 95 C,
108-030-1065	1023336 ATEX solenoid Variant: solenoid 8-30, II 2 G / D Ex mb IIC T5 Overall width: 30 mm Voltage: 24 V DC Power: 3.3 W. Connection: cable (cable length: 3 m) Tariff number / origin 85366990 / EU
108-010-0009	Anchor system 3 / 2NC 1.3 10bar old material number: 26000049 old drawing number: 0537 06.6-00 System 8 Fastening type: flange with O-ring groove Type of current: All-stream (AC / DC) Performance level: 4 Function: 3/2 NC Nominal width: 1.3 / 1.5 mm max.operating pressure: 10.0 bar
0515 60.1-00/6929	
0519-7151	
0543 00.1-00	
0543 00.1-00/5753	

0543 00.1-00/5763 2503153
0543 00.1-00/5768
0550 00.1-00/4982 same as 108-030-0258
0550 00.1-00/5023
0554 00.1-00/7118
05560?00.1-00/5010
0558 54.1-00/6395
0567 00.1-00/5903
106-030-0004
106-030-0066
106-030-0067
106-030-0069
108-030-0003
108-030-0021
108-030-0044 (0537 00.1-00/4982)
108-030-0048
108-030-0262
108-030-0267
108-030-0268
108-030-0269
108-030-0269 - 230V W4997
108-030-0275
108-030-0281
108-030-0298
108-030-0537
108-030-0541
108-030-0557
108-030-0761
108-030-0762
108-030-0763
108-030-1028 1213 00.1-00/6858
108-030-1039
108-030-1051
108-030-1160 SELONOID VALVE COIL NASS MAGNET, 24V W5146
108-030-1160 (1262 00.1-00/5146)
108-030-1169

108-030-1221	
108-030-1354	
108-030-1473	
113-030-0002	
113-030-0037	
113-030-0040	
113-030-0050	
113-030-0094	
113-030-0100	
113-030-0138	
113-030-0145	
113-030-0206	
113-030-0241	
116-030-0031	
1215 15.1-00/5894	
1259 30.1-00/5146	
130-070-0096	
130-070-0098	
1426 61 001/7700	
1455 10 020/6601	
250 6110	
2503154, ZEICHN.-NR: 0543 00.1-00/5753	
MODEL:EX II 2G dmb IIC T5 Gb -EXII 2D Ex tb III C 95 C	
N250 8460 0518 00.1-00/6971	
RBS52-02-G	
108-030-0182	Drawing number: 0542 34.1-00/5148 System 8, 30 mm, jacket material: Duroplast, Electrical connection: M12 24VDC 4.5W Performance level 5
113-030-0005 Magnetic coil (wet magnet) 220V	W6971 Ex old drawing number: 0518 00.1-00/7046
055000.1-00/5010 24V ; 2,0W	
2502040 24V	4,8W
108-030-1028 Magnetspule 24V W6858 Ex	System 8-22, thermoplastic, Electr. Connection: with cable Performance level: 3 24VDC, 5.0W
Solenoid coil 108-030-0003 Ex mb, Ex tb	108-030-0003 old drawing number: 0513 00.1-00/6836 System 8, 22 mm, sheathing material: thermoplastic, Cable 3.00 m 220 V AC/50 Hz 4.8 VA Performance level 3
601-201-1291	1014209 magnetic coil
616-202-0003	

108-030-0762 Magnetspule 24v W5147 Ex
116-030-0019 Spule Nass Magnet 116-030-0019
0543-00.1-00
108-030-0269 Spule
0554 00 1.00/7090
0550 00.1-00/5009
054300.1-00bv5753 24v15.5w 100%
1215 15.1 00/6894
0550 00.1-00/5023 = 108-030-0274 Obsolete/Alternative 108-030-0269
1259 30 1-00/5146.
0537 00.1-00/4982
?250 8460 0518 00.1-00/6971
108-030-0272
108-030-1083
108-050-0070
900-822-0037
0563 00.1-00/6296
2502877
108-030-0274
108-030-1278 Type 1213 00 / W6858
0543 00.1 - 00 = 113-030-0037
6001 0289
1259-06-400/5146
0550 00.1-00/5010 = 108-030-0273 8-22 Obsolete/Replacement 108-030-0258 Coil
0554 00.1-00/7093 108-030-0540
0543 00.1-00/5763 2503153 Magnetspule
108-030-0044
108-030-0535
2508596
108-0630-1160
612-201-0423
2503153
130-070-0087
130-070-0100

1262 00.1-00/5146
108-030-0540
0550 00.1-00/5078
900-841-0077
612-201-0019
108-030-0048 Solenoid24v Dc
616-202-0012
616-202-0002
1426 51.001/7704
130-070-0091
2503154, Zeichn.-Nr: 0543 00.1-00/5753
612-201-0424
260513402/4707
108-030-1055 Spule Typ 1215 00.1-00/6894 Iecex Ptb 04.0002x Ex Mb Iic
0550 00.1-00/6725
108-030-0259
108-030-0182
108-030-0258
108-030-0181
0545 00.1-10/6488 = 113-030-0145 Not Available/Alternative 113-030-0138 Coil Nass Magne
900-841-0065
108-030-0264
0554 00.1-00/7090 = 108-030-0537 Obsolete/Alternative 108-030-0267
0550 00.1-00/5023 = 108-030-0274 Not Available/Alternative 108-030-0269
108-030-0536
1215 00.1-00/7044 Ventil Genaue Dosierung Amin
8-30d M12
0543 00.1-00 Bv 5761 Obsolete, Replaced By 0543 00.1-00/5761 Valve
108-030-0048 Solenoid Valves
0543 00.1-00/5761 Magnetspule System 13
0518 00.1-00/5971
108-030-0273

1213.00.1-00/6858 Ptb 50.0006x
108-030-0536 W7089 Spule
0543.00.1-00/5753 = 113-030-0028 Not Available/Alternative 113-030-0201 Solenoid Coil Na
0518.1-00/6971
616-202-0004