

Neugart



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Neugart Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Neugart Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
REDIKTOR PLANET PLQE 80-12	
PLPE090-005-SSSA3AE-Z19/40/95/115/B5/M8	100257289
PLN115-004-SSSA3AG-Y32/60/130/165/B5/M10	100272417 PLN PLN precision planetary gears 115 size 115 004 Translation i=004 S Standard torsional backlash S standard lubrication S standard surface A Output shaft with key (DIN 6885-1) 3 standard output flange A standard drive system G 35 mm diameter clamping system Y motor adaptation - 2 pieces - square universal flange 32 32mm diameter motor shaft Product Type: Gear Country of origin: Germany /60/130/165/B5/M10 more
PLE060-003-SSSA3AD-E14	
PLE060-005-SSSB3AD-E14/30/50/70/B5/M4	PLE PLE economy planetary gearbox 060 size 060 005 Translation i=005 S Standard torsional backlash S standard lubrication S standard surface B Smooth output shaft 3 standard output flange A standard drive system D 14 mm diameter clamping system E Motor adaptation - one-piece 14 14mm diameter motor shaft Product Type: Gear /30/50/70/B5/M4 more engine dimensions
100526651	WPLPE120-020-SSSA3AF-Y19/40/95/115/B5/M8 WPLPE WPLPE Economy bevel gear 120 size 120 020 translation i=020 S Standard torsional backlash S standard lubrication S standard surface A Output shaft with key (DIN 6885-1) 3 standard output flange A standard drive system F 24 mm diameter clamping system Y motor adaptation - 2 pieces - square universal flange 19 19 mm diameter motor shaft /40/95/115/B5/M8 more engine dimensions Product Type: Gear
100360983	WPLPE120-040-SSSA3AF-Y19/40/95/115/B5/M8 WPLPE WPLPE Economy bevel gear 120 size 120 040 translation i=040 S Standard torsional backlash S standard lubrication S standard surface A Output shaft with key (DIN 6885-1) 3 standard output flange A standard drive system F 24 mm diameter clamping system Y motor adaptation - 2 pieces - square universal flange 19 19 mm diameter motor shaft

	/40/95/115/B5/M8 more engine dimensions Product Type: Gear
100296823	PLE060-005-SSSB3AD-E14/30/50/70/B5/M4 PLE PLE economy planetary gearbox 060 size 060 005 Translation i=005 S Standard torsional backlash S standard lubrication S standard surface B Smooth output shaft 3 standard output flange A standard drive system D 14 mm diameter clamping system E Motor adaptation - one-piece 14 14mm diameter motor shaft /30/50/70/B5/M4 more engine dimensions Product Type: Gear
NGV110-40	
PLFE-64-32	
PLE060-160-SFSA3AC-E6.35/23/38.1/66.7/B5/M4	100252804 PLE PLE economy planetary gearbox 060 size 060 160 translation i=160 S Standard torsional backlash F Food grade lubrication S standard surface A Output shaft with key (DIN 6885-1) 3 standard output flange A standard drive system C 11 mm diameter clamping system E Motor adaptation - one-piece 6.35 /23/38.1/66.7/B5/M4 further engine dimensions
100298825	PSFN140-010-SSSD3AG-Z35/80/114.3/200/B5/M12 PSFN PSFN precision planetary gearbox 140 size 140 010 Gear ratio i=010 S Standard torsional backlash S standard lubrication S standard surface D Flange output shaft 3 standard output flange A Standard drive system G 35 mm diameter clamping system Z motor adjustment - 2 parts - round universal flange 35 35mm diameter motor shaft Product Type: Gearbox /80/114.3/200/B5/M12 other motor dimensions
100298825	PSFN140-010-SSSD3AG-Z35/80/114.3/200/B5/M12
100298825	PSFN140-010-SSSD3AG-Z35/80/114.3/200/B5/M12 PSFN PSFN precision planetary gearbox 140 size 140 010 Gear ratio i=010 S Standard torsional backlash S standard lubrication S standard surface D Flange output shaft 3 standard output flange A Standard drive system G 35 mm diameter clamping system Z motor adjustment - 2 parts - round universal flange 35 35mm diameter motor shaft Product Type: Gearbox /80/114.3/200/B5/M12 other motor dimensions Detailed information according to the current dimension sheet
2219286-1	
PLE060-003-SSSA3AD-E14 30 60	E39055615
Gearbox Code	PLPE120-005-SSSA3AF-Z22/58/110/145/B5/M8
WPSFN 140-20	
PLFN 140-20	
PLFE 110-10	
Pipe 120-010-SSSA3AG-Y35-80-114.3-200-B5-M12	
PLPE120-015-SSSA3AF-	

Z14/40/80/100/B5/M6	
100251834	PLE060-012-SFSA3AC-E9/23/40/63/B5/M4 PLE PLE Economy planetary gearbox 060 Size 060 012 Translation i=012 S Standard backlash F Food-grade lubrication S Standard Surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system C 11 mm diameter clamping system E Engine adaptation - one-piece 9 9 mm diameter motor shaft Product type: Gearbox Country of origin: GERMANY Customs tariff number: 84834090 /23/40/63/B5/M4 further engine dimensions
100251834-	PLE060-012-SFSA3AC-E9/23/40/63/B5/M4 PLE PLE Economy planetary gearbox 060 Size 060 012 Translation i=012 S Standard backlash F Food-grade lubrication S Standard Surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system C 11 mm diameter clamping system E Engine adaptation - one-piece 9 9 mm diameter motor shaft Product type: Gearbox Country of origin: GERMANY Customs tariff number: 84834090 Detailed information according to the current dimension sheet. Subject to prior sale. Weight: 1.082 kg/piece /23/40/63/B5/M4 further engine dimensions
Pln-115-4	
100396798	PLPE090-040-SLSA3AE-R19 PLPE PLPE economy planetary gearbox 090 Size 090 040 Translation i=040 S Standard backlash L Low-temperature lubrication S Standard Surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system E 19 mm diameter clamping system R No engine adaptation - round universal flange 19 19 mm diameter motor shaft
100271032	WGN115-010-SSSG3AF-Z24/50/130/165/B5/M10 WGN WGN precision right-angle gears 115 Size 115 010 Translation i=010 S Standard backlash S Standard Lubrication S Standard Surface G Double-sided hollow shaft at the output 3 Standard output flange A standard drive system F 24 mm diameter clamping system Z engine adaptation - 2-piece - round universal flange 24 24 mm diameter motor shaft /50/130/165/B5/M10 other engine dimensions
100376483	PLFE110-005-SSSE3AG-Y35/80/114.3/200/B5/M12 PLFE PLFE Economy planetary gearbox 110 Size 110 005 Translation i=005 S Standard backlash S Standard Lubrication S Standard Surface E Flange output shaft with dowel pin hole 3 Standard output flange A standard drive system G 35 mm diameter clamping system Y engine adaptation - 2 parts - square universal flange 35 35 mm diameter motor shaft /80/114.3/200/B5/M12 other engine dimensions
PSFN110-010-SSSD3AF-Z24/50/110/130/B5/M8	100415458 PSFN PSFN Precision Planetary Gearboxes 110 Size 110 010 Translation i=010 S Standard backlash Standard lubrication Standard Surface S D Flange output shaft 3 Standard output flange A standard drive system 24 mm diameter clamping system F Z engine adaptation - 2 parts - round universal flange 24 mm diameter motor shaft 24 /50/110/130/B5/M8 other engine dimensions Product type:

Gearbox	
PLFN140-008-SSSD3AG-Y32/60/130/165/B5/M10	100265732 PLFN PLFN Precision Planetary Gearboxes 140 Size 140 008 Translation i=008 S Standard backlash Standard lubrication Standard Surface S D Flange output shaft 3 Standard output flange A standard drive system 35 mm diameter clamping system G Y engine adaptation - 2 parts - square universal flange 32 mm diameter motor shaft 32 /60/130/165/B5/M10 other engine dimensions Product type: Gearbox
PLPE120-015-SSSA3AF-Z24/60/110/145/B5/M8	PLPE PLPE economy planetary gearbox 120 size 120 015 Translation i=015 S Standard twisting play Standard lubrication Standard surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system 24 mm diameter clamping system F Z Motor adapter - 2-piece - round universal flange 24 mm diameter motor shaft /60/110/145/B5/M8 further engine dimensions Product type: Gearbox
PLPE070-010-SSSA3AD-Z14/30/50/70/B5/M5	PLPE PLPE economy planetary gearbox 070 Size 070 010 Translation i=010 S Standard twisting play Standard lubrication Standard surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system 14 mm diameter clamping system D Z Motor adapter - 2-piece - round universal flange 14 mm diameter motor shaft /30/50/70/B5/M5 other engine dimensions Product type: Gearbox
PLE080-005-SSSB3AE-E19/35/70/90/B5/M5	100256380 PLE PLE Economy planetary gearbox 080 size 080 005 Translation i=005 S Standard twisting play Standard lubrication Standard surface B Smooth output shaft 3 Standard output flange A standard drive system 19 mm diameter clamping system E E motor adapter - one-piece 19 mm diameter motor shaft Customer article number: 100256380 Product type: Gearbox Country of origin: GERMANY Customs tariff number: 84834090 Detailed specifications according to the current dimension sheet. Subject to prior sale. Weight: 2.092 kg/piece /35/70/90/B5/M5 other engine dimensions
PLPE070-010-SSSA3AE-Y16/40/70/90/B5/M6	100284472 PLPE PLPE economy planetary gearbox 070 Size 070 010 Translation i=010 S Standard twisting play Standard lubrication Standard surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system 19 mm diameter clamping system E Y motor adapter - 2-piece - square universal flange 16 mm diameter motor shaft /40/70/90/B5/M6 other engine dimensions
PSN115-005-SSSB3AG-Z32/60/130/165/B5/M10	
PLPE090-064-SSSA	
	PLHE060-003-SSSK3AD-Y14/30/50/95/B5/M6-PK1-20-15-S PLHE PLHE Economy planetary gearbox 060 size 060 003 Translation i=003 S Standard twisting play Standard lubrication Standard surface K Toothed output shaft (DIN 5480) with pinion mounted 3 Standard output flange A

100823518	standard drive system 14 mm diameter clamping system D Y motor adapter - 2-piece - square universal flange 14 mm diameter motor shaft Product type: Gearbox /30/50/95/B5/M6 further engine dimensions PK1-20-15-S PK1 pinion, m=2, z=15, helical teeth
100823520	PLHE060-010-SSSK3AD-Y14/30/50/95/B5/M6-PK1-20-15-S PLHE PLHE Economy planetary gearbox 060 size 060 010 Translation i=010 S Standard twisting play Standard lubrication Standard surface K Toothed output shaft (DIN 5480) with pinion mounted 3 Standard output flange A standard drive system 14 mm diameter clamping system D Y motor adapter - 2-piece - square universal flange 14 mm diameter motor shaft /30/50/95/B5/M6 other engine dimensions -PK1-20-15-S PK1 pinion, m=2, z=15, helical teeth
100777056	Neugart rack system NRS20-6B1000-R1 Product type: Gearbox component
WPLE080-bii-SSSA3AE-Y(D20) (L20) (D21) (D22) B5 (G3)	LEFT-RIGHT REDUCER Motor not included
PLN 90	
2077810-1	
Ple40	
PI-115-10	GEARBOX 10:1 RATIO
T3-0250-30-320/T0vs2	
Ssa-E60-016	
Pln115-010-Sssz4af-Z19/40/95/115/B5/M8 (100270913)	
Ple060-015-Sssa3ad-E14/30/80/100/B5/M6	
Plfe110-8	
142d010	
Plfe064 Ratio : 20	
PI90-08	MOTOR GEAR SERVO
Ple-80-64	SERVO GEARHEAD SIZE 80 64:1RATIO
Planetengetriebe Ple 120-10/Msk050c-0450-Nn	
Ple060-008-Sssa3ac-Y9/25/32/45/B14/M4	
115d015	
142d032	

Wpln11540abmpla4	GEAR BOX
115d100	
0996063005	
E80e025	
Ple-80-16	SERVO GEARHEAD SIZE 80 16:1RATIO
Pls-70-4	GEARBOX 4:1 RATION
Ple080-020-Sssa3ae-E14/30/60/75/B5/M5	
PI90s/Op2/V0	GEAR BOX 1-5
PI-115-05	GEARBOX 5:1 RATIO
Ple-80-9	SERVO GEARHEAD SIZE 80 9:1 RATIO
Psn190-003-Sssb3ak-Z35/80/114.3/200/B5/M12	
Ple060-003-Sssb3ad-Z14/35/50/70/B5/M5	
Ple060-016-Sssa3ad-E14/30/60/75/B5/M5	
2133458	
070e064	
P/N: 100253276 Type: Ple060-008-Sssa3ad-E14/30/60/75/B5/M5	
PI90n-Op2h	PRECISION GEARHEAD
Wpl90s5mkd041b144op2	
Wpln70-10-Op14	
Ple120n04f	
PI115-5/M0/V0	PLANETARY GEAR BOX 5:1 115MM FRAME 130MM BOLT CIR
Plfn064-100 Op18	
Ple80-18	GEAR BOX 18:1 RATIO
Planetengetriebe Ple 120-32/Msk061c-0600-Nn	
Ple060-016sssa3ad-T14	
115d024	
40138-000-02	GEARHEAD PLANETARY 4:1

115d012	
Wpl90s5hm2mac063op2	
Pl115s64hmomkd041b144op2	
Ple 80á; 2-Stage Planet Redikdor	
Af-80-23225	
B-19-22077	
Pl115s/M1/H	GEAR BOX 5:1RATIO
Planetengetriebe Ple 120-25/Msk061c-0600-Nn	
(100251747) Plqe080-008-Sssa3ae-E19/40/95/115/B5/M8	
Ple080-016-Sssa3ae-E19/35/70/90/B5/M5	
Pls 90 - For Festo	
Pls190-04	GEARHEAD PLANETARY 4:1
T3-0250-30-320/T0vs1	
115d020	
Ple80-07	SERVO GEARHEAD SIZE 80 RATIO 7:1
Wple120-032	
070f004-Pln-100434234	
100252804	
115d010	
Type: Pl 115-16 , 100373571	
Pl90-05	GEARBOX VERSION 1 OP: 2/6/9
Wple 60	
Wple-80-5	GEAR BOX ANGULAR PLANETARY 5:1
Ple060-016-Sssa3ac-E9/23/40/63/B5/M4	
Pls 142 Hp - 8	
Wple060-003-Sssb3ad-Y14/35/50/70/B5/M5	
Ple80-09	SERVO GEARHEAD SIZE 80 RATIO 9:1
Af-80-23209	

0996063010	
Ple060-008-Sfsb3ad-E14/30/50/95/B5/M6	
Psn090-010-Sssb3ae-Z16/40/110/145/B5/M8	
Ple-60-20	
Ssa-E80-012	
PI-142-40	GEAR BOX 2/6
Plqe120-025-Sssa3af-T	ECONOMY PLANETARY GEARBOX
Wpl70s5m2	
PI115s8hm0mkd041bop2	
Pln 115-008-Sssb3 Ag Y32	
Pln 90-10	
Ple060-032-Sssa3ac-E9/23/40/63/B5/M5	
Ple-80-25	SERVO GEARHEAD SIZE 80 25:1RATIO
Pln-115-4(Ex.Pls-115-4)	
Ple040-005-Sssb3ab-E9/24/40/63/B5/M5	
78081-020-007	
Ple 120/115-20	
Pls 90-10 (Only Available As A Spare Part)	
Plpe-155-16	
PI60n	SERVO MOTOR
PI8 70 Hp By 070f004-Pln-100434234	
PIfn064 Ratio : 64	
Wple120-5	
Ple-160-5	SERVO GEARHEAD SIZE 160 5:1 RATIO
Ple120/115 ? Fnr.91034á;Á;	
Ple120015sssa3af	GEAR BOX
PI90n/M0/H	PRECISION GEARHEAD
100280463	
(100256181) Plqe080-032-Sssa3ae-E19/40/95/115/B5/M8	

Ple060-160-Sssa3ac-E9/23/40/63/B5/M5	
77036-020-003	SERVO GEARHEAD SIZE 160 5:1 RATIO
Ple060-005-Sssb3ad-E14/30/60/75/B5/M6	PLE PLE Economy planetary gear 060 size 060 005 translation i = 005 S standard backlash S standard lubrication S standard surface B Smooth output shaft 3 standard output flange A standard drive system D 14 mm diameter clamping system E Motor adaptation - one-piece 14 14 mm diameter motor shaft / 30/60/75 / B5 / M6 other engine dimensions
Psn142-003-Sssb3ag-Z35/80/114.3/200/B5/M12	
Plfe064 Ratio : 64	
Ple060-032-Sssa3ad-E14/30/80/100/B5/M6	
2180238-2-007	
Ple 60 F-Nr: 2020743-1-030	
Pls115-40-Op11/Op6/Op4	
PI-142-04	GEAR BOX 2/6
Ple 040-003-Sssa3 Ab	
Psn070-010-Sssa3ad-Z14/30/70/90/B5/M6	
120d008	
Psn070-070-Sssa3ad-Z14/30/80/100/B5/M6	
Ssa-E120-012-100373743	
387-033 Jf	
Af-60-23402	
Ple80-7	SERVO GEARHEAD SIZE 80 RATIO 7:1
Ple060-016-Sssa3ad-E14/30/50/70/B5/M4	
Planetengetriebe Ple 120-10/Msk061c-0600-Nn	
Gear Box For Motor Allen Bradley 7033-00-4401	
Plfe064 Ratio : 10	
100373571	
Wplfe090-003-Ssse3ae-T19	

Pln115-003-Sssb4af- Z24/50/130/165/B5/M10	
Ple080-025-Sssa3ae- E19/35/70/90/B5/M5	
(100255012) Plqe120-032-Sssa3af- E19/40/95/115/B5/M8	
Ple060-008-Sssa3ad- E14/30/60/75/B5/M5	
Pls115-12-Op2-Op11	
Pl115s5hmomac063op2op4	
Af-40-23765	
Plfn064 Ratio : 20	
Ple80, 2154851	
Wpl115s5m2mkdo41b144op2	
Ple 80/90 F-Nr: 74817-050-011	
0996063008	
Ple80-32	GEAR BOX 32:1 RATIO
100260122	
115d040	
Ple 80/90 Nr. 2111834 Oem	
Ple80-8	GEAR BOX 8:1 RATIO
090d100	
Wplpe070-003-Sssb3ad-T14 (100297645)	
Ple080-009-Sssa3ae- E14/30/50/70/B5/M4	
Ple80, 210312-1 -001	
Ssa-E80-025	