

## Neugart



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Neugart** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Neugart Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">REDIKTOR PLANET PLQE 80-12</a>	
<a href="#">PLPE090-005-SSSA3AE-Z19/40/95/115/B5/M8</a>	100257289
<a href="#">PLN115-004-SSSA3AG-Y32/60/130/165/B5/M10</a>	100272417 PLN PLN precision planetary gears 115 size 115 004 Translation i=004 S Standard torsional backlash S standard lubrication S standard surface A Output shaft with key (DIN 6885-1) 3 standard output flange A standard drive system G 35 mm diameter clamping system Y motor adaptation - 2 pieces - square universal flange 32 32mm diameter motor shaft Product Type: Gear Country of origin: Germany /60/130/165/B5/M10 more
<a href="#">PLE060-003-SSSA3AD-E14</a>	
<a href="#">PLE060-005-SSSB3AD-E14/30/50/70/B5/M4</a>	PLE PLE economy planetary gearbox 060 size 060 005 Translation i=005 S Standard torsional backlash S standard lubrication S standard surface B Smooth output shaft 3 standard output flange A standard drive system D 14 mm diameter clamping system E Motor adaptation - one-piece 14 14mm diameter motor shaft Product Type: Gear /30/50/70/B5/M4 more engine dimensions
<a href="#">100526651</a>	WPLPE120-020-SSSA3AF-Y19/40/95/115/B5/M8 WPLPE WPLPE Economy bevel gear 120 size 120 020 translation i=020 S Standard torsional backlash S standard lubrication S standard surface A Output shaft with key (DIN 6885-1) 3 standard output flange A standard drive system F 24 mm diameter clamping system Y motor adaptation - 2 pieces - square universal flange 19 19 mm diameter motor shaft /40/95/115/B5/M8 more engine dimensions Product Type: Gear
<a href="#">100360983</a>	WPLPE120-040-SSSA3AF-Y19/40/95/115/B5/M8 WPLPE WPLPE Economy bevel gear 120 size 120 040 translation i=040 S Standard torsional backlash S standard lubrication S standard surface A Output shaft with key (DIN 6885-1) 3 standard output flange A standard drive system F 24 mm diameter clamping system Y motor adaptation - 2 pieces - square universal flange 19 19 mm diameter motor shaft

	/40/95/115/B5/M8 more engine dimensions Product Type: Gear
<a href="#">100296823</a>	PLE060-005-SSSB3AD-E14/30/50/70/B5/M4 PLE PLE economy planetary gearbox 060 size 060 005 Translation i=005 S Standard torsional backlash S standard lubrication S standard surface B Smooth output shaft 3 standard output flange A standard drive system D 14 mm diameter clamping system E Motor adaptation - one-piece 14 14mm diameter motor shaft /30/50/70/B5/M4 more engine dimensions Product Type: Gear
<a href="#">NGV110-40</a>	
<a href="#">PLFE-64-32</a>	
<a href="#">PLE060-160-SFSA3AC-E6.35/23/38.1/66.7/B5/M4</a>	100252804 PLE PLE economy planetary gearbox 060 size 060 160 translation i=160 S Standard torsional backlash F Food grade lubrication S standard surface A Output shaft with key (DIN 6885-1) 3 standard output flange A standard drive system C 11 mm diameter clamping system E Motor adaptation - one-piece 6.35 /23/38.1/66.7/B5/M4 further engine dimensions
<a href="#">100298825</a>	PSFN140-010-SSSD3AG-Z35/80/114.3/200/B5/M12 PSFN PSFN precision planetary gearbox 140 size 140 010 Gear ratio i=010 S Standard torsional backlash S standard lubrication S standard surface D Flange output shaft 3 standard output flange A Standard drive system G 35 mm diameter clamping system Z motor adjustment - 2 parts - round universal flange 35 35mm diameter motor shaft Product Type: Gearbox /80/114.3/200/B5/M12 other motor dimensions
<a href="#">100298825</a>	PSFN140-010-SSSD3AG-Z35/80/114.3/200/B5/M12
<a href="#">100298825</a>	PSFN140-010-SSSD3AG-Z35/80/114.3/200/B5/M12 PSFN PSFN precision planetary gearbox 140 size 140 010 Gear ratio i=010 S Standard torsional backlash S standard lubrication S standard surface D Flange output shaft 3 standard output flange A Standard drive system G 35 mm diameter clamping system Z motor adjustment - 2 parts - round universal flange 35 35mm diameter motor shaft Product Type: Gearbox /80/114.3/200/B5/M12 other motor dimensions Detailed information according to the current dimension sheet
<a href="#">2219286-1</a>	
<a href="#">PLE060-003-SSSA3AD-E14 30 60</a>	E39055615
<a href="#">Gearbox Code</a>	PLPE120-005-SSSA3AF-Z22/58/110/145/B5/M8
<a href="#">WPSFN 140-20</a>	
<a href="#">PLFN 140-20</a>	
<a href="#">PLFE 110-10</a>	
<a href="#">Pipe 120-010-SSSA3AG-Y35-80-114.3-200-B5-M12</a>	
<a href="#">PLPE120-015-SSSA3AF-</a>	

[Z14/40/80/100/B5/M6](#)

[100251834](#)

PLE060-012-SFSA3AC-E9/23/40/63/B5/M4 PLE PLE Economy planetary gearbox 060 Size 060 012 Translation i=012 S Standard backlash F Food-grade lubrication S Standard Surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system C 11 mm diameter clamping system E Engine adaptation - one-piece 9 9 mm diameter motor shaft Product type: Gearbox Country of origin: GERMANY Customs tariff number: 84834090 /23/40/63/B5/M4 further engine dimensions

[100251834-](#)

PLE060-012-SFSA3AC-E9/23/40/63/B5/M4 PLE PLE Economy planetary gearbox 060 Size 060 012 Translation i=012 S Standard backlash F Food-grade lubrication S Standard Surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system C 11 mm diameter clamping system E Engine adaptation - one-piece 9 9 mm diameter motor shaft Product type: Gearbox Country of origin: GERMANY Customs tariff number: 84834090 Detailed information according to the current dimension sheet. Subject to prior sale. Weight: 1.082 kg/piece /23/40/63/B5/M4 further engine dimensions

[Pln-115-4](#)

[100396798](#)

PLPE090-040-SLSA3AE-R19 PLPE PLPE economy planetary gearbox 090 Size 090 040 Translation i=040 S Standard backlash L Low-temperature lubrication S Standard Surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system E 19 mm diameter clamping system R No engine adaptation - round universal flange 19 19 mm diameter motor shaft

[100271032](#)

WGN115-010-SSSG3AF-Z24/50/130/165/B5/M10 WGN WGN precision right-angle gears 115 Size 115 010 Translation i=010 S Standard backlash S Standard Lubrication S Standard Surface G Double-sided hollow shaft at the output 3 Standard output flange A standard drive system F 24 mm diameter clamping system Z engine adaptation - 2-piece - round universal flange 24 24 mm diameter motor shaft /50/130/165/B5/M10 other engine dimensions

[100376483](#)

PLFE110-005-SSSE3AG-Y35/80/114.3/200/B5/M12 PLFE PLFE Economy planetary gearbox 110 Size 110 005 Translation i=005 S Standard backlash S Standard Lubrication S Standard Surface E Flange output shaft with dowel pin hole 3 Standard output flange A standard drive system G 35 mm diameter clamping system Y engine adaptation - 2 parts - square universal flange 35 35 mm diameter motor shaft /80/114.3/200/B5/M12 other engine dimensions

[PSFN110-010-SSSD3AF-Z24/50/110/130/B5/M8](#)

100415458 PSFN PSFN Precision Planetary Gearboxes 110 Size 110 010 Translation i=010 S Standard backlash Standard lubrication Standard Surface S D Flange output shaft 3 Standard output flange A standard drive system 24 mm diameter clamping system F Z engine adaptation - 2 parts - round universal flange 24 mm diameter motor shaft 24 /50/110/130/B5/M8 other engine dimensions Product type:

Gearbox	
<a href="#">PLFN140-008-SSSD3AG-Y32/60/130/165/B5/M10</a>	100265732 PLFN PLFN Precision Planetary Gearboxes 140 Size 140 008 Translation i=008 S Standard backlash Standard lubrication Standard Surface S D Flange output shaft 3 Standard output flange A standard drive system 35 mm diameter clamping system G Y engine adaptation - 2 parts - square universal flange 32 mm diameter motor shaft 32 /60/130/165/B5/M10 other engine dimensions Product type: Gearbox
<a href="#">PLPE120-015-SSSA3AF-Z24/60/110/145/B5/M8</a>	PLPE PLPE economy planetary gearbox 120 size 120 015 Translation i=015 S Standard twisting play Standard lubrication Standard surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system 24 mm diameter clamping system F Z Motor adapter - 2-piece - round universal flange 24 mm diameter motor shaft /60/110/145/B5/M8 further engine dimensions Product type: Gearbox
<a href="#">PLPE070-010-SSSA3AD-Z14/30/50/70/B5/M5</a>	PLPE PLPE economy planetary gearbox 070 Size 070 010 Translation i=010 S Standard twisting play Standard lubrication Standard surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system 14 mm diameter clamping system D Z Motor adapter - 2-piece - round universal flange 14 mm diameter motor shaft /30/50/70/B5/M5 other engine dimensions Product type: Gearbox
<a href="#">PLE080-005-SSSB3AE-E19/35/70/90/B5/M5</a>	100256380 PLE PLE Economy planetary gearbox 080 size 080 005 Translation i=005 S Standard twisting play Standard lubrication Standard surface B Smooth output shaft 3 Standard output flange A standard drive system 19 mm diameter clamping system E E motor adapter - one-piece 19 mm diameter motor shaft Customer article number: 100256380 Product type: Gearbox Country of origin: GERMANY Customs tariff number: 84834090 Detailed specifications according to the current dimension sheet. Subject to prior sale. Weight: 2.092 kg/piece /35/70/90/B5/M5 other engine dimensions
<a href="#">PLPE070-010-SSSA3AE-Y16/40/70/90/B5/M6</a>	100284472 PLPE PLPE economy planetary gearbox 070 Size 070 010 Translation i=010 S Standard twisting play Standard lubrication Standard surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system 19 mm diameter clamping system E Y motor adapter - 2-piece - square universal flange 16 mm diameter motor shaft /40/70/90/B5/M6 other engine dimensions
<a href="#">PSN115-005-SSSB3AG-Z32/60/130/165/B5/M10</a>	
<a href="#">PLPE090-064-SSSA</a>	
	PLHE060-003-SSSK3AD-Y14/30/50/95/B5/M6-PK1-20-15-S PLHE PLHE Economy planetary gearbox 060 size 060 003 Translation i=003 S Standard twisting play Standard lubrication Standard surface K Toothed output shaft (DIN 5480) with pinion mounted 3 Standard output flange A

<a href="#">100823518</a>	standard drive system 14 mm diameter clamping system D Y motor adapter - 2-piece - square universal flange 14 mm diameter motor shaft Product type: Gearbox /30/50/95/B5/M6 further engine dimensions PK1-20-15-S PK1 pinion, m=2, z=15, helical teeth
<a href="#">100823520</a>	PLHE060-010-SSSK3AD-Y14/30/50/95/B5/M6-PK1-20-15-S PLHE PLHE Economy planetary gearbox 060 size 060 010 Translation i=010 S Standard twisting play Standard lubrication Standard surface K Toothed output shaft (DIN 5480) with pinion mounted 3 Standard output flange A standard drive system 14 mm diameter clamping system D Y motor adapter - 2-piece - square universal flange 14 mm diameter motor shaft /30/50/95/B5/M6 other engine dimensions -PK1-20-15-S PK1 pinion, m=2, z=15, helical teeth
<a href="#">100777056</a>	Neugart rack system NRS20-6B1000-R1 Product type: Gearbox component
<a href="#">WPLE080-bii-SSSA3AE-Y(D20) (L20) (D21) (D22) B5 (G3)</a>	LEFT-RIGHT REDUCER Motor not included
<a href="#">PLN090-010-SSSA3AE-Z19/40/95/115/B5/M8</a>	100280253 PLN Precision Planetary Gearboxes 090 size 090 010 Translation i=010 S Standard twisting play Standard lubrication Standard surface A Output shaft with key (DIN 6885-1) 3 Standard output flange A standard drive system 19 mm diameter clamping system E Z Motor adapter - 2-piece - round universal flange 19 mm diameter motor shaft /40/95/115/B5/M8 further engine dimensions
<a href="#">2077810-1</a>	
<a href="#">Ple40</a>	
<a href="#">PI-115-10</a>	GEARBOX 10:1 RATIO
<a href="#">T3-0250-30-320/T0vs2</a>	
<a href="#">Ssa-E60-016</a>	
<a href="#">Pln115-010-Sssz4af-Z19/40/95/115/B5/M8 (100270913)</a>	
<a href="#">Ple060-015-Sssa3ad-E14/30/80/100/B5/M6</a>	
<a href="#">Plfe110-8</a>	
<a href="#">142d010</a>	
<a href="#">Plfe064 Ratio : 20</a>	
<a href="#">PI90-08</a>	MOTOR GEAR SERVO
<a href="#">Ple-80-64</a>	SERVO GEARHEAD SIZE 80 64:1RATIO
<a href="#">Planetengetriebe Ple 120-10/Msk050c-0450-Nn</a>	

<a href="#">Ple060-008-Sssa3ac-Y9/25/32/45/B14/M4</a>	
<a href="#">115d015</a>	
<a href="#">142d032</a>	
<a href="#">Wpln11540abmpla4</a>	GEAR BOX
<a href="#">115d100</a>	
<a href="#">0996063005</a>	
<a href="#">E80e025</a>	
<a href="#">Ple-80-16</a>	SERVO GEARHEAD SIZE 80 16:1RATIO
<a href="#">Pls-70-4</a>	GEARBOX 4:1 RATION
<a href="#">Ple080-020-Sssa3ae-E14/30/60/75/B5/M5</a>	
<a href="#">PI90s/Op2/V0</a>	GEAR BOX 1-5
<a href="#">Pl-115-05</a>	GEARBOX 5:1 RATIO
<a href="#">Ple-80-9</a>	SERVO GEARHEAD SIZE 80 9:1 RATIO
<a href="#">Psn190-003-Sssb3ak-Z35/80/114.3/200/B5/M12</a>	
<a href="#">Ple060-003-Sssb3ad-Z14/35/50/70/B5/M5</a>	
<a href="#">Ple060-016-Sssa3ad-E14/30/60/75/B5/M5</a>	
<a href="#">2133458</a>	
<a href="#">070e064</a>	
<a href="#">P/N: 100253276 Type: Ple060-008-Sssa3ad-E14/30/60/75/B5/M5</a>	
<a href="#">PI90n-Op2h</a>	PRECISION GEARHEAD
<a href="#">Wpl90s5mkd041b144op2</a>	
<a href="#">Wpln70-10-Op14</a>	
<a href="#">Ple120n04f</a>	
<a href="#">Pl115-5/M0/V0</a>	PLANETARY GEAR BOX 5:1 115MM FRAME 130MM BOLT CIR
<a href="#">Plfn064-100 Op18</a>	
<a href="#">Ple80-18</a>	GEAR BOX 18:1 RATIO
<a href="#">Planetengetriebe Ple 120-32/Msk061c-0600-Nn</a>	

<a href="#">Ple060-016sssa3ad-T14</a>	
<a href="#">115d024</a>	
<a href="#">40138-000-02</a>	GEARHEAD PLANETARY 4:1
<a href="#">115d012</a>	
<a href="#">Wpl90s5hm2mac063op2</a>	
<a href="#">PI115s64hmomkd041b144op2</a>	
<a href="#">Ple 80á; 2-Stage Planet Redikdor</a>	
<a href="#">Af-80-23225</a>	
<a href="#">B-19-22077</a>	
<a href="#">PI115s/M1/H</a>	GEAR BOX 5:1RATIO
<a href="#">Planetengetriebe Ple 120-25/Msk061c-0600-Nn</a>	
<a href="#">(100251747) Plqe080-008-Sssa3ae-E19/40/95/115/B5/M8</a>	
<a href="#">Ple080-016-Sssa3ae-E19/35/70/90/B5/M5</a>	
<a href="#">Pls 90 - For Festo</a>	
<a href="#">Pls190-04</a>	GEARHEAD PLANETARY 4:1
<a href="#">T3-0250-30-320/T0vs1</a>	
<a href="#">115d020</a>	
<a href="#">Ple80-07</a>	SERVO GEARHEAD SIZE 80 RATIO 7:1
<a href="#">Wple120-032</a>	
<a href="#">070f004-Pln-100434234</a>	
<a href="#">100252804</a>	
<a href="#">115d010</a>	
<a href="#">Type: PI 115-16 , 100373571</a>	
<a href="#">PI90-05</a>	GEARBOX VERSION 1 OP: 2/6/9
<a href="#">Wple 60</a>	
<a href="#">Wple-80-5</a>	GEAR BOX ANGULAR PLANETARY 5:1
<a href="#">Ple060-016-Sssa3ac-E9/23/40/63/B5/M4</a>	
<a href="#">Pls 142 Hp - 8</a>	
<a href="#">Wple060-003-Sssb3ad-</a>	

<a href="#">Y14/35/50/70/B5/M5</a>	
<a href="#">Ple80-09</a>	SERVO GEARHEAD SIZE 80 RATIO 9:1
<a href="#">Af-80-23209</a>	
<a href="#">0996063010</a>	
<a href="#">Ple060-008-Sfsb3ad-E14/30/50/95/B5/M6</a>	
<a href="#">Psn090-010-Sssb3ae-Z16/40/110/145/B5/M8</a>	
<a href="#">Ple-60-20</a>	
<a href="#">Ssa-E80-012</a>	
<a href="#">PI-142-40</a>	GEAR BOX 2/6
<a href="#">Plqe120-025-Sssa3af-T</a>	ECONOMY PLANETARY GEARBOX
<a href="#">Wpl70s5m2</a>	
<a href="#">PI115s8hm0mkd041bop2</a>	
<a href="#">Pln 115-008-Sssb3 Ag Y32</a>	
<a href="#">Pln 90-10</a>	
<a href="#">Ple060-032-Sssa3ac-E9/23/40/63/B5/M5</a>	
<a href="#">Ple-80-25</a>	SERVO GEARHEAD SIZE 80 25:1RATIO
<a href="#">Pln-115-4(Ex.PlS-115-4)</a>	
<a href="#">Ple040-005-Sssb3ab-E9/24/40/63/B5/M5</a>	
<a href="#">78081-020-007</a>	
<a href="#">Ple 120/115-20</a>	
<a href="#">Pls 90-10 (Only Available As A Spare Part)</a>	
<a href="#">Plpe-155-16</a>	
<a href="#">PI60n</a>	SERVO MOTOR
<a href="#">PI8 70 Hp By 070f004-Pln-100434234</a>	
<a href="#">Plfn064 Ratio : 64</a>	
<a href="#">Wple120-5</a>	
<a href="#">Ple-160-5</a>	SERVO GEARHEAD SIZE 160 5:1 RATIO
<a href="#">Ple120/115 ? Fnr.91034á;Á;</a>	
<a href="#">Ple120015sssa3af</a>	GEAR BOX

<a href="#">PI90n/M0/H</a>	PRECISION GEARHEAD
<a href="#">100280463</a>	
<a href="#">(100256181) Plqe080-032-Sssa3ae-E19/40/95/115/B5/M8</a>	
<a href="#">Ple060-160-Sssa3ac-E9/23/40/63/B5/M5</a>	
<a href="#">77036-020-003</a>	SERVO GEARHEAD SIZE 160 5:1 RATIO
<a href="#">Ple060-005-Sssb3ad-E14/30/60/75/B5/M6</a>	PLE PLE Economy planetary gear 060 size 060 005 translation i = 005 S standard backlash S standard lubrication S standard surface B Smooth output shaft 3 standard output flange A standard drive system D 14 mm diameter clamping system E Motor adaptation - one-piece 14 14 mm diameter motor shaft / 30/60/75 / B5 / M6 other engine dimensions
<a href="#">Psn142-003-Sssb3ag-Z35/80/114.3/200/B5/M12</a>	
<a href="#">Plfe064 Ratio : 64</a>	
<a href="#">Ple060-032-Sssa3ad-E14/30/80/100/B5/M6</a>	
<a href="#">2180238-2-007</a>	
<a href="#">Ple 60 F-Nr: 2020743-1-030</a>	
<a href="#">Pls115-40-Op11/Op6/Op4</a>	
<a href="#">PI-142-04</a>	GEAR BOX 2/6
<a href="#">Ple 040-003-Sssa3 Ab</a>	
<a href="#">Psn070-010-Sssa3ad-Z14/30/70/90/B5/M6</a>	
<a href="#">120d008</a>	
<a href="#">Psn070-070-Sssa3ad-Z14/30/80/100/B5/M6</a>	
<a href="#">Ssa-E120-012-100373743</a>	
<a href="#">387-033 Jf</a>	
<a href="#">Af-60-23402</a>	
<a href="#">Ple80-7</a>	SERVO GEARHEAD SIZE 80 RATIO 7:1
<a href="#">Ple060-016-Sssa3ad-E14/30/50/70/B5/M4</a>	
<a href="#">Planetengetriebe Ple 120-10/Msk061c-0600-Nn</a>	
<a href="#">Gear Box For Motor Allen Bradley 7033-</a>	

<a href="#">00-4401</a>	
<a href="#">Plfe064 Ratio : 10</a>	
<a href="#">100373571</a>	
<a href="#">Wplfe090-003-Ssse3ae-T19</a>	
<a href="#">Pln115-003-Sssb4af- Z24/50/130/165/B5/M10</a>	
<a href="#">Ple080-025-Sssa3ae- E19/35/70/90/B5/M5</a>	
<a href="#">(100255012) Plqe120-032-Sssa3af- E19/40/95/115/B5/M8</a>	
<a href="#">Ple060-008-Sssa3ad- E14/30/60/75/B5/M5</a>	
<a href="#">Pls115-12-Op2-Op11</a>	
<a href="#">Pl115s5hmomac063op2op4</a>	
<a href="#">Af-40-23765</a>	
<a href="#">Plfn064 Ratio : 20</a>	
<a href="#">Ple80, 2154851</a>	
<a href="#">Wpl115s5m2mkdo41b144op2</a>	
<a href="#">Ple 80/90 F-Nr: 74817-050-011</a>	
<a href="#">0996063008</a>	
<a href="#">Ple80-32</a>	GEAR BOX 32:1 RATIO
<a href="#">100260122</a>	
<a href="#">115d040</a>	
<a href="#">Ple 80/90 Nr. 2111834 Oem</a>	
<a href="#">Ple80-8</a>	GEAR BOX 8:1 RATIO
<a href="#">090d100</a>	
<a href="#">Wplpe070-003-Sssb3ad-T14 (100297645)</a>	
<a href="#">Ple080-009-Sssa3ae- E14/30/50/70/B5/M4</a>	
<a href="#">Ple80, 210312-1 -001</a>	
<a href="#">Ssa-E80-025</a>	