

North American

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

North American Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız North American Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Naevhs2504eht	VERTICAL HOLLOW SHAFT MOTORS -HP 250 RPM 1800 FRAME 445TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST12800
Nbsrk3925	BOX SIZE
1126-7-F	
Pe286t206	CAST IRON MOTORS HP 20 RPM 1200 FRAME 286T VOLTS 208-230/460 C DIM. 28.1
H660110001	AMPLIFIER
Naevhs304	VERTICAL HOLLOW SHAFT MOTORS -HP 30 RPM 1800 FRAME 286TP VOLTS 230/460 FRAME TYPE VHSC DIM 24.75 BD DIM 10.0 DOWN THRUST3200
Owp12150	OIL WELL PUMP MOTORS -HP 150 RPM 1200 FRAME 449T VOLTS 460/796 C DIM. 55.8
Owp1220	OIL WELL PUMP MOTORS -HP 20 RPM 1200 FRAME 286T VOLTS 230/460/796 C DIM. 29.6
Nbs307625	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 6 RATIO 25:1 OUTPUT BORE (MAX) 3-7/16
Pe284t254	CAST IRON MOTORS HP 25 RPM 1800 FRAME 284T VOLTS 208-230/460 C DIM. 28.1
Nbsrk3715	BOX SIZE
Pe286tc304	CAST IRON MOTORS HP 30 RPM 1800 FRAME 286TC VOLTS 208-230/460 C DIM. 29.5
Owp1250odp	OIL WELL PUMP MOTORS -HP 50 RPM 1200 FRAME 404T VOLTS 230/460/796 C DIM. 31.1
Na324jm402	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 40

Ürün	Açıklama
	RPM 3600 FRAME 324JM VOLTS 208-230/460 C DIM. 30
H3109	DISC DETECTOR
Naevhs154he	VERTICAL HOLLOW SHAFT MOTORS -HP 15 RPM 1800 FRAME 254TP VOLTS 230/460 FRAME TYPE VHSC DIM 23.38 BD DIM 10.0 DOWN THRUST3200
Owp1240	OIL WELL PUMP MOTORS -HP 40 RPM 1200 FRAME 365T VOLTS 230/460/796 C DIM. 35.3
Naevhs404he	VERTICAL HOLLOW SHAFT MOTORS -HP 40 RPM 1800 FRAME 324TP VOLTS 230/460 FRAME TYPE VHSC DIM 28.22 BD DIM 16.5 DOWN THRUST5500
Pe286ts402	CAST IRON MOTORS HP 40 RPM 3600 FRAME 286TS VOLTS 208-230/460 C DIM. 29.8
Naevhs204he	VERTICAL HOLLOW SHAFT MOTORS -HP 20 RPM 1800 FRAME 256TP VOLTS 230/460 FRAME TYPE VHSC DIM 23.38 BD DIM 10.0 DOWN THRUST3200
Owp12200	OIL WELL PUMP MOTORS -HP 200 RPM 1200 FRAME 449T VOLTS 460 C DIM. 55.8
72162kbp	REGULATOR
Pe286ts302575v	CAST IRON MOTORS HP 30 RPM 3600 FRAME 286TS VOLTS 575 C DIM. 26.7
Naevhs504he	VERTICAL HOLLOW SHAFT MOTORS -HP 50 RPM 1800 FRAME 326TP VOLTS 230/460 FRAME TYPE VHSC DIM 28.22 BD DIM 16.5 DOWN THRUST5500
15186	VALVE
Nbs307615	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 6 RATIO 15:1 OUTPUT BORE (MAX) 3-7/16
Naevhs604	VERTICAL HOLLOW SHAFT MOTORS -HP 60 RPM 1800 FRAME 364TP VOLTS 230/460 FRAME TYPE VHSC DIM 31.16 BD DIM 16.5 DOWN THRUST5600
H635040010	AMPLIFIER
4-13912-1	
P447t2004cnw	HP 200 RPM 1800FRAME 447T VOLTS NO WINDING FRAME TYPE NEWTC DIM. 48.3
Pe284t156c	SPECIAL PURPOSE MOTORS: PREMIUM CRUSHER MOTOR HP

Ürün	Açıklama
	15 RPM 1200 FRAME 284T VOLTS 208-230/460 C DIM. 28
Nbs415925	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 9 RATIO 25:1 OUTPUT BORE (MAX) 4-15/16
Naevhs1004heeht	VERTICAL HOLLOW SHAFT MOTORS -HP 100 RPM 1800 FRAME 404TP VOLTS 230/460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST10720
Pe284t156c575v	SPECIAL PURPOSE MOTORS: PREMIUM CRUSHER MOTOR HP 15 RPM 1200 FRAME 284T VOLTS 575 C DIM. 28
Na324jp404	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 40 RPM 1800 FRAME 324JP VOLTS 208-230/460 C DIM. 32.9
Naevhs3004heeht	VERTICAL HOLLOW SHAFT MOTORS -HP 300 RPM 1800 FRAME 5006P VOLTS 460 FRAME TYPE VHSC DIM 49.75 BD DIM 24.5 DOWN THRUST24000
Naevhs1004hepws	VERTICAL HOLLOW SHAFT MOTORS -HP 100 RPM 1800 FRAME 404TP VOLTS 460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST6700
H5530f10500	ACTUATOR
Naevhs1254eht	VERTICAL HOLLOW SHAFT MOTORS -HP 125 RPM 1800 FRAME 405TP VOLTS 460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST10720
Naevhs5004heeht	VERTICAL HOLLOW SHAFT MOTORS -HP 500 RPM 1800 FRAME 5008P VOLTS 460 FRAME TYPE VHSC DIM 53.88 BD DIM 24.5 DOWN THRUST24000
Pe286t302ec	CAST IRON MOTORS HP 30 RPM 3600 FRAME 286T VOLTS 208-230/460 C DIM. 29.5
Naevhs254	VERTICAL HOLLOW SHAFT MOTORS -HP 25 RPM 1800 FRAME 284TP VOLTS 230/460 FRAME TYPE VHSC DIM 24.75 BD DIM 10.0 DOWN THRUST3200
Naevhs154	VERTICAL HOLLOW SHAFT MOTORS -HP 15 RPM 1800 FRAME 254TP VOLTS 230/460 FRAME TYPE VHSC DIM 23.38 BD DIM 10.0 DOWN THRUST3200
H6416-Amp-00	GUIDING AMPLIFIER 100VA 115/230VAC 50/60HZ
1122-5	
Naevhs1004	VERTICAL HOLLOW SHAFT MOTORS -HP 100 RPM 1800 FRAME 404TP VOLTS 230/460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST6700

Ürün	Açıklama
Pe286t302	CAST IRON MOTORS HP 30 RPM 3600 FRAME 286T VOLTS 208-230/460 C DIM. 26.7
Pe286t206c575v	SPECIAL PURPOSE MOTORS: PREMIUM CRUSHER MOTOR HP 20 RPM 1200 FRAME 286T VOLTS 575 C DIM. 29.5
Naevhs4004eht	VERTICAL HOLLOW SHAFT MOTORS -HP 400 RPM 1800 FRAME 5008P VOLTS 460 FRAME TYPE VHSC DIM 53.88 BD DIM 24.5 DOWN THRUST24000
Pe284ts252ec575v	CAST IRON MOTORS HP 25 RPM 3600 FRAME 284TS VOLTS 575 C DIM. 28
Naevhs2504hepws	VERTICAL HOLLOW SHAFT MOTORS -HP 250 RPM 1800 FRAME 445TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST8000
Pe286ts402ec	CAST IRON MOTORS HP 40 RPM 3600 FRAME 286TS VOLTS 208-230/460 C DIM. 30.8
H3137-084-80	
Nbsrk3915	BOX SIZE
Naevhs304he	VERTICAL HOLLOW SHAFT MOTORS -HP 30 RPM 1800 FRAME 286TP VOLTS 230/460 FRAME TYPE VHSC DIM 24.75 BD DIM 10.0 DOWN THRUST3200
H6600-Bfr-01	AMPLIFIER CONTROLLER
Na324jp402	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 40 RPM 3600 FRAME 324JP VOLTS 208-230/460 C DIM. 32.9
Naevhs3504eht	VERTICAL HOLLOW SHAFT MOTORS -HP 350 RPM 1800 FRAME 5006P VOLTS 460 FRAME TYPE VHSC DIM 49.75 BD DIM 24.5 DOWN THRUST24000
Na326jp502	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 50 RPM 3600 FRAME 326JP VOLTS 208-230/460 C DIM. 34.4
Naevhs754	VERTICAL HOLLOW SHAFT MOTORS -HP 75 RPM 1800 FRAME 365TP VOLTS 230/460 FRAME TYPE VHSC DIM 31.16 BD DIM 16.5 DOWN THRUST5600
1807-4	
Pe286t402ec	CAST IRON MOTORS HP 40 RPM 3600 FRAME 286T VOLTS 208-230/460 C DIM. 30.8
Pe256t252	CAST IRON MOTORS HP 25 RPM 3600 FRAME 256T VOLTS 208-230/460 C DIM. 25

Ürün	Açıklama
Naevhs754hepws	VERTICAL HOLLOW SHAFT MOTORS -HP 75 RPM 1800 FRAME 365TP VOLTS 460 FRAME TYPE VHSC DIM 31.16 BD DIM 16.5 DOWN THRUST5600
Pe256t202575v	CAST IRON MOTORS HP 20 RPM 3600 FRAME 256T VOLTS 575 C DIM. 25
Pc364t604	HP 60 RPM 1800FRAME 364T VOLTS 208-230/460 FRAME TYPE NEWTC DIM. 27.4
Pe286ts302ec	CAST IRON MOTORS HP 30 RPM 3600 FRAME 286TS VOLTS 208-230/460 C DIM. 29.5
Pe286t402	CAST IRON MOTORS HP 40 RPM 3600 FRAME 286T VOLTS 208-230/460 C DIM. 29.8
Nbsrk2915	BOX SIZE9
H6600sw012	CONTROLLER
Nbs315725	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 7 RATIO 25:1 OUTPUT BORE (MAX) 3-15/16
Pe286ts304	CAST IRON MOTORS HP 30 RPM 1800 FRAME 286TS VOLTS 208-230/460 C DIM. 28.1
Na326jp504	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 50 RPM 1800 FRAME 326JP VOLTS 208-230/460 C DIM. 34.4
Pe286t304c	SPECIAL PURPOSE MOTORS: PREMIUM CRUSHER MOTOR HP 30 RPM 1800 FRAME 286T VOLTS 208-230/460 C DIM. 29.5
1126-8f	
Pe256tc106	CAST IRON MOTORS HP 10 RPM 1200 FRAME 256TC VOLTS 208-230/460 C DIM. 25.1
Pc326t504	HP 50 RPM 1800FRAME 326T VOLTS 208-230/460 FRAME TYPE NEWTC DIM. 26.6
Naevhs4504eht	VERTICAL HOLLOW SHAFT MOTORS -HP 450 RPM 1800 FRAME 5008P VOLTS 460 FRAME TYPE VHSC DIM 53.88 BD DIM 24.5 DOWN THRUST24000
Pe284tc254c	CAST IRON MOTORS HP 25 RPM 1800 FRAME 284TC VOLTS 208-230/460 C DIM. 28
Nbsrk2815	BOX SIZE8
Nbsrk3825	BOX SIZE

Ürün	Açıklama
Naevhs1254pws	VERTICAL HOLLOW SHAFT MOTORS -HP 125 RPM 1800 FRAME 405TP VOLTS 460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST6700
Naevhs1254hepws	VERTICAL HOLLOW SHAFT MOTORS -HP 125 RPM 1800 FRAME 405TP VOLTS 460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST6700
Owp1220odp	OIL WELL PUMP MOTORS -HP 20 RPM 1200 FRAME 286T VOLTS 230/460/796 C DIM. 29.6
3/4-1518-0	VALVE SHUTOFF MANUAL 3/4IN 125PSIG 24VA
Nbsrk2825	BOX SIZE8
Naevhs1504pws	VERTICAL HOLLOW SHAFT MOTORS -HP 150 RPM 1800 FRAME 444TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST8000
1122-4	
Pe284tc254rb	CAST IRON MOTORS HP 25 RPM 1800 FRAME 284TC VOLTS 208-230/460 C DIM. 28
H6600bfr04	CONTROL
Naevhs604he	VERTICAL HOLLOW SHAFT MOTORS -HP 60 RPM 1800 FRAME 364TP VOLTS 230/460 FRAME TYPE VHSC DIM 31.16 BD DIM 16.5 DOWN THRUST5600
Pe324t256	CAST IRON MOTORS HP 25 RPM 1200 FRAME 324T VOLTS 208-230/460 C DIM. 31.3
Naevhs2004heeht	VERTICAL HOLLOW SHAFT MOTORS -HP 200 RPM 1800 FRAME 445TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST8000
Naevhs3041.188cp	VERTICAL HOLLOW SHAFT MOTORS -HP 30 RPM 1800 FRAME 286TP VOLTS 230/460 FRAME TYPE VHSC DIM 24.75 BD DIM 10.0 DOWN THRUST3200
12889030	ACTUATOR
H3701-20-24	DIGITAL SENSING SYSTEM EMITTER
Pe284t156575v	CAST IRON MOTORS HP 15 RPM 1200 FRAME 284T VOLTS 575 C DIM. 28.1
Owp1260	OIL WELL PUMP MOTORS -HP 60 RPM 1200 FRAME 405T VOLTS 230/460/796 C DIM. 40.0

Ürün	Açıklama
42-0-25	
Na286jm302	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 30 RPM 3600 FRAME 286JM VOLTS 208-230/460 C DIM. 29.1
7218-7	
Na324jm404	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 40 RPM 1800 FRAME 324JM VOLTS 208-230/460 C DIM. 30
H5530f10900	ACTUATOR
Naevhs1504eht	VERTICAL HOLLOW SHAFT MOTORS -HP 150 RPM 1800 FRAME 444TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST12800
Pe284tc254	CAST IRON MOTORS HP 25 RPM 1800 FRAME 284TC VOLTS 208-230/460 C DIM. 28
1122-7	
1004-C5	
Nbs315715	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 7 RATIO 15:1 OUTPUT BORE (MAX) 3-15/16
Nbs407815	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 8 RATIO 15:1 OUTPUT BORE (MAX) 4-7/16