

Oc White

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Oc White Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Oc White Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Tktz-Lv2	STEREO MICROSCOPE, CAMERA, HANDS FREE, ZOOM, MAGNIFICATION:2.1X TO 270X, CAMERA TYPE:1/2? HIGH SENSITIVITY ANALOG
Tkez-880-Lv2	MICROSCOPE, TRINOCULAR STEREO-ZOOM, MAGNIFICATION: 8X TO 320X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:-, CAMERA TYPE:1.3 MEGA PIXEL, PRODUCT
Tkpz-Lv2	STEREO MICROSCOPE, CAMERA, HANDS FREE, ZOOM, MAGNIFICATION:2.5X TO 390X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:195MM, CAMERA TYPE:-, PRODUC
Tkss-40	TOOLS, MAGNIFIERS INSPECTION, FOR USE WITH:0, MAGNIFICATION:4X TO 40X, SUPPLY VOLTAGE:240V, ROHS COMPLIANT: NA
Tktz-D	TOOLS, MICROSCOPE INSPECTION, MAGNIFICATION:0.5X, CAMERA TYPE:SUPERB 1/2 ULTIMATE COLOR, SERIES:PROLITE, ROHS COMPLIANT: NA
Tkdpzt-Lv2	MICROSCOPE, DIGITAL TRINOCULAR, MAGNIFICATION:2.5X TO 390X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:195MM, CAMERA TYPE:1.3 MEGA PIXEL, PRODUC
Tkdezt-850-Lv2	ERGO-ZOOM MICROSCOPE
Tkszt-Lv2	STEREO MICROSCOPE, CAMERA, HANDS FREE, ZOOM, MAGNIFICATION:3.5X TO 225X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:-, CAMERA TYPE:-, PRODUCT RA
Tkdtz-A	STEREO MICROSCOPE, ZOOM DIGITAL, MEASURE, IMAGE, MAGNIFICATION:2.1X TO 270X, CAMERA TYPE:1/2? HIGH SENSITIVITY ANALOG
Tkdpzt-A	MICROSCOPE, DIGITAL TRINOCULAR, MAGNIFICATION:2.5X TO 390X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING

Ürün	Açıklama
	DISTANCE:195MM, CAMERA TYPE:1.3 MEGA PIXEL, PRODUC
Tkvz-A	MICROSCOPE, VIDEO ZOOM MONOCULAR, MAGNIFICATION: 0.7X TO 4.5X, FOR USE WITH:0, WORKING DISTANCE:95MM, CAMERA TYPE:SUPERB 1/2 ULTIMATE COLOR, INSPECTIO
Tktz-A	TOOLS, MICROSCOPE INSPECTION, MAGNIFICATION:0.7X TO 4.2X, CAMERA TYPE:SUPERB 1/2 ULTIMATE COLOR, ROHS COMPLIANT: NA
Tksz-Lf	TOOLS, MICROSCOPE INSPECTION, MAGNIFICATION:3.5X TO 225X, INSPECTION SCOPE TYPE:STEREO-ZOOM, ROHS COMPLIANT: NA
Tkss-40a	TOOLS, MAGNIFIERS INSPECTION, FOR USE WITH:0, MAGNIFICATION:4X TO 40X, SUPPLY VOLTAGE:240V, ROHS COMPLIANT: NA
Tksz-D	MICROSCOPE, STEREO ZOOM, MAGNIFICATION:3.5X TO 210X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE: 160.9MM, CAMERA TYPE:-, PRODUCT RANGE:-, INSPECT
Tkez-864-Lv2	MICROSCOPE, TRINOCULAR STEREO-ZOOM, MAGNIFICATION: 8X TO 256X, CAMERA TYPE:1.3 MEGA PIXEL, INSPECTION SCOPE TYPE:STEREO-ZOOM TRINOCULAR
Tksz-F	INSPECTION MICROSCOPE, MAGNIFICATION:3.5X TO 225X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:-, CAMERA TYPE:-, PRODUCT RANGE:-, BODY MATERIAL:C
Tkmacz	MACROZOOM HIGH DEFINITION VIDEO INSPECTION SYSTEM, CHOICE OF 24 TALL DOUBLE BALL BEARING BASE ASSEMBLY, ARTICULATING ARM, NEW ULTIMA ULP ERGONOMIC ARM
Tksz-A	MICROSCOPE, STEREO ZOOM, MAGNIFICATION:3.5X TO 210X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE: 160.9MM, CAMERA TYPE:-, PRODUCT RANGE:-, INSPECT
Tkez-850-Lv2	50X), MAGNIFICATION:8X TO 200X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:-, CAMERA TYPE:1.3 MEGA PIXEL, PRODUCT RANG
Tkpzt-Lv2	STEREO MICROSCOPE, CAMERA, HANDS FREE, ZOOM, MAGNIFICATION:2.5X TO 390X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:-, CAMERA TYPE:-, PRODUCT RA
Tkmz-8tr-Fa-Lv2	45X STANDARD (UP TO 270X WITH OPTIONS), .6X CCD ADAPTER, 19 HD WIDESCREEN LCD
82400-4-Uv-B	LED MAGNIFIER

Ürün	Açıklama
Tkpzt-A	STEREO MICROSCOPE, CAMERA, HANDS FREE, ZOOM, MAGNIFICATION:2.5X TO 390X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:-, CAMERA TYPE:-, PRODUCT RA
Tkpz-Fa	OC WHITE PRO-ZOOM BINOCULAR MICROSCOPE SYSTEMS
Tkmacz-Lv2	60X, WORKING DISTANCE FROM 5 TO ?, 24 TALL BALL BEARING BASE FOR INCREASED ADJUSTABILIT
Tkpz-A	STEREO MICROSCOPE, CAMERA, HANDS FREE, ZOOM, MAGNIFICATION:2.5X TO 390X, FOR USE WITH:-, LIGHT SOURCE:-, WORKING DISTANCE:195MM, CAMERA TYPE:-, PRODUC