

## Ode

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Ode** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

*Firmamız Ode T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	Aıklama
<a href="#">Solenoid Valf 1/4"-2/2nc-08bar24vdc Ode</a>	
<a href="#">21WA3Z0V130-BDV08230AY</a>	2/2 way solenoid valve, N.O., G 3/8, pilot operated, FKM, NW = 13.0mm, P = 0.2 - 16 bar, 230V 50Hz - 240V 60Hz, 16 VA, Weight: 0.574 kg
<a href="#">21A2KV45-GDV14024CY</a>	2/2 way solenoid valve, N.C., G ¼, direct operated, FKM, NW = 4.5mm, P = 0 - 8 bar, 24V DC, 14 W, Weight: 0.594 kg
<a href="#">WATER AUTOMATIC 1/2" ODE CAT NO:B-P15.40.22-T</a>	GLOBE
<a href="#">21WA4Z0B130-BDV08024CY</a>	2/2 way solenoid valve, N.O., G ½, pilot operated, NBR, NW = 13.0mm, P = 0.2 - 16 bar, 24V DC, 8 W (11 W cold), Weight: 0.572 kg
<a href="#">122-800</a>	
<a href="#">124-800</a>	
<a href="#">210502</a>	
<a href="#">212A2KV55</a>	
<a href="#">21A2KB30</a>	
<a href="#">21A2KT25</a>	
<a href="#">21A2KV25</a>	

<a href="#">21A2KV30</a>	
<a href="#">21A2KV55-M</a>	
<a href="#">21A2KV55-ORW-BDV08230AY</a>	
<a href="#">KTEH7KOV12</a>	Conversion kit for valve 21H7(8)KV120 old version to new version (2022) - Valve body and anchor tube screwed together, not soldered FKM consists of: Anchor guide tube: R450603 movable anchor: R451284/V O- ring: R990000/V Valve cover: 453706 Membrane: R453704/V Weight: 0.082 kg
<a href="#">21H8KB120-BDV08230AY (80000150)</a>	
<a href="#">21H8KE120</a>	
<a href="#">21HF6K0B250</a>	
<a href="#">21HT6K0Y250</a>	
<a href="#">21IH5Z1V200</a>	
<a href="#">21L2K1V25-BDV08230AY</a>	
<a href="#">21PG1RR4V20-XO</a>	
<a href="#">21PW4K0V120</a>	
<a href="#">21W3KB190</a>	
<a href="#">21W4KB250</a>	
<a href="#">21WA4K0B130</a>	
<a href="#">21WA4K0B130 220V AC</a>	
<a href="#">21WA4K0B130 24V DC</a>	
<a href="#">21WB4KB130</a>	
<a href="#">21WB4KB130 BDV08230AY OEM!!</a>	
<a href="#">21WB4KB130-GB-BDV08230AY (80000041)</a>	
<a href="#">21YW5K0T190</a>	
<a href="#">4628Y0V12</a>	
<a href="#">80000013</a>	
<a href="#">80000040</a>	
<a href="#">80000058</a>	
<a href="#">80000161</a>	
<a href="#">80000467</a>	
<a href="#">80000613</a>	
<a href="#">80000614</a>	
<a href="#">80000640</a>	
<a href="#">80000728</a>	
<a href="#">80000900</a>	
<a href="#">80001032</a>	
<a href="#">80001034</a>	

<a href="#">80001092</a>
<a href="#">80001110</a>
<a href="#">80001134</a>
<a href="#">80900001</a>
<a href="#">80900119</a>
<a href="#">80900241</a>
<a href="#">80900248</a>
<a href="#">80900251</a>
<a href="#">80900252</a>
<a href="#">80900262</a>
<a href="#">80900297</a>
<a href="#">80900508</a>
<a href="#">80900532</a>
<a href="#">BDA08024AS</a>
<a href="#">BDA08024CS</a>
<a href="#">BDA08024DS</a>
<a href="#">BDA08110DS</a>
<a href="#">BDV08024DY</a>
<a href="#">BDV08230AY</a>
<a href="#">GDV14024CY</a>
<a href="#">GDV14024DY</a>
<a href="#">GDV14230AY</a>
<a href="#">KTG0W5KB35</a>
<a href="#">KTG0W5KE35</a>
<a href="#">LBA05110AS</a>
<a href="#">LBV05110AY</a>
<a href="#">OD BDA08223DS</a>
<a href="#">OD BDV08024DY</a>
<a href="#">OD P992087</a>
<a href="#">OD R452714-B</a>
<a href="#">P990305</a>
<a href="#">P990307</a>
<a href="#">P992124-AP</a>
<a href="#">R450606</a>
<a href="#">R452186/B</a>

<a href="#">RIBA05230AS</a>	
<a href="#">UDV12230DS</a>	
<a href="#">RUDA12024CS</a>	Magnetic coil, 24 V DC, 12 watts, ED 100%, protection class F Weight: 0.204kg
<a href="#">33101-20-6R</a>	3/4" NPT SERV VLV 3/2 SIL3
<a href="#">21WA4ZOB130-BDV08024CY</a>	2/2-way solenoid valve, N.O., G ½, pilot operated, NBR, NW=13.0mm, P=0.2 - 16 bar, 24V DC, 8 W (11 W cold), Weight: 0.572kg
<a href="#">21A2KV45-GDV14024CY</a>	2/2 way solenoid valve, N.C., G ¼, direct operated, FKM, NW=4.5mm, P=0 - 8 bar, 24V DC, 14 W, Weight: 0.594kg
<a href="#">21HT4KOY160</a>	2/2-way solenoid valve, N.C., G ½, positively controlled, NBR+PA, NW=16.0mm, P=0-14 bar (AC), P= 0-2.5 bar (8W DC), P=0-11 bar (12W DC), P=0-14 bar (14W DC), Weight: 0.606kg
<a href="#">21A5KV45-BDV08230AY</a>	80000071 2/2 way solenoid valve, N.C., G 3/8, direct controlled, FKM, NW=4.5mm, P=0 - 5 bar, 230V 50Hz - 240V 60Hz, 16 VA, Weight: 0.380kg
<a href="#">4628YOV12-LBA05230AS</a>	3/2 way solenoid valve, N.C., flange design, direct controlled, NBR, NW=1.2mm, P=0 - 15 bar, 230V/50 Hz, 10 VA,
<a href="#">80001254</a>	5315A0V25-BDV08024CY 2/2 way solenoid valve, N.O., G 1/4 internal thread, directly controlled, FKM, NW=2.5mm, P=gas/air 4-18bar liquids 4-8bar, 24V DC, 8 W (11 W cold),
<a href="#">80001255</a>	5315A0V25-BDV08024DY 2/2 way solenoid valve, N.O., G 1/4i, direct operated, FKM, NW=2.5mm, P=gas/air 0 - 18bar liquids 0-8bar, 24V 50/60Hz, 17 VA
<a href="#">80001256</a>	5315A0V25-BDV08230AY 2/2 way solenoid valve, N.O., G 1/4 internal thread, directly controlled, FKM, NW=2.5mm, P=gas/air 0 - 18bar liquids 0-8bar, 230V 50Hz - 240V 60Hz, 16 VA
<a href="#">80000827</a>	21MOEV30-BDV08230AY 2/2 way solenoid valve, N.O., G 1/8, direct operated, FKM, NW=3.0mm, P=0 - 11 bar, 230V 50Hz - 240V 60Hz, 16 VA, In position 4 the valve alternatively with nominal width 3.0 mm and external thread
<a href="#">GDV Gas sol valve</a>	
<a href="#">21A2KV55-ORW</a>	
<a href="#">Od Bda08110as</a>	
<a href="#">Od Uda12230as 12w/220v Ac</a>	
<a href="#">80000263 / 21hf8kob400-Bdv08230ay</a>	
<a href="#">R450466/B</a>	
<a href="#">Bda08223ds</a>	
<a href="#">21w4kb250 24v Dc</a>	
<a href="#">21a2k0v30-Ox</a>	
<a href="#">Gdh14024cs</a>	
<a href="#">21a2kv55-Bdv08230ay</a>	
<a href="#">21a2kv55</a>	
<a href="#">21wb4kb130, Coil Bda08223dv - Unkown Product, Alternative 21wa4k0b130 220v Ac</a>	
<a href="#">21h8kv120</a>	

<a href="#">Od 4628y0v12 12v Dc</a>
<a href="#">21h8kb120 24v Dc</a>
<a href="#">Uda12024cs</a>
<a href="#">21h9kv180 220v Ac</a>
<a href="#">21an2zr20d-Tf</a>
<a href="#">Od Bda08024cs</a>
<a href="#">4628yov12-Lba05230as (80001092)</a>
<a href="#">Rgdv14024cy</a>
<a href="#">Od Uda12024cs</a>
<a href="#">Mb7y5b</a>
<a href="#">Mb7y5t-L-Obsolete</a>
<a href="#">21a5kt45-Bdv08230ay</a>
<a href="#">Bdv08230ay - N/A</a>
<a href="#">21t1bb40-F 24v Dc</a>
<a href="#">Od Bdv08230ay</a>
<a href="#">21wb4kb130-Gb-Bdv08230ay</a>
<a href="#">21nijnb20</a>
<a href="#">31a2av25</a>
<a href="#">4966-C11</a>
<a href="#">Lba05230as</a>
<a href="#">21wa4r0b130</a>
<a href="#">4966-C16</a>
<a href="#">21a5kt45</a>
<a href="#">21 A1kr</a>
<a href="#">21wb4kb130 Bdv08230ay !!</a>
<a href="#">21a8kv45</a>