

O&K

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

O&K Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız O&K Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Fzd-Cbs	FZD, 3D CAMERA BASE PLATE, LONG DISTANCE VERSION
3g2a9-AI003	LINK ADAPTER 2X RS-422 1X RS-232C
Fq-D31	FQ TOUCH FINDER, 3.5 TFT COLOUR LCD SCREEN, SD CARD, 24VDC, AC ADAPTOR, BATTERY
Fzw-F21p	FZW INTEGRATOR VISION SYSTEM, STANDARD RESOLUTION TYPE, 2 CAMERA, HALCON RUN TIME INCLUDED, FIREWIRE, PNP
Cimr-G7c41100b	INVERTER DRIVE,110KW,240A,415 VAC,3-PHASE
Fzw-F22p	FZW INTEGRATOR VISION SYSTEM, HIGH RESOLUTION TYPE, 2 CAMERA, HALCON RUN TIME INCLUDED, FIREWIRE, PNP
Nt31-St121b-V2	OPERATOR INTF
Fz3-H705	FZ3H ADVANCED VISION CONTROLLER, INTEGRATED LCD TOUCH SCREEN, HIGH RESOLUTION TYPE, TWO CAMERA, PNP
R88d-Kn30f-ML2	G5 SERIES SERVO DRIVE, ML II TYPE, 3.0KW, 400VAC THREE PHASE
Fz-Ltw31dr	60MM DIA ILLUMINATION AREA
Cj1w-Nc471	CJ1 POSITION CONTROL UNIT, 4AXES,OVER MECHATROLINK II
Ns5-Sq11b-V2	PROGRAMMABLE TERMINAL (HMI), 5.7 INCH, TFT, 256 COLOURS (32,768 COLOURS FOR .BMP/.JPG), 320X240 PIXELS, 2 X RS232 PORTS, ETHERNET (10/100 BASE-T), 24 VDC, 60MBYTE MEMORY, 24 VDC, BLACK CASE
Fzd-Cbm	FZD, 3D CAMERA BASE PLATE, MEDIUM DISTANCE VERSION
Itfc-Cpu02-E	PANEL COMPUTER 70VA 85-132/180-264VAC
Fzd-Ltw	FZD, 3D LIGHTING SYSTEM, HIGH LUMINANCE, LINE

Ürün	Açıklama
Fzd-Stc2m	FZD, 3D INTEGRATED VISION CAMERA, 2 MEGAPIXEL
Cimr-E7z40550a	INVERTER DRIVE, 55KW, 112A, 415 VAC, 3-PHASE
Cimr-E7z40-151b	DRIVE INVERTER 37/31AMP 3PHASE 415V 50/60HZ 15KW
Rx-A2037-Ef	RX INVERTER DRIVE, 3.7KW, 16.5A, 200VAC, 3-PHASE, OPEN/ CLOSED LOOP VECTOR
Fq-S20050f	FQ VISION SENSOR, STANDARD FUNCTION, NPN, STANDARD VIEW(50MM)
R88m-K75030c-S2	G5 SERIES AC SERVO MOTOR, 750W, 400VAC, 3000RPM, 2.39NM, ABSOLUTE
Fz-Ltw56cl	LED CO-AXIAL LIGHT, WHITE, 50MM X 47MM ILLUMINATION AREA
R88m-K3k020f-S2	G5 SERIES AC SERVO MOTOR, 3.0KW, 400VAC, 2000RPM, 14.3NM, INCREMENTAL
E5ef-Ah02p	TEMPERATURE CONTROLLER DEG.C 100-240VAC 50/60HZ
R7m-Ap75030b-S1d	SMART STEP AC SERVO MOTOR (CUBE TYPE), IP67 CONNECTORS, 750W, WITH BRAKE, 3000RPM, 2.39NM
Fz-Ltw39cl	LED CO-AXIAL LIGHT, WHITE, 28MM X 30.5MM ILLUMINATION AREA
C500-Ia223	INPUT MODULE 32POINT 10MA 200-240VAC
Fzw-Ap1	APPLICATION PRODUCER SOFTWARE, FZW/FZ2 DEVELOPMENT ENVIRONMENT
Orn-Dsp-A2/A2	AXIS MODULE PC BOARD
Sgda-02vp	SERVO DRIVE PULSE 4AMP 1PH 200-230VAC 50/60HZ 200W
C200hw-Mc402-Uk	SERVO MOTION CONTROL MODULE
Fzd-Ltpw	FZD, 3D LIGHTING SYSTEM, HIGH LUMINANCE, CUSTOM PATTERN
Cimr-F7z40550a	INVERTER DRIVE, 55KW, 112A, 415 VAC, 3-PHASE, CLOSED LOOP VECTOR
Fzw-C42p	FZW INTEGRATOR VISION SYSTEM, HIGH RESOLUTION TYPE, 4 CAMERA, HALCON RUN TIME INCLUDED, CAMER LINK, PNP
Cj1h-Cpu67h-R	HIGH-SPEED CPU, 250K STEPS PROGRAM, 448K WORDS DATA MEMORY, 3 EXPANSION RACKS MAX.

Ürün	Açıklama
Ms4630192000x00rcx1	SAFETY LIGHT CURTAIN
F3s-Tgrsb2-K4sd-900	4 BEAM PERSONAL PROTECTION GUARD, CATEGORY 2, 900MM HEIGHT, 0.5-25M SCAN DISTANCE
Fzw-C21p	FZW INTEGRATOR VISION SYSTEM, STANDARD RESOLUTION TYPE, 2 CAMERA, HALCON RUN TIME INCLUDED, CAMER LINK, PNP
R88d-Kt10f	G5 SERIES SERVO DRIVE, ANALOGUE/ PULSE TYPE, 1.0KW, 400VAC THREE PHASE
Fz-Ltw13015br	LED BAR LIGHT, WHITE, 130MM X 15MM
R88m-K40030h-Bs2	G5 SERIES AC SERVO MOTOR, 400W, 200VAC, 3000RPM, 1.3NM, INCREMENTAL, BRAKED
Mac-Db025I/1	SERVO MOTOR INCREMENTAL
R88m-Wp1k530f-S1-D	SERVO MOTOR AC 4.5AMP 400V 3000RPM
Cj1w-Nc481	CJ1 POSITION CONTROL UNIT, 4 AXES, ETHERCAT INTERFACE
Cimr-F7z40181b	INVERTER DRIVE, 18.5KW, 39A, 415 VAC, 3-PHASE, CLOSED LOOP VECTOR
Sr10md24110220	SAFETY RELAY UNIT WITH OFF DELAY TIME
Ms46sr-30-700-Q2-R-Nc-Fp	LIGHT CURTAIN RECEIVER 24VDC 700MM
Dfu507a	STEPPER MOTOR DRIVER 5PHASE 115VAC 60HZ
Mc47-12-600-R	LIGHT CURTAIN RECEIVER 600MM LENGTH