Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Omal



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Omal Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Omal Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Omal ½" S.R.Vip Vana-Nbr	
Fbr	3/4 DREI-WEGE-KUGELVENTIL
DA30	The ode should be chrome and 90 degree water resistant. It should come with actuator, 24 volt valve and positioner identical to label information. Visual is attached ---- Die Karosserie muss verchromt und wasserdicht sein. Es sollte mit einem Stellantrieb, einem 24-Volt-Ventil und einem Stellungsregler geliefert werden, die mit den Angaben auf dem Etikett identisch sind. Visual ist beigefügt
Pneumatic valve - VIP -	Single acting NC (normally closed) FKM DN 25 1 '
DN20_PN16 VIP VALVE REPAIR Kit '' VITON	
AE 40	Complett
J9SPG14R4	
GMPI 10/30VOLT DC - 150mA	
DA30 F03-F05 DN20 PN100	
Omal DAN0180411S, DA180 F05-F07	
(V101N209)	2”
SRN0030402S, F05/F07	
GF050852	Reduction

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
J9SPG2106YX	
J9SPG1805YX	
J9APG2308YX	
J4SPG1604	
VALVE,BALL, ACTUATOR,DN32,PN16	
DA60 F03-F05 D376XE72	
DA60 F03-F05 D376XE72	
DN50(2")ACTUATOR+NAMUR VALVE+SW.BOX BALL VALVE	AISI304 Stainless Threaded Ball Valve, Double Acting Actuator, 24VDC Namur valve, Switch Box Included
J9APG1806	
J9AP2108	
J9APG2309	
DG376XE69-SMNF532024	Wafer type butterfly valve (WAFER); Smart Namur Solenoid valve 5/2 and 3/2 GGG/VA/EPDM, DN 50, DAN 030; housing made of GGG 50, stainless steel disc, Sleeve made of EPDM, BT -40°C to. 135°C. Complete with built-up pneumatic drive, double acting, Control pressure 5.6 bar. For the Installation between flanges according to DIN. PM 16. Smart Namur solenoid valve 5/2- and 3/2-way, G1/4"; monostable, spring return, 1 coil 24VAC 5VA; 2 Sintered silencer
Typ A-10	Technische Daten nach Datenblatt: PE 81.60 Messstoffberührte Bauteile: 316L Gehäuse: 316L Nichtlinearität: 0,5% BFSL Einheit: bar Druckart: relativ Messbereich: 0...0,4 bar Prozessanschluss: G 1/4 A DIN EN ISO 1179-2 Dichtung: NBR

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	zulässige Messstofftemperatur: 0...+80 °C Ausgangssignal: 4 ... 20 mA, 2-Leiter Hilfsenergie: 8...30 V DC Elektrischer Anschluss: Winkelstecker DIN EN 175301-803 A Zulassungen: cULus
DN32PN10MS58PAT	
V101N203	2 pcs. Ball valve, MS/PTFE, 3/8" female thread, F03, 9mm 2-piece ball valve, housing made of Brass, chrome plated. ball out Brass, hard chrome plated. poetry made of PTFE, connection on the right side. Threaded sleeve according to DIN 2999, Mounting flange according to DIN/ISO 5211 for the direct construction of drives. 3/8" and 1/2" = PN 63, 3/4" and 1" = PN 50, 1.1/4" and 1.1/2" = PN 40, 2" = PN 32, 2.1/2" and 3" = PN 25. Operating temperature from -20°C to +150°C. With free shaft end
SRN0053401S	Rotary drive SRN 53, F05-F07, 8-point. 17mm Pneumatic rotary drive, Angle of rotation 90°, single-acting, spring force closes, Control pressure max. 8.4 bar, Nominal control pressure 5.6 bar, torque corresponds drive size, Mounting flange according to DIN/ISO 5211
RHE1714	Reducing sleeve 17/14 Reducing sleeve made of stainless steel ISO 5211 - DIN 3337.
R2518PKS0B-00A	
DAN0030411S	
VNC10006 ,G1	Axial pneumatic valve
VNC10005 ,G3/4	Axial pneumatic valve
DN15(1/2")ACTUATOR+NAMUR	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
VALVE+SW.BOX BALL VALVE	
DN20(3/4")ACTUATOR+NAMUR VALVE+SW.BOX BALL VALVE	
DN25(1")ACTUATOR+NAMUR VALVE+SW.BOX BALL VALVE	
DN32(1 1/4")ACTUATOR+NAMUR VALVE+SW.BOX BALL VALVE	
DN40(1 1/2")ACTUATOR+NAMUR VALVE+SW.BOX BALL VALVE	
DN50(2")ACTUATOR+NAMUR VALVE+SW.BOX BALL VALVE	
DN32 WAFER TYPE BUTTERFLY VALVE WITH ACTUATOR	SW.BOX+NAMUR VALVE
DN40 WAFER TYPE BUTTERFLY VALVE WITH ACTUATOR	SW.BOX+NAMUR VALVE
DN50 WAFER TYPE BUTTERFLY VALVE WITH ACTUATOR	SW.BOX+NAMUR VALVE
DN65 WAFER TYPE BUTTERFLY VALVE WITH ACTUATOR	SW.BOX+NAMUR VALVE
DN80 WAFER TYPE BUTTERFLY VALVE WITH ACTUATOR	SW.BOX+NAMUR VALVE
DN100 WAFER TYPE BUTTERFLY VALVE WITH ACTUATOR	SW.BOX+NAMUR VALVE
DN125 WAFER TYPE BUTTERFLY VALVE WITH ACTUATOR	SW.BOX+NAMUR VALVE
DN150 WAFER TYPE BUTTERFLY VALVE WITH ACTUATOR	SW.BOX+NAMUR VALVE
RS3L(5m)(PNP9	5-30 V DC
ITEM490 2"	Connections : threaded ıso 228/1 Material – 304 s.s
C0952E1200-A00A	
VIP SOLENOID VALVE DN25(COMPLETE)	VIP + SOLENOID + MAGNETIC SWITCH, DN25 MS58 PAT
VCN20004	1/2 inch valve. Product code: OMAL_VCN20004_1/2 VIP VANA,

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
BAxxxx.AB2GEZU210 - BAUF. A LED-GRUN+VDR	24V BLACK PVC CABLE 3X0,75MM 1MT, INTEG. SEAL, SCREW, IP65
FX1L2M02	
V376XE72	Designation: Wafer-type butterfly valve, GGG/VA/EPDM, DN 100 Case: GGG 50 Disc: stainless steel Cuff: EPDM Operating temperature: -40°C to +135°C DIN PN 16, free shaft end Weight per piece: 5.1 kg
DAN0045412S	Description: Rotary actuator DAN 45, stroke 90°, flange connection 1/10*, F03-F05, 8-Kt., 11mm Pneumatic rotary actuator, pressure range: max. 8.4 bar Control pressure: 5.6 bar DIN/ISO 5211 Weight per piece: 1.25 kg
SRN0060401S	Description: Rotary drive SRN 60, F05-F07, 8-pt., 17mm Pneumatic rotary actuator, rotation angle 90°, single-acting, spring force closes, control pressure max. 6.4 bar, nominal rotary pressure 5.6 bar, torque corresponds to actuator size, mounting flange according to DIN/ISO 5211. Weight per piece 3.35 kg
Cxxxxx.AB2GEZU103M8MD3	BAUF. A LED-GREEN+VDR 24V BLACK PVC CABLE 3X0.50MM 0.3MT, INTEG. SEAL., SCREW, IP65 + M8 STRAIGHT 3-PIN CONNECTOR
VCOEM0006	VCOEM0006 Axial Valve, NC, MS/EPDM, 1"G, without NAMUR, with magnet Pneumatic axial valve, single-acting, spring return Housing brass, chrome-plated Seal: EPDM Connections: female thread per DIN 2999 Pneumatic ports: G 1/8" NAMUR adapter plate available separately Max. operating pressure: 10 bar Temperature: -20°C to +80°C Control pressure max.: 8 bar Weight: 1.88 kg Customs tariff number: 84123100 Origin: EEC / Italy
KBN.U0001_R	KBN.U0001_R NAMUR Adapter Plate VIP Adapter plate for mounting a solenoid valve on a VIP valve
FMB7B200	FMB7B200 Limit Switch for VIP and VIP EVO REED switch (PNP/NPN)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Contact type: NO Supply voltage: 5-120V AC/DC 2-wire connection Cable length: 2 m Protection: IP67 Ambient temperature: -25°C to +70°C
J9JPG6105	9JPG6105 Angle Seat Valve, Housing RG, G 3/4" PN16, Actuator DM50 Seat seal PTFE Temperature: -10°C to +180°C Pneumatic actuator, spring-closing Max. control air: 10 bar Flow direction over the seat
J9APG1604	J9APG1604 Angle Seat Valve, Housing RG, G 1/2", PN16, Actuator DM50 Seat seal PTFE Temperature: -10°C to +180°C Pneumatic actuator, spring-opening Operating pressure max.: 11 bar Control air: 4–8 bar
GMPI	3-wire 10/30VDC magnetic sensor 150mA
ITEM: 424. (CF8M-1.4408)	BALL VALVE 1/2"; WITH ACTUATOR; STAINLESS STEEL PN63, TG, 3-piece, 2-way.
J9APG1805	Angle seat shut-off valve, housing RG, G 3/4", PN 16, actuator DM 63 Sealing plate PTFE, -10° C - + 180° C, with pneumatic control head, single-acting, NO max. 10 bar control air
J9APG1805 DM 50	Angle seat shut-off valve housing RG, G 3/4", PN 16, drive DM 50 Sealing plate PTFE, -10° C - + 180° C, with pneumatic steering head, spring-loaded closing mechanism, max. 10 bar control air Maximum operating pressure: 10 bar Entrance above the closure
KSM0C2016	Signalbox
KSM0C2018	Signal box with 2 limit switches for control head 63 Nominal voltage: 10-30 Vdc Consumption: 15 mA; Operating temperature: -20°C to +70°C

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
C414a5e65	
S415a071	
S420x008	
Da180	
S400x004	
M41516p72	
L412fx613	
L412fx615	
Sr30	
S410h070	
C415a5i70	
V414x608	
415a5g67	
S376kn72	
C415a5e64	
Ae10 135	
D153h005	
D412fa071	
L412x610	
V414x605	
M41516f65	
M41516f67	
V414x607	
S415h068	
L545x611	
S410h073	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Da60	
V515-Dn50	
S410a067	
Da30-F03-F05	
S412h070	
V386xe70	
41516n72 Stainless Steel Ball Valve	
Da 15 Std	
415a5g68 Stainless Steel Ball Valve	
M41516c64	
Aggiusta Articolo Der - Seal For Da30x00	
(Kom 10383/3) J4spg1404 Schrägsitzventil Mit Kolbenantrieb	
Sr360	
S410fh074	
V386xe69	
S400x007	
D410fa072	
S415h070	
V400-Dn25	
J4spg1404	
S410fa072	
V412fx615	
415a5g68	
V382xe74 (Ex.V382xn74)	
S410fa069	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
V415x607	
Sr480	
Omal Er8188c2 (Er818000)	
415a5g67 Stainless Steel Ball Valve	
D412fh073	
V414x609	
Sr960	
S376xe68	
517.201	
S415a067	
L412x612	
Ae020020 Ae On-Off Type 24v Dc	
S410h068	
S414h072	
J4apg1846	
V101n208-Dn40/Pn40	
2000-A-2-20.0-Ee-Rg-Gm85-B-D Mc13 Valve	
Da120	
M41516l70	
V414x606	
Ae120004 Ae On-Off Type 24v 50/60 Hz	
V515-Dn65	
C415a5e65	
S415a069	
V412fx611	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Sr180	
C414a5e64	
Ae021004 Ae On-Off Type 24v Dc	
V515	
Sr120	
V412x610	
S515a071	
Da030411s	
Ae020007 Ae On-Off Type 24v Dc	
Vha4aabab03	
V101dn25pn50f03	
Kgd10018	
M41516f66	
3090.02 / Sr030401s Antrieb Sr30 Ohne Kugelventil	
350.911	
V414x604	
D412a072	
S410h064	
V386xe73	
M41516l68	
56653 (280254-24vdc-17w)	
D412fh075	
M41516l69	
Ab2mrlmi2mr3 Valve Socket	
L412fx611	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Sr90	
D412fa069	
V412x612	
Vcn21003	
Sr60-F05s07	
D410h073	
Ae020004 Ae On-Off Type 24v Dc	
S400x006	
S410h065	
Vna21003	
C415a5e66	
Dd240	
C415a5i69	
L412fx614	
D412h070	
S376xe71	
41516n72	
V412fx613	
Kgd10014	
Ae120001 Ae On-Off Type 24v 50/60 Hz	
S376xe74	
S450h004	
D412fh074	
D410fh074	
S410fa071	
V412fx609	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Dg101h009	
S412fa069	
C415a5k71	
L412fx609	
A1-T-09-01-3-B-R	
D100h008	
D376xe71	
V412fx614	
Da045412s	
Ekc 0519	
180sr+rce4ln2-Ns5002	
3090.00	
D400-H066	
S415a072	
M41516l71	
S410h066	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.