

Omg

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Omg Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Omg Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
TYPE DOXA.L 7MMX25 STROKE	DOUBLE DIAPHRAGM HEAD MM TYPE DRWG NO A70999D-2-001 RFILLING VALVE REFILLING VALVE COplete
REP 2,3,4	
DOXA.L/15MMx25 double diaphragms type, including:	API 675 OMG CONTROLLED VOLUME PUMP ref. s.n. 195574-575 (OMG Job 01 57164_year 1995) service: 14.3%wt Caustic Soda at 121 °C item: tba Omg positive displacement-controlled volume pump model – design code API 675 latest edition, – liquid end made of AISI 316L s.s., – double suction & discharge side ball valves made of AISI 316L s.s. (seats) / AISI 440C, – double diaphragms made of AISI 316L s.s., – internal pressure relief valve built-in the hydraulic circuit, – pressure gauge for local diaphragm leakage detection, – rated capacity 22 lph, – speed 87spm @ 50 Hz, – discharge pressure 3.6 barg, – design pressure 7 barg, – NPSHR 4 m, – suction & discharge flanged connections 1/2" ANSI 600 RF, – manual stroke adjustment between 0 and 100% of rated capacity, with pump idle or operating, – coupled through gear reducer to 0.37 kW electric motor, 4 poles, IEC size 71, 380V/3ph/50Hz, IE2, vertical mounting V1, mechanical protection IP55, Exd IIC T3 execution_

30168	VALVE COVER, 30168, OMG, ASTM A351,CF3M VALVE COVER MATERIAL: 316L STAINLESS STEEL MATERIAL SPECIFICATION: ASTM A351 GRADE: CF3M PRODUCT CODE: 30168 MANUFACTURER: OMG EQUIPMENT NOTE: FOR DIAPHRAGM PUMP, MODEL: DOXE 33MERC DS 80X70
353801041	
Uni 6875 6x28	
T92509034	
688a	
A02864-2.Dox	
Vh 132 P	
30141-4/Mb 20-15	
Nbr Di 250 Nbr	
Tav 13p	
198641	
M6x10 5927 12.9 6x10	
Hub 18623-1	
688b	
125/Dx Pos.1/19	
Doxa.L/30x25	
18302-0 Amp; 16321-2	
12863-2	
18287-2	
77686	
Set Of Double Valves 1/4"39;39;	
353701012	
Series Of Dbl Valves, Omg Doxa La/ 10x25	
P21/23-1300 (2000 Kg/H)	
Ptfeblu080	
18621-2/18662-2	
Rallw55050	
1/4" Gr. 10iso3290	

[A01809-2](#)

[Gasket, Stuffing, Omg Doxa La/10x25](#)

[11379-1 316cr](#)