

Oriental Motor



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Oriental Motor Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Oriental Motor T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Vv9 1r18101	
Pk268-02a	PK series stepper motor; Basic step angle 1.8 ¼; Connection type: unipolar; Phase current: 2 A; Holding torque: 1.35 Nm; Flange dimension: 56.4 mm x 56.4 mm; with single shaft; Connection type: 6 strands; 8501109990 JP
066066	
BH6G2-5	BHI series gearboxes; Flange dimension: 104 mm x 104 mm; with spur gear; Gear reduction: 5: 1; Tariff No. 8483402190 JP
4IK25GN-SW2T	WorldK series induction motor; Power supply: 3-phase 200-230 VAC, 50/60 Hz; Nominal speed: 1300 / 1550-1600 min-1; Nominal power: 25 W; Flange dimension: 80 mm x 80 mm; with pinion shaft; Protection class: IP54; Terminal box type; Tariff No. 8501109390 JP
4GN60S	Gearboxes for AC motors; Flange dimension: 80 mm x 80 mm; Gear reduction: 60: 1;
4IK25A-SW2T	WorldK series induction motor; Power supply: 3-phase 200-230 VAC, 50/60 Hz; Nominal speed: 1300 / 1550-1600 min-1; Nominal power: 25 W; Flange dimension: 80 mm x 80 mm; with round shaft; Degree of protection: IP54; Terminal box

	type; 8501109390 JP
4GN120K	
4IK25A-SW2	WorldK series induction motor; Power supply: 3-phase 200/230 VAC, 50/60 Hz; Torque: 0.19 / 0.176Nm; Nominal speed: 1300 / 1550-1600 min-1; Nominal power: 25 W; Flange dimension: 80 mm x 80 mm; with round shaft; Degree of protection: IP20; Lead wire type;
5IK90A SW2T INDUCT. MOTOR (5IK90ASF)	
FPW 560S2-15	
PK268-E2.0A	PK series stepper motor; Basic step angle: 1.8 °; Connection Type: Bipolar Parallel; Phase current: 2.8 A; Holding torque: 1.75 Nm; Flange dimension: 56.4 mm x 56.4 mm; with single shaft; Connection type: 8 strands;
25mm diameter Coupling	GS14 TOS
PK264-E2.0A	PK series stepper motor; Basic step angle: 1.8 °; Connection Type: Bipolar Parallel; Phase current: 2.8 A; Holding torque: 0.48 Nm; Flange dimension: 56.4 mm x 56.4 mm; with single shaft; Connection type: 8 strands;
0GN30K	
0IK3GN-B	
0IK3GN-BW2J	
2GN100K	
2GN100S	
2GN-10XK	
2GN12.5K	
2GN120K	
2GN150K	
2GN15K	
2GN180K	
2GN18K	
2GN25K	
2GN3.6K	
2GN30K	
2GN3K	
2GN50K	

[2GN50S](#)

[2GN5K](#)

[2GN60K](#)

[2GN6K](#)

[2GN7.5K](#)

[2GN90K](#)

[2GN9K](#)

[2IK6GN-C-T](#)

[2IK6GN-CW 2E](#)

[2IK6GN-CW TE](#)

[2IK6GN-SW 2B](#)

[2IK6GN-SW 2M](#)

[2RK6GN-CW 2](#)

[2RK6GN-CW 2ME](#)

[2SJ2A-AA-C1](#)

[2TK3GN-CW 2E](#)

[2TK3GN-CW 2J](#)

[3504D22G02](#)

[3504D22G02 OEM!!](#)

[3504D22G04](#)

[3GN100K](#)

[3GN100S](#)

[3GN12.5K](#)

[3GN120K](#)

[3GN150K](#)

[3GN150KA](#)

[3GN15K](#)

[3GN180K](#)

[3GN18K](#)

[3GN25K](#)

[3GN3.6K](#)

[3GN30K](#)

[3GN3K](#)

[3GN3S](#)

[3GN50K](#)

[3GN5K](#)

[3GN5KA](#)

[3GN60K](#)

[3GN6K](#)

[3GN7.5K](#)

[3GN90K](#)

[3GN9K](#)

[3GV150B](#)

[3IK15GN](#)

[3IK15GN-CW 2E](#)

[3IK15GN-CW 2J](#)

[3IK15GN-CWJ](#)

[3IK15GV-GC](#)

[3RK15](#)

[3RK15GN-AW 2J](#)

[3RK15GN-CW 2E](#)

[3RK15GN-CWE](#)

[3RK15RGN-AM](#)

[3TK6A-AW 2J](#)

[41K25RGN-0](#)

[473102-1](#)

[4CSMGK-101-Q1](#)

[4CSMGK-101-Q1 AC 100V 0,2A OEM](#)

[4GN100K](#)

[4GN100S](#)

[4GN12.5K](#)

4GN150K
4GN15K
4GN15SA
4GN18K
4GN25K
4GN30KA
4GN30S
4GN3S
4GN50KA
4GN50S
4GN5K
4GN75RH
4IK25A-AW 2J
4IK25A-AW 2U
4IK25A-GC
4IK25A-SWT
4IK25GC-50
4IK25GN-A
4IK25GN-AT
4IK25GN-AW 2J
4IK25GN-C
4IK25GN-CT
4IK25GN-CW 2E
4IK25GN-CW 2J
4IK25GN-CW 2TE
4IK25GN-S
4IK25GN-S/S
4IK25GN-SM
4IK25GN-ST
4IK25GN-ST2

4IK25GN-SW 2	
4IK25GN-UW 2	
4IK25GN-UW 2T2	
4IK25RGN-AW 2J	
4IK25RGN-AW 2U	
4RK25GN-AW 2MU	
4RK25GN-AW 2TJ	
51K90GU-SW M	
5GE15RH	
5GE180S	
5GE3S	
5GE60S	
5GN12.5K	gears for AC motors; Flange dimensions: 90 mm x 90 mm; Gear Ratio: 12.5:1;
5GN18K	
5GN3.6S	
5GN50K	
5GN50S	
5GN5RH	
5GN6S	
5GN75K	
5GN9K	
5GN9S	
5GU12.5KB	
5GU180K	
5GU180KB	
5GU3.6K	
5GU3.6KB	
5GU30KB	
5GU3KB	
5GU50KB	

5GU7.5KB
5GVH50B
5IK
5IK 90A-SW 2T
5IK40A-CW 2E
5IK40A-SW 2
5IK40GN-A
5IK40GN-AT
5IK40GN-C
5IK40GN-CT
5IK40GN-S
5IK40GN-SM
5IK40GN-ST
5IK40GN-ST2
5IK40GN-SW 2
5IK40GN-SW 2M
5IK40GN-SW 2T
5IK40GN-SWT
5IK40GN-UT2
5IK40RGN-AW 2J
5IK40RGN-AW 2U
5IK40RGN-CW
5IK40RGN-CW 2J
5IK60A-SW 2
5IK60GE-SW 2T
5IK60GU-AF
5IK60GU-ATF
5IK60GU-CF
5IK60GU-CTF
5IK60GU-CWE
5IK60GU-CWJ

5IK60GU-SF
5IK60GU-ST2F
5IK60GU-STF
5IK60VGVH-JST2
5IK60VJST2-50
5IK90A-SWT
5IK90GE-CW 2E
5IK90GE-SW 2M
5IK90GE-SW 2T
5IK90GE-UW 2T2
5IK90GU-ST2F
5IK90GU-STF
5IK90GU-SWM
5IK90GU-SWT
5LB10U-2
5RK40GN-CM
5RK40GN-CT
5RK40GN-CW 2E
5RK40GN-CW ME
5RK90A-CW 2ME
5RK90A-CW 2MJ
5RK90A-CW 2MJ (1-Phasen 200 VAC, 50/60 Hz;)
5RK90GU-CW ME
5TK20GN-AW 2J
A3727-9412
A3727-9412 VEXTA
A3820-9515N
A3820-9515N oem
AM2-XA1

AM2-XB1
AR46ACD-3
ARD36AV-K
ARL46ACC-3
ARM66VAK
ARM98AC-N36
ASD20A-C
ASD36A-K
ASD36A-K-B2
ASD36A-K-B2 -OEM
AXHD50K
AXHM5100KC-XX
AXHM5100KC-XX XX= 30, 50, 100
AXHM5100KC-XX XX= 5, 10, 15, 20
AXUD25C
AXUD90C
AXUM425-GN
AZD-C
AZD-CD
AZM66A1C
B1181-F32BL
B2430-D5ASM
BHI62E-A
BHI62ST-5
BHI62ST-A
BHI62UT2-G2
BLE46C10S-3
BLED12CM-R
BLEM512-GFS
BLH2D50-K
BLH2D50-K + LHS003CC

BLHM450KC-20
BLM460S-GFV2
BLUM220-GFS
BLV620KM20F-2
BLV620KM30F-1
BLV620KM30F-2
BXM5120-GFS
C7080-9212K-C2
CC050VA2F
CC050VAF
CC050VNF
CC051F-USB
CC100VA2F
CC100VAF
CC150ES-2
CC15D2
CC36-1
CC36T1
CH15BFAUL
CHC3821AUL
CHC3821AUL (pack 1x10 pcs)
CHC4821AUL
CMK245AP
CRD5107P
CRD5114P
CSD2145P
CVD215BR-K
DFC5114P
DGM200R-ARMC
DGM200R-AZMC

DRL20-02B1P-KB	
EAC4R-D20-AZAKD-3	
EAC4R-E10-AZAKD-3	
EAC4R-E15-AZAKD-3	
EAC4R-E25-AZAKD-3	
EAC4R-E30-AZAKD-3	
EAC6-E15-AZMKD-3	
EPCR1201-2	
ES02	
ESMC-C2	
EZCM6E010M-C	
EZS6-E020-AZAKD-3	
FA2019SZ160001	
FC16D2-2	
FC24D2	
FC24W2-4	
FE100S	
FPW425S2-5	
FPW690S2-30	
FSP200-2	
Gear	
Gear Head For:2RK6GN-CWE	
GFS2G5FR	
GFS5G50FR	hollow shaft flat gear; Flange dimensions: 90 mm x 90 mm; Gear ratio: 50:1;
KXSD150-ALZ.	
KXSM510-TG10-BL	
KXSM5150-TG10-BL.	
LC2B06A	
LC2B06E	
LC5N06C	

[LCS04SD5](#)

[MB10V-B](#)

[MB1255-D](#)

[MB1255-T](#)

[MB1665-B](#)

[MB1665-D](#)

[MB1665-T](#)

[MB520-D](#)

[MB630-B](#)

[MB840-D](#)

[MB840-T](#)

[MB8Z-BUL](#)

[MC120304S](#)

[MC120404C2](#)

[MC120404S](#)

[MC120405C2](#)

[MC120405S](#)

[MC120505C2](#)

[MC120505S](#)

[MC120506S](#)

[MC160405S](#)

[MC160406S](#)

[MC160505S](#)

[MC160506C2](#)

[MC160506S](#)

[MC160508S](#)

[MC160606S](#)

[MC160608S](#)

[MC200505S](#)

[MC200506C2](#)

MC200506S
MC200508C2
MC200508S
MC200606AC2
MC200606AS
MC200606C2
MC200606S
MC200608C2
MC200608S
MC200610S
MC2006A08C2
MC2006A08S
MC200808C2
MC200808S
MC200810S
MC250506C2
MC250506S
MC250606AC2
MC250606AS
MC250606C2
MC250606S
MC250608C2
MC250608S
MC250610C2
MC250610S
MC2506A08C2
MC2506A08S
MC2506A10C2
MC2506A10S
MC250808C2
MC250808S

MC250810C2
MC250810S
MC250812S
MC251010C2
MC251010S
MC251012S
MC320606AC2
MC320606AS
MC320608C2
MC320608S
MC3206A08C2
MC3206A08S
MC3206A10C2
MC3206A10S
MC320808C2
MC320808S
MC320810C2
MC320810S
MC320812C2
MC320812S
MC321010C2
MC321010S
MC321012C2
MC321012S
MC321014C2
MC321014S
MC321214C2
MC321214S
MC321414C2
MC321414S

[MC321416S](#)

[MC401014C2](#)

[MC401014S](#)

[MC401214C2](#)

[MC401214S](#)

[MC401414C2](#)

[MC401414S](#)

[MC401416C2](#)

[MC401416S](#)

[MC501214C2](#)

[MC501214S](#)

[MC501414C2](#)

[MC501414S](#)

[MC501416C2](#)

[MC501416S](#)

[MC501418C2](#)

[MC501418S](#)

[MCL200505](#)

[MCL200506](#)

[MCL200508](#)

[MCL200606](#)

[MCL200608](#)

[MCL200808](#)

[MCL300808](#)

[MCL300810](#)

[MCL300812](#)

[MCL301010](#)

[MCL301012](#)

[MCL301212](#)

[MCL401010](#)

MCL401012	
MCL401014	
MCL401015	
MCL401016	
MCL401212	
MCL401214	
MCL401215	
MCL401216	
MCL401415	
MCL401416	
MCL401515	Clamping hub aluminum d1 15 / d2 15 mm dA 40 mm L 64 mm with toothed ring
MCL401516	
MCL401616	
MCL551515	
MCL551516	
MCL551518	
MCL551520	
MCL551525	
MCL551616	
MCL551618	
MCL551620	
MCL551625	
MCL551818	
MCL551820	
MCL551825	
MCL651515	
MCL651516	
MCL651518	
MCL651520	
MCL651525	

MCL651616
MCL651618
MCL651620
MCL651625
MCL651818
MCL651820
MCL651825
MCL652022
MCS140405
MCS140406
MCS140505
MCS140506
MCS140606
MCS200505
MCS200506
MCS200508
MCS200510
MCS2005F04
MCS200606
MCS200608
MCS200610
MCS2006F04
MCS200808
MCS200810
MCS201010
MCS20F0408
MCS20F0410
MCS20F04F04
MCS300606
MCS300608

MCS300610
MCS300612
MCS300614
MCS300615
MCS300616
MCS3006F04
MCS300808
MCS300810
MCS300812
MCS300814
MCS300815
MCS300816
MCS301010
MCS301012
MCS301014
MCS301015
MCS301016
MCS301212
MCS301214
MCS301414
MCS301415
MCS301416
MCS30F0408
MCS30F0410
MCS30F04F04
MCS400808
MCS400810
MCS400812
MCS400814
MCS400815
MCS400816

[MCS400818](#)

[MCS400820](#)

[MCS401010](#)

[MCS401012](#)

[MCS401014](#)

[MCS401015](#)

[MCS401016](#)

[MCS401018](#)

[MCS401020](#)

[MCS401212](#)

[MCS401214](#)

[MCS401215](#)

[MCS401216](#)

[MCS401218](#)

[MCS401220](#)

[MCS551212](#)

[MCS551214](#)

[MCS551215](#)

[MCS551216](#)

[MCS551218](#)

[MCS551220](#)

[MCS551222](#)

[MCS551224](#)

[MCS551414](#)

[MCS551415](#)

[MCS551416](#)

[MCS551418](#)

[MCS551420](#)

[MCS551422](#)

[MCS551424](#)

MCS551518
MCS551618
MCS551818
MCS551820
MCS551822
MCS551824
MCS651618
MCS651818
MCS651820
MCS651822
MCS651824
MCS651825
MCS652020
MCS652022
MCS652024
MCS652025
MCV300814
MCV301014
MCV301214
MCV301414
MCV301415
MDA1225-12
MDS1225-12M
MDS1225-12M(Obsolete,replaced
MEXE02
Model: 4GN12.5S
MRE16-EBH
MRS16-DUL
MRS20-BUL
MRS25-B

MRW18-TTA
MSS540-401W2J
MSS540-401WJ
MU1025L-11
MU1025S-11
MU1025S-41
MU1025S-51
MU1225M-11
MU1225M-21
MU1225M-41
MU1225M-51
MU1225S-11
MU1225S-21
MU1225S-41
MU1225S-51
MU1238A-11B
MU1238A-21B
MU1238A-41B
MU1238A-51B
MU1238B-11B
MU1238B-21B
MU1238B-41B
MU1238B-51B
NETC02-CC
NX410AA-1
NX410AA-2
NX410AA-3
NX410AC-1
NX410AC-2
NX410AC-3
NX410MA-1

NX410MA-2
NX410MA-3
NX410MC-1
NX410MC-2
NX410MC-3
NX45AA-1
NX45AA-2
NX45AA-3
NX45AC-1
NX45AC-2
NX45AC-3
NX45MA-1
NX45MA-2
NX45MA-3
NX45MC-1
NX45MC-2
NX45MC-3
NX610AA-PS10-1
NX610AA-PS10-2
NX610AA-PS10-3
NX610AA-PS25-1
NX610AA-PS25-2
NX610AA-PS25-3
NX610AA-PS5-1
NX610AA-PS5-2
NX610AA-PS5-3
NX610AC-PS10-1
NX610AC-PS10-2
NX610AC-PS10-3
NX610AC-PS25-1

NX610AC-PS25-2
NX610AC-PS25-3
NX610AC-PS5-1
NX610AC-PS5-2
NX610AC-PS5-3
NX610MA-PS10-1
NX610MA-PS10-2
NX610MA-PS10-3
NX610MA-PS25-1
NX610MA-PS25-2
NX610MA-PS25-3
NX610MA-PS5-1
NX610MA-PS5-2
NX610MA-PS5-3
NX610MC-PS10-1
NX610MC-PS10-2
NX610MC-PS10-3
NX610MC-PS25-1
NX610MC-PS25-2
NX610MC-PS25-3
NX610MC-PS5-1
NX610MC-PS5-2
NX610MC-PS5-3
NX620AA-1
NX620AA-2
NX620AA-3
NX620AC-1
NX620AC-2
NX620MA-1
NX620MA-2

NX620MA-3
NX620MC-1
NX620MC-2
NX620MC-3
NX640AS-1
NX640AS-2
NX640AS-3
NX640MS-1
NX640MS-2
NX640MS-3
NX65AA-PS10-1
NX65AA-PS10-2
NX65AA-PS10-3
NX65AA-PS25-1
NX65AA-PS25-2
NX65AA-PS25-3
NX65AA-PS5-1
NX65AA-PS5-2
NX65AA-PS5-3
NX65AC-PS10-1
NX65AC-PS10-2
NX65AC-PS10-3
NX65AC-PS25-1
NX65AC-PS25-2
NX65AC-PS25-3
NX65AC-PS5-1
NX65AC-PS5-2
NX65AC-PS5-3
NX65MA-PS10-1
NX65MA-PS10-2
NX65MA-PS10-3

NX65MA-PS25-1
NX65MA-PS25-2
NX65MA-PS25-3
NX65MA-PS5-1
NX65MA-PS5-2
NX65MA-PS5-3
NX65MC-PS10-1
NX65MC-PS10-2
NX65MC-PS10-3
NX65MC-PS25-1
NX65MC-PS25-2
NX65MC-PS25-3
NX65MC-PS5-1
NX65MC-PS5-2
NX65MC-PS5-3
NX810AA-J10-1
NX810AA-J10-2
NX810AA-J10-3
NX810AA-J25-1
NX810AA-J25-2
NX810AA-J25-3
NX810AA-J5-1
NX810AA-J5-2
NX810AA-J5-3
NX810AC-J10-1
NX810AC-J10-2
NX810AC-J10-3
NX810AC-J25-1
NX810AC-J25-2
NX810AC-J25-3

[NX810AC-J5-1](#)

[NX810AC-J5-2](#)

[NX810AC-J5-3](#)

[NX810MA-J10-1](#)

[NX810MA-J10-2](#)

[NX810MA-J10-3](#)

[NX810MA-J25-1](#)

[NX810MA-J25-2](#)

[NX810MA-J25-3](#)

[NX810MA-J5-1](#)

[NX810MA-J5-2](#)

[NX810MA-J5-3](#)

[NX810MC-J10-1](#)

[NX810MC-J10-2](#)

[NX810MC-J10-3](#)

[NX810MC-J25-1](#)

[NX810MC-J25-2](#)

[NX810MC-J25-3](#)

[NX810MC-J5-1](#)

[NX810MC-J5-2](#)

[NX810MC-J5-3](#)

[NX820AA-J10-1](#)

[NX820AA-J10-2](#)

[NX820AA-J10-3](#)

[NX820AA-J25-1](#)

[NX820AA-J25-2](#)

[NX820AA-J25-3](#)

[NX820AA-J5-1](#)

[NX820AA-J5-2](#)

[NX820AA-J5-3](#)

NX820AC-110-1
NX820AC-J10-2
NX820AC-J10-3
NX820AC-J25-1
NX820AC-J25-2
NX820AC-J25-3
NX820AC-J5-1
NX820AC-J5-2
NX820AC-J5-3
NX820MA-J5-1
NXD75-S
NXM975A
OIK3GN-BW 2J
PK233PA
PK244PA
PK269JDA
PK299DW
PK566NAW
PKE564AC-HS100
PKE564AC-HS50
PKP243D15A2-SG18
PKP243D15A-SG18-L
PKP243D23A2-SG10
PKP243U09A
SB31-IN
SB32-IN
SB50W
SG8030J-D
SG9200T-G
SS11-P

TM520C-15SE
T-MDE925-24L-G
T-MU1238B-11-GP
T-MU1238B-21-GP
T-MU1238B-41-GP
T-MU1238B-51-GP
T-MU1238L-11-GP
T-MU1238L-21-GP
T-MU1238L-41-GP
T-MU1238L-51-GP
T-MU825L-13-G
T-MU825S-13-G
T-MU825S-23-G
T-MU825S-43-G
T-MU825S-53-G
T-MU925M-11-GP
T-MU925M-21-GP
T-MU925M-41-GP
T-MU925M-51-GP
T-MU925S-11-GP
T-MU925S-21-GP
T-MU925S-41-GP
T-MU925S-51-GP
UPK599-AJW-P10
US206-001
US206-002
US206-401
US206-402
US425-001
US425-401
US425-402

US540-001	
US540-002	
US540-401	
US540-402	
USM590-502W-1	
USP540-2E	
VSR206C2-360E	
PK258-02A	
4RK25GN-CW2E	WorldK series induction reversible motor; Power supply: 1-phase 220/230 VAC, 50/60 Hz; Rated speed: 1200/1450 rpm; Rated power: 25W; Flange dimensions: 80 mm x 80 mm; with pinion shaft; Degree of protection: IP20; lead wire type;
4GN180K	gears for AC motors; Flange dimensions: 80 mm x 80 mm; Gear ratio: 180:1;
5IK90A-DF	
VEXTA C8160-9212H	
FV40S	
Vexta SG8030J	
BLVM620KM-GFS	
BLVD20KM	
GFS6G30	
CC02BLV2M	
PK243M-03B	PK Series Stepper Motor; Base step angle: 0.9°; High definition type; Connection Type: Unipolar; phase current: 0.31 A; Holding torque: 0.16 Nm, Flange dimensions: 42 mm x 42 mm; with double shaft; Connector type: 6 strands;
BLV640N30S-1	motor-gear-driver combination; Power supply: 48 VDC; Torque: 24.5-33.5 Nm; Speed range: 3.3-133 rpm; Rated Power: 400W; Flange dimensions: 104 mm x 104 mm; with spur gear; Gear ratio: 30:1; incl. extension cable: 1 m
BLV640N200S-1	motor-gear-driver combination; Power supply: 48 VDC; Torque: 63-70 Nm; Speed range: 0.5-20 rpm; Rated Power: 400W; Flange dimensions: 104 mm x 104 mm; with spur gear; Gear ratio: 200:1; incl. extension cable: 1 m
5IK40RGN-CW2E	World-K series induction motor; for gearbox mounting; speed controllable; Power supply: Single phase 220/230 VAC, 50/60 Hz; Speed range: 90-1400/1600 rpm; Rated Power: 40W; Flange dimensions: 90 mm x 90 mm; with pinion shaft;

	Degree of protection: IP20; with pigtails;
5IK40RGN-CW 2J	World-K series induction motor; for gearbox mounting; speed controllable; Power Supply: Single phase 200 VAC, 50/60 Hz; Speed range: 90-1400/1600 rpm; Rated Power: 40W; Flange dimensions: 90 mm x 90 mm; with pinion shaft; Degree of protection: IP20; with pigtails;
MB1040-D	MB series centrifugal fans; Power supply: 1-phase 200-230 VAC, 50/60 Hz; max. air flow: 2.3-2.7 m ³ /min; max. static pressure: 206-304 Pa; Noise level: 61-65 dB (A); Rated speed: 2750-3250 rpm; Power Consumption: 40-55W; impeller diameter: 100 mm;
PK523PA-T20	Motor-gearbox combination of the PK series; Base step angle: 0.036°; Max. holding torque: 0.4 Nm; Phase current: 0.35 A; Flange size: 28mm x 28mm; with single shaft; Connection type: 5 strands; with spur gear; Gear ratio: 20:1; Gear backlash: 1°;
LC5N06A	motor connection cable; Cable length: 0.6 m;
4GN60K	AC motor gearboxes; Flange size: 80mm x 80mm; Gear ratio: 60:1;
BLHM5100KC-GFS	BLH series BLDC motor; Nominal torque: 0.4 Nm; Speed range: 100-3000 rpm; Rated power: 100W; Flange size: 90mm x 90mm; with pinion shaft; Protection class: IP65;
GFS5G100	spur gear; Flange size: 90mm x 90mm; Gear ratio: 100:1
ARD-A-A12~DRIVER	
ARM98AC~	
AZD-CS3	
2GN180K	AC motor gearboxes; Flange size: 60mm x 60mm; Gear ratio: 180:1;
4IK25GN-CW 2E	AC STANDARD MOTOR
4GN12.5S	ORI GEAR HEAD
4GN15S	
GV4G36	
5IK90GU-SWM/5GU5K 200V (610511580603)	
2IK6GN-AW 2J	World-K series induction motor; for gearbox attachment; Power supply: Single phase 100VAC 50/60Hz; Rated speed: 1200/1450 rpm; Rated power: 6W; Flange size: 60mm x 60mm; with pinion shaft; Protection class: IP20; with connecting wires;
2GN25K	AC motor gearboxes; Flange size: 60mm x 60mm; Gear ratio: 25:1;

4GN36K	AC motor gearboxes; Flange size: 80mm x 80mm; Gear ratio: 36:1;
4GN36S	AC motor gearboxes; Flange size: 80mm x 80mm; Gear ratio: 36:1;
4IK25A-SW 2	World-K series induction motor; Power supply: Three-phase 200/230 VAC 50/60 Hz; Torque: 0.19/0.176 Nm; Rated speed: 1300/1550-1600 rpm; Rated power: 25W; Flange size: 80mm x 80mm; with round shaft; Protection class: IP20; with connecting wires;
PKP264D14A2	
PLE60-40B	
P00028	
LC2B06E 0,6 meter	
BLM460SHP-GFV	
3GN180K	Gearbox for AC motors; Flange dimensions: 70 mm x 70 mm; Gear ratio: 180:1;
BLV640N200S-1 Brushless dc motor & Driver Package	Package Included BLVM640N-GFS Brushless dc motor GFS6G200 Reducer BLVD40NM Brushless dc motor driver CC01BLV2 Wired Connector
BLV640N30S-1 Brushless dc motor & Driver Package -	Package Included BLVM640N-GFS Brushless dc motor GFS6G30 Reducer BLVD40NM Brushless dc motor driver CC01BLV2 Wired Connector
FPW 540S2-3 100+TB4-0608 SET (1600 D) HT1-HT2	
BLH2D50-K	BLH series driver; Analog version; Power supply: 24 VDC; Rated power: 50 W; Without cable set;
LHS003CC	Cable set; for the analog BLH2D and BLH2D/CVD RS485; for power supply and I/Os; Cable length: 0.3 m;
5RK90GVR-GCM	
5IK90UGVR-EC	
SCM590GVR-EC	
AXHM450KC-10	
MU925S-21	MU series axial fans; Power supply: 1-phase 115 VAC 50/60 Hz; Max. air flow: 0.95/1.10 m ³ /min; Max. static pressure: 44/59 Pa; Rated speed: 2600/3000 rpm; Rated power: 9.5/8 W; Size: 92 mm x 92 mm x 25 mm;
41K25RGK-A2	MAX OUTPUT 25W 100V - 50/60HZ- 0,7A-4P- 6Uf - 1 PC
GFS5G50FR I:50	
5048610 VEXTA UDX5114 5-PHASE	

DRIVER	
5048611 VEXTA UPH599-A 5-PHASE STEP MOTOR	
5048612 VEXTA RKD514H-A 5-PHASE DRIVER	
5048613 VEXTA PK596AW 5-PHASE STEP MOTOR	
5048614 VEXTA UD2115B 2-PHASE DRIVER	
5048615 VEXTA UPH268-A 2-PHASE STEP MOTOR	
5048616 VEXTA UDK2120 2-PHASE DRIVER	
5048617 VEXTA PK266-02A 2-PHASE STEP MOTOR	
BLHM450K-GFS	BLH series BLDC motor; Nominal torque: 0.191-0.159 Nm; Speed range: 100-3000 rpm; Rated power: 50 W; Flange dimensions: 80 mm x 80 mm; with pinion shaft; Protection class: IP20; With strands;
BLHM450KCM-GFS	
5IK60GU-CW	
2GN180S	Spur gear BG60, i=180, Ma/max.3 Nm, shaft 8x27 mm
2IK6GN-CW 2E	Single phase motor 6W, 220/230V, 50/60Hz 1250 rpm, S1, IP20 incl. capacitor 0.6 µF
2GN18S	Spur gear BG60, i=18, Ma/max.3 Nm, shaft 8x27 mm
Ss32	Speed Control Unit
5ik40gn-S	
Pkp223u09a-Sg36	
- Elektromotor 2rk6gn-Cw2me Wk2-Serie, 6w, 220-230 Vac (Mit Bremse)	
5ik60gu-Stf	
4ik25gn-Cw2t Getriebe Mit Elektromotor 4gn15sa	
As69ace	ALPHASTEP CLOSED LOOP STEPPER MOTOR
As46aa-N7.2	STEPPER MOTOR
+5gu3kb Pz91I08903 Gearbox	
610191	

Axud40c	
610192	
4ik25gn-St	
Pk266m-E2.0a	
Az66mkd-Hs50-3 Schrittantrieb	
Pkp262fd15aw-H50	
- Elektromotor 2ik6gn	
Bx460c-200	MOTOR BRUSHLESS DC SPEED CONTROL SYSTEM 1/12HP 60W
Motorisierter Zylinder Eac4r-Arakd-1 Komplett Mit Dc-Power-Supply Inputard- Kd	
Kiis 7ik200veut2-Gal60	
4lsf20-4 Linear Gearheads With Rack- And-Pinion Mechanism Coupled With An Ac Motor.	
4ik25gn-Cw2e	Induction motor of the WorldK series; Power supply: 1-phase 220/230 VAC, 50/60 Hz; Rated speed: 1200/1450 min-1; Rated power: 25 W; Flange size: 80 mm x 80 mm; with pinion shaft; Protection class: IP20; Lead wire type;
Bled12c	
5lk40gn-Aul	
4lsf20-4 Getriebe	
5ik60gu-Sf	
0ik3gn-Bw2j	
5gn6k	
M540-401-115	MOTOR SPEED CONTROL 40W 115V 60HZ 90-1700RPM
Bxd120a-C	Vexta Brushless DC Motor Driver
Blh	
5gn6s Gear Box	
4ik25gn-A Replaced By 4ik25gn-Aw2j	
Bx5120a-20	BRUSHLESS DC MOTOR SPEED CONTROL SYSTEM
4gn12.5s	Gearbox for AC motors; Flange size: 80 mm x 80 mm; Gear Ratio: 12.5: 1;
Bld30a-Mk	Vexta Brushless DC Motor Driver

Epcr1201-2 Rc-Kette	
4gn90k	
Pk246pa	
3gn5ka Pumpeflanschmass: 70 Mm X 70 Mmgetriebeuntersetzung: 5:1	
Kbld180-A	SUPER VEXTA SERVO DRIVER
Bx6-400s-M50	BRUSHLESS DC SPEED CONTROL SYSTEM
Es02 Drehzahlregler	
Mu1238l-21b	
5tk20gn-Aw2 / 5gn12.5k Ac Torque Motor (12.5:1 Gear Ratio)	
Sg6100s	24V DC Pulse Generator
3tk6a-Aw2 Motor	
A4927-9415kpgm	STEPPING MOTOR 5PH .01STEP 3.8AMP
Fbld120cw	200-230V Brushless DC Motor Driver
Csd2145p Treiber Der Csk- Serie;Spannungsversorgung: 24 Vdc;Phasenstrom: 4.5 A;	
0gn30k Getriebe	
Pk266-03ar21-L 2phase Stepping Motor	
Kiis 5ik100ves-Ghr30	
Asm98mc-H50	MOTOR STEPPER C/LOOP 0.25AMP 24VDC MAGNETIC BRAKE
4ik25gn-Ct	
5tk20gn-Cw2e	
Asd16d-C	DRIVER ALPHASTEP CLOSED LOOP 200-230VAC 1PHASE
Kii 2ik6gc-300	
Udx5128n-G1	SERVO CONTROL 5-PHASE DRIVER 100-115VAC 50/60HZ
4ik25gn-St2	
Gfh5g5	
Kiis 7ik200veut2-Gar200	
Pk244pa Schrittmotor Oriental Motor Pk244pa	
Kiis 5ik100ves-Gar60	

4gn50k	
Blv620	
Kabel Cc05if-Usb	
4gn9k	
Axud90c Treiber Der Axu- Serie;Spannungsversorgung: 1-200- 230vac;Nennleistung: 90 W;	
Gfh5g5 Getriebekopf	
5ge12.5s	
5gu100kb	
Asd24c-A	CONTROLLER STEPPER
5tk20gn-Aw2 / 5gn12.5k Motor	
Rk564ac-T30	SERVO MICROSTEPPING SYSTEM 200/230VAC 5PH 35TORQUE
Blhm5100kc-Gfs	BLDC motor of the BLH series; Rated power: 100 W; Flange size: 90 mm x 90 mm; with pinion shaft; Protection class: IP65; *** Country of origin: Japan *** Tariff no. 8501310099
Kiis 5ik100ves-Ghr15	
Kiis 5ik100vesmt2-Gal240	
Kiis 5ik100vesmt2-Gal15	
Asm98ma-N10	BRAKE MOTOR DC 1.89V 2.1AMP
Emp401	Programmable Motion Controller VEXTA
Kiis 5ik100vesm-Gar15	
Kiis 5ik100vest2-Ghr50	
Kiis 5ik100ves-Ghr120	
Kiis 5ik100ves-Gar25	
Kiis 5ik100vesm-Gar50	
Rs485	
Kii 2ik6uc-12.5	
Asd24a-A	DRIVER LINEAR MOTION 24VDC
Kiis 5ik100ves-Ghr200	
- Motor 5ik40rgn-Aul-E3 Mit Getriebe E3921-354 Auf Der Kodak Industrex M35-Entwicklungsmaschine	

Arm66vak Motor	
Scm540ec-180 + Dscd40ec + Cc03sc	
Kiis 5ik100vesm-Gar100	
+5ik90gu-Ut4f Pz91433907 Engine	
Kiis 5ik100ves-Gal25	
Kiis 7ik200veut2-Gal200	
2ik6gn-Sw2m Gear Motor With Brake	
Kiis 5ik100ves-Ghr10	
Kiis 7ik200vest2-Gar30	
Kiis 5ik100ves-Gar50	
5ge18rh	Right angle gear for AC motors; Flange size: 90 mm x 90 mm with hollow shaft; Gear reduction: 18: 1;
Kii 2ik6gc-250	
Axud25c Speed Controller	
Dgm85r-Azmk	
Kiis 5ik100vest2-Gal20	
Kiis 5ik100ves-Gal50	
Gfs5g10	
Kiis 5ik100ves-Gal30	
Kiis 5ik100ves-Gar20	
Dfu1514w-A2	DRIVE 5PHASE DRIVER 5AMP 115VAC
5ik40gn-St2	
Kiis 7ik200veut2-Gal20	
Asd16a-C	Vexta Drive ASD16AC
Rk564aa-T7.2	SERVO DRIVE 5-PHASE 100-115VAC 7.2:1RATIO
0018	
Kii 2ik6gc-36	
5ik40gn-At	
2ik6gn-Sw2b	
Kiis 5ik100ves-Gal20	
Ss22l	

Kiis 5ik100vest2-Ghr15	
610149	
Kiis 5ik100vesm-Gal100	
Kxsd40-Alz	SERVO DRIVER AC
Axhd50k Steuerung Axh-Serie, 50w, 24vdc	
Kiis 7ik200vest2-Gar200	
5ik60a-Sw2	
4rk25gn-Cw2 Motor	
Fbld20a	AC 100V Brushless DC Motor Driver
Pk2913-E4.0a	
5gu3.6kb Oriental Motor 5gu3.6kb	
- Elektromotor 2rk6gn-Cw Wk2-Serie, 6w, 220-230 Vac (Ohne Bremse)	
Kiis 5ik100ves-Gar10	
Blf460c-30	
Ezs3-50	MOTORIZED SLIDER
Kiis 5ik100ves-Ghr75	
B2044-054	Stepper Motor Controller 104B11
Axum425-Gn Motor	
4ik25gn-Cw2j	Induction motor of the WorldK series; Power supply: 1-phase 200 VAC, 50/60 Hz; Rated speed: 1200/1450 min-1; Rated power: 25 W; Flange size: 80 mm x 80 mm; with pinion shaft; Protection class: IP20; Lead wire type;
Mu925m-21	
4gn30k	
Kiis 5ik100ves-Gar240	
Kiis 7ik200veut2-Gal120	
5ik40gn-Ut2 Obsolete, Replaced By 5ik40gn-Uw2t2	
A4566-9215kpg	MOTOR 5PHASE 0.02DEG 3.8A .14OHMS
Kiis 5ik100ves-Gar7.5	
Kiis 5ik100ves-Gar40	

Axud40c Treiber Axu- Seriespannungsversorgung: 1~200- 230vacfuer 40w Motoren	
Kiis 5ik100ves-Gal240	
Blfm5120-Gfs+gfs5g10	
Kiis 5ik100vesmt2-Ghr200	
Kiis 5ik100vesm-Gal25	
Kiis 5ik100ves-Gar200	
Kiis 7ik200vest2-Gar15	
Kii 2ik6uc-9	
Kiis 7ik200vest2-Gar100	
Kiis 7ik200veut2-Gar40	
Bld1524-F	Brushless DC Motor Driver
Mu1238l-41b	
0ik3gn-Bw2j Motor	
Kiis 7ik200vest2-Ghr50	
Tmp-1 Torque Motor Controller	
T-Mu1238a-21-Gp	
610193	
Csk243at-Sg10 Stepping Electric Motor	
5ik40gn-Sm	
Kii 2ik6gc-6	
Kiis 5ik100ves-Gar30	
Opx-2a	
Kiis 7ik200vest2-Ghr15	
Kiis 5ik100vesm-Ghr20	
Kiis 5ik100ves-Gar15	
4rk25gn-Aw2tu	
GFS5G15	Spur gears; Flange size: 90 mm x 90 mm; Gear reduction: 15: 1; *** Country of origin: Japan *** Tariff no. 8483402190
Kii 2ik6uc-60	
Kiis 5ik100vesm-Ghr60	

Bx5120c-10	BRUSHLESS DC SPEED CONTROL SYSTEM
Kupplung Mcl651520	
Kiis 7ik200veut2-Ghr50	
Blfd60c2	
5tk20gn-Cw2e Elektromotor	
Kiis 5ik100ves-Gal200	
Mu1428s-11	
Kii 2ik6uc-75	
Kiis 7ik200vest2-Gal240	
Kiis 5ik100vesmt2-Gar200	
Ss32-Hr	Speed Control Module
Pk266-02a	
Kiis 5ik100vesmt2-Gal100	
Kiis 5ik100vest2-Gal15	
Oik3gn-Bw2j	
Kiis 5ik100ves-Gal100	
4ik25gn-Sm	
Kiis 7ik200vest2-Ghr20	
4gn7.5k	
Kiis 5ik100vesm-Gar7.5	
5gn9s Gear Box	
Kii 2ik6gc-18	
Drl20-02b1p-K? Linear-Antrieb	
Kiis 7ik200veut2-Gar20	
Cc300vaf	
Pkp262fd15aw-H50s	
Kiis 5ik100vesm-Gal50	
Oriental 60 W Us Serisi Ratio 100 N:14 D/D	
Kiis 7ik200veut2-Gar100	

Kiis 5ik100vesm-Ghr75	
Kiis 5ik100vesm-Gar20	
Kiis 7ik200vest2-Gar25	
Kiis 7ik200vest2-Ghr25	
4gn60k	
Kiis 7ik200vest2-Gal20	
As66ac-N5	MOTOR W/DRIVER 1PHASE 200/230VAC
Kii 2ik6uc-50	
Kiis 5ik100vesm-Gal40	
Kiis 7ik200vest2-Ghr40	
Kiis 5ik100vesm-Gal20	
Us590-502e2	
Kii 2ik6gc-75	
Tmp-1	
Mu925m-11	
Udx 5114	Super Vexta 5-Phase Driver UDX5114
Bx230c-100	MOTOR BRUSHLESS DC SPEED CONTROL SYSTEM 1/25HP 30W
Pk246pda	
Kiis 7ik200vest2-Gal150	
Kiis 7ik200veut2-Gal15	
Kii 2ik6uc-300	
Kiis 5ik100vesm-Gar30	
Kiis 5ik100vest2-Gal200	
Udx5107-A2	SERVO CONTROL DRIVE 1P/2PHASE
Asd13b-Ap	DRIVER ALPHASTEP CLOSEDLOOP W/ CONTROLLER 100-115V
3tk6a-Aw2u	
Bhi62st-A Motor	
Axhd30k	
2rk6gn-Cw2e	
Kiis 5ik100vesmt2-Gal50	
5gn3.6s Getriebe	

Kii 2ik6gc-5	
5ik60gu-Atf	
- Motor-Getriebe: Mbm315-412 Mit Getriebe 3gn15k Und Elektromagnetischer Bremse 0.05 A 200v	
Pkp246u12a-R2el-L	Stepper motor of the PKP series; Basic step angle: 1.8 °; with encoder (line driver type); Encoder resolution: 200 P / R; Connection type: Unipolar; Phase current: 1.2 A; Holding torque: 0.75 Nm; Flange size: 42 mm x 42 mm; with single shaft; Connection type: 6 strands; Including cable: 0.6 m; Tariff no. 8501109990 *** Country of origin: Japan ***
Kiis 5ik100ves-Ghr100	
Kiis 5ik100ves-Gar75	
Kii 2ik6uc-36	
Kiis 7ik200vest2-Ghr30	
Mu1428s-41	
Ezmc36i	Servo Drive
Kiis 7ik200veut2-Gal30	
Mu925s-11	
Kii 2ik6uc-18	
Kiis 5ik100vesmt2-Gal7.5	
5rk40gn-A	
Kiis 5ik100ves-Gar100	
Fbld40c	Brushless DC Motor Driver
Kiis 5ik100ves-Gal75	
Sb50w Brakepack	Brake Pack; Power supply: 1-phase 100-230 VAC, 50/60 Hz; For rated AC motors: 6-90 W; Control voltage supply: 24 VDC; 1 SB50W 1 0,27 kg 10% discount included 103,50 € *** Country of origin: Singapore *** Tariff no. 8504408290
5rk40gn-Am	
2tk3gn-Cw2e Torquemotor	
5ik60gu-Cf	
Azd-Cx	
Kii 2ik6uc-120	
Sol3m5	

Kiis 5ik100vest2-Gar25	
Kiis 5ik100vest2-Ghr30	
Kiis 5ik100vest2-Gal25	
Kiis 7ik200vest2-Gal40	
Lc2u06a	
4lsf20-4 Ls-Lineargetriebe	
Kiis 7ik200vest2-Gar40	
Kiis 7ik200vest2-Gal50	
Kiis 5ik100vesmt2-Gar40	
Kiis 7ik200vest2-Gar120	
4rk25gn-Aw2t	
Kiis 5ik100vesm-Ghr100	
Kxd180-Abz	SERVO DRIVER 9AMP 100V
Kiis Ik200veut2-Ghr75	
Us590-502e2+gu15kb	
Udk5214n-M	DRIVER 5PHASE 4.6AMP 200VAC 50/60HZ
Kiis 7ik200vest2-Gal30	
Kiis 5ik100ves-Gal15	
Kiis 5ik100ves-Gal120	
Kiis 7ik200veut2-Ghr60	
41k25a-Sw	
5rk40gn-Aw2mj(Ex. 5rk40gn-Am)	
4gn120k	
Kiis 5ik100ves-Gal60	
Axhd50k Treiber Der Axx- Serie;Spannungsversorgung: 24 Vdc;Nennleistung: 50 W;Schutzart: Ip00;	
Kiis 5ik100vesmt2-Ghr75	
Kiis 5ik100vesm-Ghr150	
Kiis 5ik100vesmt2-Gal40	
Kiis 5ik100ves-Gar150	

4gn120k Getriebe	
Kiis 5ik100vest2-Gal50	
Kii 2ik6gc-150	
Pk566bw-N10	STEPPER MOTOR 5PHASE
Kii 2ik6gc-15	
Asd10a-Kdn	STEPPER DRIVE 1.0AMP 24V
Kiis 5ik100vesm-Ghr200	
5rk90ge-Cw3te	Induction turning motor of the WorldK series; Power supply: 1-phase 220/230, VAC 50/60 Hz; Rated speed: 1200/1450 min-1; Rated power: 90 W; Flange size: 90 mm x 90 mm; with pinion shaft; Protection class: IP40; Terminal box type
Kii 2ik6a-Uc	
Kiis 5ik100vest2-Ghr75	
5gn18k Getriebemotor	
Kxpd180-Abz	SERVO DRIVE
4gn15s	
Ble2	
Kii 2ik6uc-250	
Kiis 7ik200vest2-Ghr75	
Kiis 5ik100vesmt2-Gal10	
Kiis 7ik200veut2-Gal50	
Kiis 5ik100vesm-Gar150	
Pk299-E4.5a	
5ik40a-Sw2	
Kiis 7ik200veut2-Gal150	
Axud90c Treiber Axu- Seriespannungsversorgung: 1~200- 230vacnennleistung: 90w	
Kiis 7ik200veut2-Gal75	
Kiis 5ik100vesm-Gal10	
5ik90ge-Cw2te	
As98ace-N50	STEP MOTOR CONTROL CIRCUIT 1.1AMP 3.41VDC

3ik15gn-Cw	
Pk269jda Stepping Electric Motor	
Ble2d120-C	
Kiis 5ik100vest2-Gal100	
5ik90ge-Sw2m Induktionsmotor	
Asd24b-A	SERVO DRIVE STEPPER 5AMP 100-115VAC 50/60HZ
Kiis 7ik200vest2-Gal75	
Control Module Opx-2a	
Kiis 5ik100ves-Ghr50	
Kiis 5ik100vesm-Gar40	
Kiis 5ik100ves-Ghr40	
Kiis 5ik100vesmt2-Ghr30	
Kiis 7ik200vest2-Ghr200	
Kiis 5ik100vest2-Gal120	
Kii 2ik6uc-90	
Kiis 7ik200veut2-Gar15	
Ard-C	Stepping Motor Drive
Bxs	
Kiis 5ik100vesmt2-Gar60	
Kiis 5ik100ves-Ghr7.5	
Kiis 5ik100vesm-Ghr120	
Kiis 5ik100vest2-Gal75	
Sol2m4	
Kiis 7ik200veut2-Ghr200	
Kiis 5ik100vest2-Gar100	
Kiis 7ik200veut2-Gal25	
Oriental Motor Getriebe Gear Head 4gn120k	
Kiis 5ik100ves-Ghr25	
51k150a-Tt2f	
Kiis 5ik100vest2-Gar60	

Msp301n	Speed Controller
Bxii	
Kiis 7ik200vest2-Gal60	
Kiis 5ik100vesm-Gar75	
Kupplung Mcl652022	
Kii 2ik6uc-15	
Kiis 5ik100ves-Gal40	
Ble46c10s-1	
4ik25gn-At	
??258-02?	
Kiis 5ik100vest2-Ghr100	
As46map	ALPHASTEP PLUS
Dfu1514	5-Phase Driver Unit
Az66mkd-Hs50-3	
Mu825s-23	
Kiis 7ik200veut2-Ghr20	
Kiis 7ik200vest2-Ghr240	
Pke564ac-Hs50 5-Phase Geared Stepper Motor	
Kiis 7ik200vest2-Gar20	
Kii 2ik6gc-180	
Kiis 5ik100ves-Ghr150	
- Getriebe 2gn25k	
Kiis 5ik100vesmt2-Gal30	
Kiis 5ik100vest2-Gar75	
Kii 2ik6uc-6	
5rk40gn-At	
Kiis 7ik200vest2-Gal25	
Pk566bw	
Kiis 5ik100vest2-Gar240	

Bhd100k	
Kiis 5ik100vesmt2-Gal75	
Kiis 5ik100vesm-Gal200	
Kiis 5ik100vest2-Gar200	
Kiis 5ik100vesm-Gal30	
Kiis 5ik100vest2-Ghr150	
Kiis 5ik100vesm-Ghr10	
Bld180a-Mk	SUPER VEXTA SERVO DRIVER
Kiis 7ik200veut2-Gal100	
Kiis 7ik200veut2-Gar150	
5ik40gn-Ct	
Kiis 5ik100vest2-Gal240	
Kiis 7ik200vest2-Gar150	
4gn3.6k	
5ik40gn-A	
Asd16d-Cdn	STEPPER DRIVE 200-230V 3.9AMP 50/60HZ
Mu825s-43	
Kiis 5ik100vesmt2-Gar150	
Axhd 50k Motor Driver	
Kiis 5ik100ves-Ghr60	
Kii 2ik6gc-100	
Kiis 7ik200veut2-Ghr150	
4rk25gn-Cw2e	
Kiis 7ik200vest2-Gal200	
Kii 2ik6uc-7.5	
T-Mu1238a-41-Gp	
Mu1238l-11b	
Kiis 5ik100vesmt2-Ghr10	
Kiis 5ik100vest2-Gal7.5	
Pk233pa Schrittmotor Oriental Motor	
Pk233pa	

Kiis 5ik100vesmt2-Gar75	
Dxdv040-S	AC Servo Driver
4gn180k	
5rk40gn-C	
Kiis 5ik100vesmt2-Ghr100	
Ble	
Kiis 5ik100vesm-Gal240	
Udk5114nw2	5-Phase Stepping Motor Control Unit UPK.W
Kiis 7ik200vest2-Gal120	
Kiis 5ik100vesmt2-Ghr7.5	
Kiis 5ik100vest2-Gal40	
Eac6-E15azmkd-3 Elektromechanische Zylinder	
Asm98ma-N25	STEP MOTOR 1.89V 2.1A
Kiis 5ik100vesmt2-Gar10	
- 2tk3gn-Cw2j Mit Getriebe 2gn6k	
Kiis 5ik100vesmt2-Gar25	
Nf32-Sv Molded Case Circuit Breaker	
Kiis 7ik200veut2-Gar75	
Kii 2ik6gc-25	
5ik40gn-St	
Pk266-03ar21-L	
4IK25A-SW2	WorldK series induction motor; Power supply: 3-phase 200/230 VAC, 50/60 Hz; Torque: 0.19 / 0.176Nm; Nominal speed: 1300 / 1550-1600 min-1; Nominal power: 25 W; Flange dimension: 80 mm x 80 mm; with round shaft; Protection class: IP20; Lead wire type;
Mu1428s-51	
Asc66ak-N36	ALPHASTEP MOTOR AND DRIVER
5rk40gn-Am-115	MOTOR AC MAGNETIC BRAKE .1AMP 115V 60HZ 1550RPM
Kiis 5ik100ves-Ghr20	
Kiis 5ik100vesm-Gal7.5	

Kiis 7ik200veut2-Ghr240	
Kiis 5ik100vesm-Ghr25	
Lc2u06b	
Kiis 5ik100vesmt2-Ghr240	
Kiis 5ik100ves-Gar120	
St-Connector-01s I/O Stecker;	
As66ace	STEPPER MOTOR ALPHASTEP CLOSED LOOP
Mu925s-41	
Blv640	
Kiis 5ik100vest2-Gal10	
Kiis 5ik100ves-Gal150	
Kiis 5ik100vesm-Ghr30	
Kiis 7ik200veut2-Gar25	
Azm66mc-Ps36 Motor	
Fxed400a-S	200/230V AC Servo Driver
Kiis 5ik100vesm-Ghr50	
Kiis 5ik100vesmt2-Gar100	
Kiis 5ik100vesmt2-Gal150	
Kiis 5ik100vesmt2-Ghr50	
Azm66mc-Ps36	
Kiis 5ik100vest2-Gar10	
Kiis 5ik100ves-Gal10	
Kiis 5ik100vest2-Ghr7.5	
Kiis 7ik200veut2-Ghr100	
Kiis 5ik100vesm-Gar60	
Kii 2ik6uc-180	
Kiis 7ik200vest2-Gar75	
Kii 2ik6uc-150	
Kiis 5ik100vesm-Gal60	
Kiis 5ik100vesmt2-Ghr150	
Kii 2ik6uc-360	

Kiis 7ik200vest2-Ghr60	
4rk25gn-Cw2j	
Kiis 5ik100vesmt2-Ghr20	
Kiis 5ik100vesmt2-Gar15	
Kiis 5ik100vest2-Gar30	
Kii 2ik6uc-25	
Kiis 7ik200veut2-Ghr120	
Asm98ac-N-7.2	STEPPER MOTOR 4.96VDC 1.6AMP 7.2:1 RATIO
Kiis 5ik100vesm-Ghr7.5	
Kiis 5ik100ves-Ghr240	
4lsf20-4	
Kiis 5ik100vest2-Ghr120	
Kii 2ik6gc-30	
Kiis 5ik100vesm-Ghr40	
Kiis 5ik100vesmt2-Gal20	
5ik60gu-St2f	
5ge7.5s	
Mrs18-Dul	Axial fans of the MRS series; Power supply: 1-phase 200 VAC, 50/60 Hz; Power supply: 1-phase 230 VAC, 60 Hz; Max. Air flow: 11 / 12.8 m ³ / min; Max. Static pressure: 196/245 Pa; Rated speed: 2850/3300/3350 min ⁻¹ ; Rated power: 54.5 / 70/77 W; Flange dimension: 180 mm x 180 mm; Thickness: 90 mm; Terminal box type;
51k90gucf	
Ard36av-K Treiber	
Kiis 7ik200vest2-Gar60	
Kiis 7ik200veut2-Gar30	
Kiis 5ik100vest2-Ghr240	
Kiis 7ik200veut2-Ghr40	
Sol5m8	
Pk223pa-Sg7.2	
Dgm85r-Asaa	ROTARY ACTUATOR 200RPM 110-115VAC 1PHASE

Kiis 7ik200veut2-Ghr25 Bx460c-10	SPEED CONTROL SYSTEM 60W 1/3PHASE DC BRUSHLESS
Bx5120a-10	BRUSHLESS DC MOTOR SPEED CONTROL SYSTEM
Kiis 7ik200vest2-Gar50	
Ble46c10s-1 Getriebemotor	
Kiis 7ik200veut2-Gar50	
Kiis 5ik100vesm-Gar25	
5gn9k Oriental Motor 5gn9k	
Kii 2ik6uc-30	
4rk25gn Aw2t	
5ik60gu-Af	
Kiis 5ik100vest2-Gar7.5	
Kiis 5ik100vest2-Ghr25	
40w-1550-115-60	
Kii 2ik6gc-120	
Kiis 5ik100vesmt2-Ghr40	
Kiis 7ik200vest2-Gal100	
5ik40a-Cw2e Elektromotor	
Kiis 5ik100vesmt2-Gar30	
Kiis 5ik100vesm-Gal150	
610 148	
Kiis 5ik100vesmt2-Ghr120	
Kiis 5ik100vesm-Ghr240	
Kiis 7ik200veut2-Gal40	
C2p1 200000lbs	
Mu1238l-51b	
5ik40gn-C	
Pk244 Md15a	
5ik90gu-Aful	MOTOR INDUCTION 1.55/1.5AMP 80/90W 100/115VAC
Kiis 5ik100ves-Gal7.5	
3rj10gb-Aul+3qb60k	

Kiis 5ik100vesmt2-Gar120	
Mu925m-51	
Mu925s-51	
Kiis 7ik200vest2-Gal15	
Kiis 7ik200vest2-Gar240	
Sol4m5	
Sol5m6	
Fbld40a	AC 100V Brushless DC Motor Driver
Kiis 5ik100vest2-Ghr60	
5ik40gn-Sw2t Elektromotor	
5lb10u2 Linear Gearbox	
4gn3k	
Kiis 5ik100vest2-Gar20	
Kiis 5ik100vesm-Gar10	
5ik60gu-Ctf	
Mu825l-13	
Kii 2ik6uc-5	
Kii 2ik6gc-60	
Kiis 5ik100vesmt2-Gar7.5	
Lc2u06b Lc2u06b	
Kiis 5ik100vesm-Ghr15	
Bld50a-F	100V Brushless DC Motor Driver
Kiis 5ik100vest2-Gar50	
Msp302n	Speed Controller
Kbld30-A	AC Servo Drive
Esmc-K2	Linear Motion Controller
Kiis 5ik100vesmt2-Ghr60	
Kiis 5ik100vest2-Gal150	
Kiis 5ik100vesmt2-Ghr15	
Ud2115a	Super Vexta 2-Phase Driver

T-Mu1238a-11-Gp	
Mu825s-53	
Kiis 7ik200veut2-Gar120	
Kiis 5ik100vest2-Gal30	
5ik40gn-Awt	INDUCTION MOTOR
Kiis 7ik200vest2-Ghr100	
Kiis 5ik100vest2-Gar150	
T-Mu1238a-51-Gp	
Kiis 5ik100vesmt2-Gar50	
Kiis 7ik200veut2-Gar240	
Kiis 5ik100vesmt2-Gal120	
Bxd30a-C	Brushless DC Motor Driver
4gn6k	
Kii 2ik6uc-100	
Udk5107n	Servo Motor Driver Module
Kiis 5ik100vest2-Ghr200	
Kiis 5ik100vest2-Gar40	
Kiis 5ik100vesm-Gal15	
Kiis 5ik100vesm-Gal75	
Kiis 5ik100vesm-Gar120	
Blv	
5ik150a-Tw2t	
Kiis 5ik100vesmt2-Gal200	
Kiis 5ik100vesm-Gar200	
Kii 2ik6gc-12.5	
Kiis 5ik100vest2-Gar15	
Kiis 5ik100vesmt2-Ghr25	
Kii 2ik6gc-360	
Kiis 7ik200veut2-Ghr30	
Mu825s-13	
Kii 2ik6gc-50	

Kiis 7ik200veut2-Gar60	
Kii 2ik6gc-9	
Kiis 7ik200veut2-Ghr15	
Kiis 5ik100vest2-Ghr40	
Kiis 5ik100vest2-Gar120	
2gn3s	
Kii 2ik6gc-7.5	
Ezhc6a-10m	MOTORIZED CYLINDER 100/115V 50HZ
Kiis 5ik100vesmt2-Gar20	
Kiis 5ik100vesmt2-Gal25	
Mu925s-21	
Kiis 7ik200vest2-Ghr150	
Kiis 5ik100vest2-Gal60	
4ik25gn-C	
5gu12.5kb Stirnradgetriebe 5gu12.5kb 90mm X 90mm	
Ss21l	
Kiis 5ik100vesmt2-Gal60	
Kiis 5ik100vesm-Gar240	
Kiis 5ik100vesm-Gal120	
Ss22m	
Kiis 5ik100vest2-Ghr10	
Kiis 5ik100vesmt2-Gar240	
Kiis 5ik100vest2-Ghr20	
Vsr206c2-360e Getriebemotor	
Udk5114n	5 Phase Driver Module
Cmk245ap Stepping Electric Motor	
Kii 2ik6gc-90	
Mu925m-41	
Kiis 7ik200veut2-Gal240	

[Kii_2ik6a-Gc](#)

[Kiis_7ik200vest2-Ghr120](#)

[Ss21m](#)