

Papenmeier

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Papenmeier Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Papenmeier Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
0206.103.00	
0354.019.00	
0354.025.00	
1356.015.00	
3540.800.00	
3540.860.00	
3540.888.00	
Abnahme Prüfzeugnis APZ 3.1	
DIN 11851 - MV 100	
DIN 28120	
DIN 28120 - A - 200 - 10	
DIN 28121-AB1-50-10	
Für USL 05 / USL 05 - Ex	
L0000425	
L0000624	
L0862.019.00	
L0862.024.00	
L1227.003.00	
L1775.039.00	

Ürün	Açıklama
L4005.321.00	
L6560.002.00	
L7223.065.00	
LS	
LS	
LS	
LS	
LUMIGLAS-LEUCHTE LUMISTAR 100	
LUMISTAR 175	
Lumistar 125.	
MV / SLM 65	
USL 03-LED	
USL 05	
L0003722	Round sight glass fitting DN50, pressureless Lumiglas sight glass fitting DN 50 for pressureless containers Flange dimensions: Ø 140 / 80 x 15 / 10 mm base and counter flange 1.4571 sight glass plate borosilicate glass Flat gaskets KLINGERSIL C-4400 screws A2 max. temperature: 280° C max. pressure: 2 bar
LS#0206.083.00	Round sight glass fitting S/S Lumiglas sight glass fitting similar to DIN 28120 - A - 100 - 10 Base flange S235JR+N (RSt 37-2 / 1.0038) Counter flange S235JR+N (RSt 37-2 / 1.0038) Sight glass plate soda-lime glass DIN 8902 Flat gaskets KLINGERSIL C-4400 Bolts and nuts 5.6/5.0 galvanized max. temperature: 150°C max. pressure: 10 bar
LS#0206.103.00	Circular sight glass fitting ES/ES Lumiglas sight glass fitting

Ürün	Açıklama
	similar to DIN 28120 - A - 100 - 10 Base flange 1.4571 Counter flange 1.4541 Sight glass plate soda-lime glass DIN 8902 Flat gaskets KLINGERSIL C-4400 Screws and nuts A2 max. temperature: 150°C max. pressure: 10 bar
LS#3544.321.00	Sight glass luminaire Lumistar 100-LED; 18° Lumistar lamp Type Lumistar 100-LED AC/DC 24V / 6W 1x 3-LEDs / 1x500 mA Beam angle 18° with button Protection class: IP 65 incl. 3 m connection cable
3540.885.00	
Typ Usl 05 - Ex (Mini - Ex)	
L1775.146.00	
Din 11851 - Mv 100	
3540.860.00 Luminary Esl-26 , 230/12v, 20wt	
L5684.003.00	
Typ Usl 03 ; Edelstahl	
Typ Lumistar 225,	Lumistar light Type Lumistar 225, suitable for fitting DN 200 24 V / 100 W, with push-button, IP 65 protection L3544.029.00 + L3232.244.00 Product number: 94054091 country of origin: Germany
Typ Lumistar 175 - Led Mit Taster	
L1775.145.00	
150 Swi	
Typ Usl 05 / Usl 05 - Ex	
L0862.019.00 Lumiglas O-Ringdim.: 4 X 1 Mmmaterial: Vitonfor Lumiglas Wiper Sw I ,	

Ürün	Açıklama
Pos. 12	
Papenmeier-Abnahme-Pr3;Fzeugnis- Apz-31-Istanbul-Türkiye	
Din 28120 Lumiglas Sight Glass Fitting Circular Din 28120, With Sodalime Glass ,Dn50	
L1227.003.00 Lumiglas Pressure Springfor Sw I, Pos. 5 Und Sw li	
L3544.001.00	
L7223.066.00	
0354.016.00	
L0354.016.00	
Usl 05 Lumistar-Leuchte- Nicht Ex Version -24v / 50w, Ohne Tasterschutzart Ip 65	
L0863.176.00	
Dn50 Din 28120	
Slm 65 H Glas Mit Beleuchtung	
Lumistar 175	
Papenmeier-Lumistar-Halogen- Gl3;Hlampe-12v-5w-Istanbul-Türkiye	
L0862.024.00 Lumiglas O-Ringdim.: 12 X 2,5 Mmmaterial: Vitonfor Wiper Sw I - Pos 9	
Usl 03	
1356.015.00 Flange Adapter	
Esl 55-Led	
Din 28121-Ab1-50-10	
Lumiglas-Leuchte Lumistar 100	
Typ Lumistar 175 - Led	
Slm 65 H 24 V Dioptium With Backlight 01	

Ürün	Açıklama
07 Max 20 W	
Lumiglas Usl07, 24v,50w Part.3540.604.00	
Typ Esl 26 - Ex	
L1775.144.00	
Usl 05 / Usl 05 - Ex Lumistar- Leuchtenbefestigungklappscharnier Edelstahl	
L6560.002.00 Lumiglas Flat Gasketfibre Washer For Sw I - Item 8	
Din 28120, Dn 100 Schauglas Nach Din 28120, Dn 100. Flansche-Edelstahl. Stahl, Glas-Standard	
L0354.005.00	
3544.123.00	
Lumiglas Leuchten Die Me125, 24v, 50wpart.3544.124.00 With Seal Ring	
- Schauglas Kpl	
Lumistar 125	
Circular Sight Glass Fitting Din 28120, Dn200	
Typ Usl 01	
L0862.036.00	
L3541.171.00	
L1775.016.00	
Lumiglas Usl06, 24v,50wpart.3540.737.00	
Ring Seal With Web For Me125	
L4005.439.00	