Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

Pch Engineering

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz. **Pch Engineering** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Pch Engineering Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Pch1216	Complete set for shock sensor product and also cable (including connector)
PCH 1026 Mk2	
PCH 1072/CHF8114	
PCH1220-	Standard PCH1220 MK2 vibration switch - Measured variable vibration velocity, - Measuring range 0-20mm/s, * - Frequency 10-1000Hz * - Alarm threshold A1 - 5 mm/s, +/-15% - Response delay A1 - 10 sec. - Alarm threshold D1 - 7 mm/s, +/- 15% - Response delay D1 - 5 sec. - 2 alarm relays, contacts 30VDC/ 0.1A opens in case of alarms - Power supply +24VDC, ± 10% - Temperature range - 20 °C - 65 °C - Connector plug on top, 8-pin M12 - Measuring axis equals longitudinal axis - Mounting screw M8x7 mm, - Stainless steel housing 1.4305 IP 68 H100 x D29mm HEX 25 - IP67 connector
PCH1106/CHf XXXXX	
PCH1106/CHF8170	
PCH1270/CHF5212	
PCH1270/CHF8004	
PCH1270/CHF8004_L5	
PCH1270/CHF5213	compact vibration monitor

Pch Engineering

Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

VIBRATION PICK UP 1240-CHF 5210/ PCH	
PCH1106MK2/CHF8112 Vibration Transmitter	- measuring range 0- 20 mm/s, - Frequency 10Hz- 1000Hz - Current output RMS, 4-20mA - Voltage output 1-5 VDC - Supply + 24 VDC - Connection plug above M12, - Without connection cable - Housing stainless steel 1.4301 IP 65 - M8 mounting screw - Dimensions H 80mm x D 30mm - Country of origin: Denmark - Customs tariff number: 90318080
Connection cable for TA-TR-1106/LP2XX with	4-PIN M12 socket - Cable PUR jacket 4x 0.25 mm², shielded - M12 socket 4 poles - Cable length 10 meters, open end - Temperature -20°C to 85°C
SNTRFJ VIBRATION SENSOR	PCH 1290 CHF 8122
PCH 1290 \CHF 8122	
PCH 1290 \CHF 8122	
PCH1220	
1240	
PCH 1270	
VIBRATION SENSOR PCH 1270 SPEC:CHF 5213	
PCH 1270/CHF5210/X1	Measuring device for vibration monitoring Factory settings: - Measuring range 0 - 20 mm/s - Frequency 10Hz - 1000Hz - Alarm thresholds: - Alert A1 22.5% or Danger D1 35% - Calibration protocol (2 point calibration, Point 1 0mm/s- Current output not less than 4 mA, Point 2 at 10mm/s) - Output 4 - 20mA - Housing made of material 1.4305, IP 68, - Connection cable, length 2 m
PCH1270/CHF5212X1	Measuring device for vibration monitoring Measured variable vibration speed Measurement range 0 - 10, 0-20, 0-50, 0-100 mm/s (customer specification) Frequency 10 Hz - 1000Hz, 2 alarm limit values (customer specification) Limit value relay with normally open contact Response delay A1 0-99 sec. D1 0-99 sec (customer specification) Analog output RMS, 4 - 20mA Supply +24 VDC Side 8 pin plug connection, M12 Housing stainless steel - IP 68, Mounting M8
PCH1270/CHF5213-	Vibration monitoring device according to safety category 2 (EN954-1) Measuring range 0 - 100 mm/s, or 10, 20, 50 mm/s Frequency 1 Hz - 30 Hz, - Limit value A1: 40 mm/s; 10sec - Limit value D1: 60 mm/s ; 5 sec. - Alarm relay, normally closed contact, 30 VDC 0.1 A - Analog output RMS 4-20mA, - Connection cable length 5 meters - Parameter setting possible manually - Supply: + 24 VDC - Housing stainless steel 1.4305, IP 68, mounting M8
Pch1240 Chf8003 (Pch1240-200628078) Obsolete, Replaced By Pch 1270/Chf8003	
Pch1270	
Vibrationssensor Pch1275/Chf5209	
Pch/1240/Chf5213 Obsolete Replaced By Pch 1270/Chf5213	
Pch 1072/Chf8027	
Pch 1275/Chf 8005 Vibration Sensor Engineering 1275/Chf 8005 (Pch1275-2018090070)	
Pch1275/Chf5209 Vibrationssensor	
Pch 1270/Chf8135	
Pch 1072	

Pch Engineering

Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

Pch 1072/Chf8114 Vibrations-Monitor	
Pch1106/Chf Xxxxx Pch1106/Chf Xxxxx	
Pch 1008	
Pch1106/Chf8113	
Pch1270/8032/8159/5212	
Chb 1122	
PCH1106/CHF8118-	vibration transducer -Measuring range 0-10 mm/s -Frequency range 10-1000 Hz -Current output RMS 4-20 mA -RMS averaging in seconds: 3 -With standard connector M12 -Cable available separately -Case connected to Power GND -Stainless steel housing with mounting screw M 8 - Voltage output 1-5 VDC
Pch1026/Chf 8967 80/2.0	
Chb 1123	
Pch1240,Chf8004 Obsolete Replaced By Pch 1270/Chf8004	
Chb 1120	
Pch 1026	
Pch1275/Chf8005	
Chf 8001	
Pch1106/Chf8170 Vibrationssensor	
Pch1106/Chf8118	
Pch 1420	
1270/Chf5213	
Pch 1272/Chf8158	
Pch1275-Chf5209 Vibrations-Sensor	
Pch1270/Chf 8004	
Pch1026/Chf8830	
Pch1275/Chf5209	
Pch 1106 / Chf8073	
Chl-1073	
Pch1290	
Pch1275/Chf5209 Atex	
Pch1220	
Pch 1270/Chf5213	
Pch 1220 Vibratory Switch	
Cchb 1102 Vers. 3 + Cable	
Pch1270/Chf8041	
Pch 1073	

Pch Engineering

Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

Pch-1420 4
Pch 1270/Chf8003
Vdc Akab Pch1xxx-2m
Pch 1270/Chf8001
Pch 1270/Chf 5213 Vibration Guard Engineering
Pch 1270/Chf8004 Vibrationssensor
Pch1106
Pch 1275/Chf 8005 Vibration Guard
Chb 1121
Pch 1270/Chf8004
Chb1102

Pch Engineering