

## Pentair

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Pentair** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Pentair T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



| ¼r¼n  | A¼ıklama  |
|---|---|
| <a href="#">4000569</a>   | (4000569) P.R.F. Membrane Element - Merlin                |
| <a href="#">FIRE PUMP</a>   |   |
| <a href="#">HEAD ASSEMBLY 80E 30 / MKY</a>                        | CL 94002 Pentair - Codeline.                              |
| <a href="#">EV9691-56 2FC Patrone</a>                             | 9900005622  |
| <a href="#">Pressure Vacuum Relief Valve</a>                      | GDP-PO-PM-045 Soft Goods Kit For 2" FIG 121FS K800017-001 |
| <a href="#">GLAND FOR SEMPELL VALVE 6013/DN400 POS NO:9,</a>      | 1.4006, DWG:7014/05635_014&002                            |
| <a href="#">SPACER FOR SEMPELL VALVE 6013/DN400 POS NO:30,</a>    | 1.4006, DWG:7014/05635_014&002                            |
| <a href="#">BOLT FOR SEMPELL VALVE 6013/DN400 POS NO:11, A193</a> | B7, DWG:7014/05635_014&002                                |
| <a href="#">NUT FOR SEMPELL VALVE 6013/DN400 POS NO:12, A194</a>  | 2H, DWG:7014/05635_014&002                                |

|  |  |
|--|--|
| <a href="#">BOLT FOR SEMPELL VALVE 6013/DN400<br/>POS NO:15, A193</a>  | B7, DWG:7014/05635_014&002   |
| <a href="#">NUT FOR SEMPELL VALVE 6013/DN400<br/>POS NO:16, A194</a>   | 2H, DWG:7014/05635_014&002   |
| <a href="#">YOKE NUT FOR SEMPELL VALVE<br/>6013/DN400 POS NO:19,</a>   | ,B148 GRA, DWG:7014/05635_014&002  |
| <a href="#">PIPE FOR SEMPELL VALVE BYPASS<br/>6013/DN400 POS NO:87</a> | 1.5415 DWG:7014/05635_014&002  |
| <a href="#">VALVE GLOBE VA500 FOR SEMPELL<br/>6013/DN400 POS NO:88</a> | 1.5415 DWG:7014/05635_014&002  |
| <a href="#">CUT RING FOR SEMPELL VALVE<br/>6013/DN400 POS NO:121,</a>  | , A193 B7, DWG:7014/05635  |
| <a href="#">YOKE NUT FOR SEMPELL VALVE<br/>6013/DN300 POS NO:19,</a>   | ,B148 GRA, DWG:7014/05635_004  |
| <a href="#">SPACER FOR SEMPELL VALVE<br/>6013/DN300 POS NO:30,</a>     | 1.4006, DWG:7014/05635_004   |
| <a href="#">BOLT FOR SEMPELL VALVE 6013/DN300<br/>POS NO:15, A193</a>  | B7, DWG:7014/05635_004   |
| <a href="#">NUT FOR SEMPELL VALVE 6013/DN300<br/>POS NO:16, A194</a>   | 2H, DWG:7014/05635_004   |
| <a href="#">GLAND FOR SEMPELL VALVE<br/>6013/DN300 POS NO:9,</a>       | 1.4006, DWG:7014/05635_004   |
| <a href="#">CUT RING SEMPELL VALVE 6013/DN300<br/>POS NO:121,</a>      | A194 2H, DWG:7014/05635_004  |
| <a href="#">V360A-05/12 BN</a>   |  |
| <a href="#">SERi Nr:K4502 / : K4502</a>                                | repair kit   |
| <a href="#">5812 SXT</a>   | VOLTAGE: 12V DC 24W  |
| <a href="#">Siata AC5-02-05#STD</a>                                    |  |
| <a href="#">CODELINE 80E30 Adapter</a>                                 |  |
| <a href="#">ALN05-60B</a>  | cartridge filter 1305.ALN05-60B Cartridge filter ALN05-60B   |
| <a href="#">9303P</a>  | Polypropylene Cent Pump  |
| <a href="#">OGM – BA7 – A2 – E3X</a>                                   | O2 measurement device General specifications; 0-2000 PPB<br>4-20mA output Wall Mounting  |
| <a href="#">Fleck valve 5812/1600 SXT</a>                              | 1" Noryl with top nozzle and Kit 51 V5812SR-002  |
| <a href="#">51 V5812SR- 001</a>  | Fleck valve 5812/1600 SXT 1"1/4 IT 1/-/0.50 for pressure<br>tanks with 2 1/2" Noryl orifice with upper nozzle and Kit 51<br>V5812SR- 001 |
| <a href="#">Part 3</a>   |  |

|  |   |
|--|---|
| <a href="#">ALN05-60B</a>  | Cartridge filter ALN05-60B nominal                    |
| <a href="#">AQUALINE ALN05-60B</a>   | FILTER 60" 5 MICRON CARTRIDGE                         |
| <a href="#">9303C-HM4C SP 13063 1 0008</a>   |   |
| <a href="#">07.25.999</a>  | Pentair SIATA DI Controler 7 Piloten Typ SVSPX-701/05 |
| <a href="#">N42001a1</a>   | HYDROSTATIC INTERFACE UNIT 65VDC 2.5WATT              |
| <a href="#">Bestobell Mobrey Type 40-100 With Pressure Gauge 0-10 Bar Dn:1/4 Npt Operating Pressure 7 Bar Operat</a> |   |
| <a href="#">V626850</a>  | ENCLOSURE TYPE 12/13 30X24X8IN FULL HINGE             |
| <a href="#">5315</a>   |   |
| <a href="#">Anfo Loader,P/N 4d75p</a>  |   |
| <a href="#">1103-282 3175-001 0909-138 8492-002</a>  |   |
| <a href="#">13210021000 Assembly-Body/Disc 20-D</a>  |   |
| <a href="#">Fleck-3150</a>   |   |
| <a href="#">Sbxte 12hov 38z00</a>  |   |
| <a href="#">Lb11-0226-Gw205</a>  | AIR CONDITIONER 2000BTU 586W 1PH 230VAC 50/60HZ       |
| <a href="#">Tx23-1416-101</a>  | HEAT EXCH TX23-1416-101                               |
| <a href="#">Filter Hp8339mcbl</a>  |   |
| <a href="#">Bbd3-1200</a>  | BROKEN BAG DETECTOR 110VAC 60PSIMAX                   |
| <a href="#">Anfo Loader,P/N 4d62p</a>  |   |
| <a href="#">Eb11-31/8 Cf8 S18a</a>   |   |
| <a href="#">Neoseal N01</a>  |   |
| <a href="#">Panteir 9600</a>   |   |
| <a href="#">742f</a>   |   |
| <a href="#">Ud-250a</a>  |   |
| <a href="#">06689030142</a>  |   |
| <a href="#">155634-43</a>  |   |
| <a href="#">1016665000</a>   | PENDANT ARM / SWIVEL TILT ALUMINUM                    |
| <a href="#">Pentair-155390-03-1-Vpe=-20-St3;Ck-Istanbul-Turkiye</a>  |   |
| <a href="#">03-06857</a>   | PC BOARD 2BD ASSEMBLY                                 |
| <a href="#">Nr. 26503-24</a>   |   |

|   |  |
|---|--|
| <a href="#">L88303nbc15</a>   | LIQUID FILTER 30IN BASKET 3IN NPT 150PSI CARBON  |
| <a href="#">348-Lcs-Pwr-Clos</a>  |  |
| <a href="#">Steckertrafo 220v / 12v</a>                                     |  |
| <a href="#">15348</a>   |  |
| <a href="#">10.01.120</a>   |  |
| <a href="#">12977</a>   |  |
| <a href="#">963557-02</a>   | RENEWAL KIT INTEGRAL STRAINER TRAP 515B  |
| <a href="#">4110a-03-Sgk-W</a>  |  |
| <a href="#">12281</a>   |  |
| <a href="#">Np1866b</a>   | CABINET STEEL 68.70X21.77X23.62INCH  |
| <a href="#">Csd20166ss/O</a>  | ENCLOSURE WALL MOUNT 20X16X6 18IN WINDOW   |
| <a href="#">0303999991</a>  |  |
| <a href="#">Disc For Psv-25-233 Model No: 20-D01-Mc0120 Disc (Ref.No.4)</a> |  |
| <a href="#">Autotrol 255-740</a>  |  |
| <a href="#">26494</a>   |  |
| <a href="#">06689116269</a>   |  |
| <a href="#">25156</a>   |  |
| <a href="#">Fig. 24-385</a>   |  |
| <a href="#">4130a-06-Sgk-W</a>  |  |
| <a href="#">Filter Hp8916mcb1</a>   |  |
| <a href="#">Sxl-225 Fsfvc Pvc</a>   |  |
| <a href="#">S370-Se-E-40-T-Xx-Xx-As</a>                                     | VALVE SINGLE SEAT TRI-CLAMP AIR- OPEN SPRING-CLOSE   |
| <a href="#">25507</a>   | CABINET STEEL 68.70X21.77X23.62INCH  |
| <a href="#">Exdbdm25ss6</a>   |  |
| <a href="#">Siata V360 Sma / Blue Soft.</a>                                 | 3-Wege-Ventilset, angeschlossen an Enthärterssäulen Pentair Marke - Modell SATA V360 SMA / blau weich. |
| <a href="#">U-742554</a>  | ENCLOSURE 8 X 3.5 X 2.75IN 3HOLE   |
| <a href="#">Filter Hp8926mcb1</a>   |  |
| <a href="#">Hidrbpss</a>  | DATA INTERFACE PANEL   |
| <a href="#">Filter Hhr35127mcb1</a>   |  |

|  |  |
|--|--|
| <a href="#">13301</a>  |  |
| <a href="#">11019d</a>   | ENCLOSURE STEEL 20X16 1/2X9 1/2IN WALL MOUNT   |
| <a href="#">S/N 762 18913 6932-1</a>                                   |  |
| <a href="#">2129417</a>  |  |
| <a href="#">155698-43 - 1 Packet = 12 Pcs</a>                          |  |
| <a href="#">21x2-150 Mm Kalay Kapli Flexible Bara - Kesit : 25 Mm²</a> |  |
| <a href="#">Zbr21720</a>   |  |
| <a href="#">Monitrace-1000</a>   | CONTROLLER HEAT TRACING 110-277VAC             |
| <a href="#">11710</a>  |  |
| <a href="#">Epm-10</a>   |  |
| <a href="#">1423222</a>  |  |
| <a href="#">0910-2386677-010</a>                                       |  |
| <a href="#">Anfo Loader,P/N 4d100p</a>                                 |  |
| <a href="#">13303</a>  |  |
| <a href="#">25155</a>  |  |
| <a href="#">13302</a>  |  |
| <a href="#">Filter Hh35190mabl</a>                                     |  |
| <a href="#">Cxp30-12</a>   |  |
| <a href="#">Turbine Meter Unit For Valve 5600se</a>                    |  |
| <a href="#">14241</a>  |  |
| <a href="#">Clean Amp; Clear Cc75</a>                                  |  |
| <a href="#">B2tpms-B77579</a>  | PUMP 10HP 3600RPM 3PHASE 6.1875IN IMPELLAR DIA |
| <a href="#">Gsd1206030gp4</a>  | ENCLOSURE METALLIC BEIGE                       |
| <a href="#">Xr29-0816-012h</a>   | HEAT EXCHANGER 115V 50/60HZ                    |
| <a href="#">Autotrol 255-760</a>                                       |  |
| <a href="#">Btv-10btv2-Cr</a>  | WIRE ROLL HEATING CABLE 277VAC 850FT           |
| <a href="#">Filter Hhr45130x25bl.</a>                                  |  |
| <a href="#">Filter Hp8926m Abl Pentair</a>                             |  |
| <a href="#">2009520</a>  |  |
| <a href="#">Aw17 6bar 05wks</a>  |  |

|  |   |
|--|---|
| <a href="#">Mw100-43</a>                                       | PUMP 1HP 3AMP 3PHASE 460V 60HZ SUBMERSIBLE      |
| <a href="#">Iek-25-041</a>                                     |   |
| <a href="#">Filter Hhr56188mdb1</a>                            |   |
| <a href="#">Ew-04 1348985á;Á;Á; - C-21x60</a>                  |   |
| <a href="#">014100102wmdb00</a>                                |   |
| <a href="#">155815-03 - 1 Packet = 6 Pcs</a>                   |   |
| <a href="#">21-60 Structure</a>                                |   |
| <a href="#">Sf-1348-434</a>                                    | IP54 13 571 FILTER FAN 48V 7035                 |
| <a href="#">Gsc804012</a>                                      | ENCLOSURE MODULE 31.5X15.75X4.75IN              |
| <a href="#">12550</a>  |   |
| <a href="#">13242</a>  |   |
| <a href="#">Á189;?, 0.2-2.1 Bar (3-30 Psi)<br/>Cash/Acme-B</a> |   |
| <a href="#">A260-2.80 T2</a>                                   |   |
| <a href="#">Filter Hhr56362mcb1</a>                            |   |
| <a href="#">Lb11-0225-205</a>                                  | AIR CONDITIONER 2000BTU 586W 1PH 230VAC 50/60HZ |
| <a href="#">-1/2ã39;Á39;Bsp-11/2ã39;Á39;Bs</a>                 |   |