

Pfisterer



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Pfisterer Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Pfisterer T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
1¼ Pfisterer Plug Inn Cable Head 400mm2 S2	
2¼ Pfisterer Plug Inn Cable Head 240mm2 S2	
3¼ Pfisterer Plug Inn Cable Head 120mm2 S2	
4¼ Pfisterer S2 Cable Joint (Cable Splice Box)	
5¼ Pfisterer S2 T-Joint	
6¼ Dummy S2 Shock Proof	
Pfisterer	
827 150-003	CONNEX dummy plug size 2, Um=42kV outdoor resistant Article is eligible for preference
38299999900019 HVC8	Plug with cable, assembled. 7.0m
38299999900050 HVC8	Plug with cable, assembled. 8.0m
Model: hvc8	382015020
827 125-003	CONNEX cable test socket size 3, not safe to touch Article is eligible for preference
	CONNEX cable test socket size 2, not safe to touch for

827 125-002	testing cables with CONNEX cable connection parts size 2 for AC voltage testing up to 63kV 1h not suitable for partial discharge measurements technical data according to data sheet Article is eligible for preference
Nipell 2"	
Check valve G3/8"	
Check valve G3/4"	
Check valve G1/2"	
elbowe 3/4"	
001 531-531	Contact protection paste P1 500ml tube P1 contact protection paste 500ml tube
382 005 102	HC HVC8 3 35 SF NI 051
P3EC1 185mm2 AF01 P3	
P3EC1 95mm2 AF01 P3	
Clamp	1250A M30X2 TERMINAL BLOCK
8299999999	
KP-Test 5R DC	
connex 110 kV GIS	
CONNEX Separable Connectors, Size 6-S, up to 245 kV	
CONNEX Socket, Size 6-S, for GIS, up to 245 kV	
Outdoor Termination ESS245-C97, 245 kV, silicone, oil-insulated	
859 999-999 01996	HV-CONNEX cable connection part size 5-S Maximum operating voltage up to 145 kV Individual inspection IEC 60840 AC/TE Voltage test 190kV/30 min. Partial discharge test 114kV / q < 2 pC Ambient temperature down to -25 °C Application area: Indoor Conductor shape: Round, multi-stranded Semiconducting layer firmly welded Cable shield wire shield 1. Reinforcement lead jacket/AL jacket 2. Reinforcement without 2. Reinforcement Smooth outer shell Standard cable accessories (rigid grounding) Customer-specific standard Language instructions DE + EN Conductor cross-section 800 mm² Working range of contact system 32.8 - 35.9 mm Working range of insulating part 73.0 - 75.0 mm Diameter over cable shield 90.0 mm Diameter over 1st reinforcement 95.5 mm Outer shell diameter 100.0 mm Cable shield cross-section 194 mm²
850 210 120	
827 165 001	

Est72-C19I
930 140-020 00028
132-138 Kv
Msa113-Der
300010257
560164005
850 210 300
566121160
Connex Var.3326
557308025
566111012
Connex Var.1298
819 999-999 00580
Connex Var.3578
Connex Var.3577
870 330-240
305798001-305768001
827,539,525
827189008
559 214 004
Mv-Connex Size 3
P/N: 305 007-106 Type: Af06
Voltage Detectors Kp- Test 5r Dc
563 376 002
850 210 070
305 675-001
Art. No. 134922-
Connex Var.1300
305 675 013
827 017 002

002 854-002
332 235-235
827 166 001
829 999-999 03147
566101001
Connex Groã223;E 3, 52 Kv
559 214 002
331 747-002
559 214 003
850 350 120
839 999-999 08397
P/N: 305051051
557313005
305 051-051
Connex Var.0358
305940001
304 132 002
545051001
331 746-003
850 210 185
305 675 002
559 223 002
Connex Size 5s
827229001
2direkt
850 220 095
305 768 001
827 134 003
827 153 001
Msa123-Xlr

827 973 001	
827 017 003	
827 186 212	
Rubber Hammer	
827 221-002	
100101420 (Gross)	
305 768-004	
619528006	
827 189 008 Var.0005	
302.537.537	
332 806-102	
559214001	
880265214 , Model Will Be Ready In July 2018	
P3ec1	
331 746 001	
850 220 150	
Connex 3 / Seperable Connectors Size3 42kv 240mm2	
850 220 120	
827 125-003	CONNEX cable measuring socket size. 3 CONNEX cable measuring socket size 3, not touch-proof
827,537,300	
850 330 Xxx	
040360201	
870 230-070	
558228007 Mv Special Grease 500g Cans With Imprint	
566102001	
Cleaning Solvents	
619528003	
546 004 009	
P3 (Af01 M20x37)	

850 220 050
827,539,450
850 330-240
558228008
332427001
869999999
827,539,510
827 174-001
Typ Ess170-C47 , 890 880-001
827 537 240
850 210 150
870 330 Xxx
Bp12
Ess 145-C37
839 999-999 00549
100101420 (Klein)
839 999-999 08396
827 147-002
Connex Var.3580
827 133-001
930350001
810105329
850 330-050
870 310 300
P2ec1
850 210 095
870 310-400
305.678.009
Eva 105 C 2011 For Ct Use
870 330-050

305 675 003
Dsa 2 (827161005)
827 174 004
890 342-001
Connex Var.1295
850 220 070
331 746-004
331 348-001 (Pack X 4)
Repair Kit For Hxchbmk-Hf
Art.No: 829 999 999
827 167 001
360 384-003
870 330-300
850 220 185
827 186 211
839999999
330 656-004
305 768-003
850 330-300
870020050 3 Connex Cable Connectors
331 747-001
827 972 001
Hv-Connex Size 4
827 153 010
Msa 145-Dor
850 220 240
Ehp 850 (305 853-012)
Cleaning Rags
Type Gis,3s ,33kv
827017004
559214006

557912001
829 999 999
850,210,240
827,537,360
888.201.31.00
827 951-001
132kv
827 150-004
870 310 185
Hv-Connex Size 6
Connex Var.1304
559225001-Nicht Lieferbar
850130050 3 Connex Cable Connectors
305 063-063
Art.Nr. 827227001 Connex T-Muffe Gr.3
331 746-002
Est123 -C31 (S Are Est 123-C31 And Est123-C31sub)
Connex Var.3579
331 749-002 (Pack X 4)
Connex Var.3576