Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Planetroll

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Planetroll Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Planetroll Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Typ MRV-1P11-7,667-4(11k6x23)	602-10205 Variable speed drive unit planetroll consisting of: ---------- a) Control gear "p l a r o m a s t e r" b) planetary gear Technical specifications ---------- Control element: right Design: B3 / B14-like Installation position: 1 Speed range: 0 to about 143.5 rpm Output torque: max. 4.5 Nm from 2.6 to 88.3 rpm approx. 2.9 Nm 143.5 rpm (n1 = 2800 rpm, P1 = 0.067KW) Weight: approx. 2 kg / pc Customs tariff number: 8483 40 59
(0,12D2) AR1Z0-11,3-1	
(0,37D2)MR3-1(PD085-10-420k6x40)	
0,047D2MRV-4(8h6x22) 602-07672	
0,12D2MR1-1S031-15-0111(So)	
0,18D4MR3P1Z051-1342,45-2 602-11336	
0,25D2AR 2-3 1M /4,2 - 30/100	
0,37D4(Ex)dMR3-3(14h6x30)	
0,55D4MR5	
0.047D2L1N-4	

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0.37D4(Ex)MR3-2(160,19h6x40)	
012D2AR1-1303-15-011	
202-00485	
202-00489	
202-00500	
202-00502	
202-01274	
202-01310	
202-01314	
2047.1351.4	
401-00501	
402-00040	
402-00195	
402-00207	
402-00234	
403-00039	
405-00155	
405-00169	
405-00217	
405-00227	
405-00253	
602-07670	Control gearbox drive unit planetary roller Type 0.047D2MRV-4(8h6x22) ========== consisting of: ---------- 1) Three-phase motor 2) “plaromaster” control gear 3) Control element 4) Painting

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Dimension sheet no.: M061 024 Technical data ---------- Control element: right Design: B14-like Installation position: 1 Speed range: 0 to approx. 1100/1320 rpm (50/60 Hz mains supply) Output torque: approx. 0.6 Nm from 20/24 to 200 rpm approx. 0.2/0.17 Nm at 1100/1320 1/min Weight: approx. 2.7 kg/piece 302-00002 2 pcs Control element Type: HVN, coarse scale 0-12, fine scale 0-100 302-00010 2 pcs Planomaster type MRV control gearbox Drive side: for motor mounting B14-62, centering collar Ø25, special shaft Ø 9 with clamping element Output side: B14-like, centering diameter 30j6x2, 4x Bo.M3x8, on TK diameter 47, Output shaft diameter 8h6x22. 602-08879 2 pcs Paintwork RAL 9006 -White aluminum-
602-08042 + 302-00008 + 302-00002 + 301-00962	
602-08156	
602-11894	
603-01953	
603-01962	
603-10273	
7,5D4MR11ZF83-57,43-0110(100H7x366)	
AbstandhalterNr.28 (202-00525)	
ANGA-112MB-040(NOT OFFERED)	
CRW-131(Ex)-601-01719	
freie Antriebswelle 14h6x30 Nr.24/1 (202-00286)	
MR7-1/3 (24h6x50)	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
PD065-dAD005-1FA1	
PD065-HAI004-1AA1	
PD065-HAT028-1AA1 (603-10944)	
PD085-GAU010-1AA1 (603-01953)	
PD155-CAC010-1AA1	
Pos.E160 (401-00495)	
reducer for PD065-HAT028-1AA0	
Schragkugellager 7210 B Nr.35 DIN 628 (402-00153)	
SFA7-D-32/FNR 93 93 1405,D P 3706716.8	
Typ M 063 B 1400/15	
Typ MA3Z01-12,557-1(16k6x40) (602-08156)	
Ubertragungskugel D.18 Nr.34(0,143 kg/1 Satz/set) 402-00206	
VARIOTRAC 68P 32	
MRV-1P11-7,667-4(11k6x23)	consisting of: ---------- 1) Control gear "p l a r o m a s t e r" 2) Footplate 3) Control element 4) Planetary gears Technical data ---------- Control element: right Design: B3/B14 similar Installation position: 1 Speed range: 0 to approx. 143.5 1/min Output torque: max. 4.5 Nm from 2.6 to 88.3 1/min approx. 2.9 Nm 143.5 1/min (n1= 2800 1/min, P1= 0.067KW) Plaromaster type MRV control gearbox Drive side: free drive shaft diameter 8h6 x 20 2 302-00017 1 PCS Foot plate size 1N + MRV (standard version 10 mm) 3 302-00002 1 PCS

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Control element type: HVN, coarse scale 0-12, fine scale 0-100 4 301-00967 1 PCS Planetary gear Type P11-4, B14-like version, reduction i = 7.667; Centering Ø 40j6x9, 4x Bo.M4x8 on TK-D.52; Output shaft Ø 11k6 x 23, (Max. permissible output torque M2=4.5 Nm).
PD120-cAG007-0AA1	603-02558 1-stage planetary gearbox type planetdrive PD120 Reduction: i = 7 Torsional backlash: </= 10 arcmin drive side: Flange code: 120AG19/24 Drive hollow shaft: Ø24 with reducing bush Ø24/Ø16 Centering: Ø80 4x M6 on TK100 output side: Centering: Ø80h7x10 4x M8x16 on TK100 Output shaft: Ø25k6 x 50 half key inserted Nominal torque: T2nominal = 90 Nm at n1 = 3000 1/min Surface: black ring gear Lifetime lubrication (For technical details see planetdrive catalog)
601-01354	planetroll compact agitator Type: ARW-101(Ex)-601-01354 ========== Drawing number: 601-01354
602-12216	1 202-00477 1 STK ** Internal mechanical speed limitation** 2 302-07295 1 STK Planomaster type MR3 variable speed gear - silicone-free drive side: for motor mounting size 71, B14-105 (with lantern, coupling and inspection hole) output side: B5 flange diameter 160, so. output shaft diameter 20k6x40 3 302-01466 1 STK operating element type HVK 5 for AR2-AR5/MR3+MR5: handwheel (d0=50) with fine adjustment scale; coarse scale 0 - 12, fine scale 0 - 100 4 602-08842 1 STK + paint finish RAL 7035 - light gray
601-01461	Description: planetroll Compact Agitator Type: ARW-2081(Ex)-601-01461

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Drawing No.: 601-01461
0,047D2MRV-4	
601-01354	planetroll compact mixer Type: ARW-101(Ex)-601-01354
601-01461	planetroll compact mixer Type: ARW-2081(Ex)-601-01461
601-02448	Description: planetroll Stand Agitator Type: SRW-100(Ex)-601-02448 Drawing No.: 601-02448
antoTrac 332-FG	602-11982 ATTENTION: Control gearbox filled with H1-approved traction fluid Type: SantoTrac 332-FG Variable transmission Type: 0.09D4TL3-4(12h6x29)(H1) ========== consisting of: ---------- 1) Three-phase motor 2) Control gear type "VARIDUCER" (H1) 3) Control element 4) Painting Technical data ---------- Side facing: left Design: B14-like Installation position: B14 Speed range: 0 to approx. 600/720 rpm (50/60 Hz) Output torque: approx. 3.0 Nm from 25/30 to 150 rpm approx. 1.0/0.8 Nm at 600/720 1/min Weight: approx. 10.1 kg/piece Drive components ---------- 501-01705 1 pc1 three-phase motor 0.09/0.105 kW, 1360-1395/1650-1700 rpm, 230/400 V, 50 Hz, 0.54/0.31 A; 275/480 V, 60 Hz, 0.56/0.32 A, IP 55, (220-240/380-420 V, 50 Hz, 0.58/0.33 A), (255-290/440-500 V, 60 Hz, 0.57/0.34 A), Insulation class F, size 56, B14-80. 2 T3 type transmission (IEC 56 motor mounting) with Santotrac 332-FG traction fluid according to USDA/NSF H1 Drive side: for engine mounting 56; B14-80

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Output side: B14-like diameter 109, centering diameter 40j6x2, 4x M5x11 on TK diameter 96, output shaft diameter 12h6 x 29. 302-07319 1 STK3 Control element Type HVK 5: Handwheel (d0=40) with fine adjustment scale; coarse scale 0 - 12, fine scale 0 - 100, counterclockwise increasing 602-08879 1 STK4 Paintwork RAL 9006 -White aluminum-
301-01574	T3 type transmission (IEC 56 motor mounting) with Santotrac 332- FG traction fluid according to USDA/NSF H1 Drive side: for engine mounting 56; B14-80 Output side: B14-like diameter 109, centering diameter 40j6x2, 4x M5x11 on TK diameter 96, output shaft diameter 12h6 x 29
302-07319	Control element Type HVK 5: Handwheel (d0=40) with fine adjustment scale; coarse scale 0 - 12, fine scale 0 - 100, counterclockwise increasing
602-11987	Variable transmission Type (0.09D4)TL3-4(12h6x29)(H1) ========== consisting of: ---------- 1) Control gear type "VARIDUCER" (H1) 2) Control element 3) Painting Technical data ---------- Control element: left Design: B14-like Installation position: B14 Speed range: 0 to 600/720 rpm (50/60 Hz mains) Output torques: 3.0 Nm from 25/30 to 150 rpm 1.0/0.8 Nm at 600/720 1/min Weight: approx. 5.0 kg/piece
Typ mrv-1p11-7,667-4(11k6x23)	Control gear drive unit planetroll consisting of: ---------- a) Variable speed gearbox "p l a r o m s t e r" b) planetary gear Technical specifications ---------- Control element: right Design: B3 / B14-like Installation position: 1 Speed range: 0 to approx.143.5 1 / min

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Output torques: max. 4.5 Nm from 2.6 to 88.3 1 / min approx. 2.9 Nm 143.5 1 / min (n1 = 2800 rpm, P1 = 0.067KW) Weight: approx. 2 kg / pc Customs tariff number: 8483 40 59
602-11180 .9303002	
Arw-1011	
Mrv-1p11-7,667-4(11k6x23)	Control gear Drive unit planetroll consisting of: ---------- a) Variable speed gearbox "p l a r o m s t e r" b) planetary gear Technical specifications ---------- Control element: right Design: B3 / B14-like Installation position: 1 Speed range: 0 to approx.143.5 1 / min Output torques: max. 4.5 Nm from 2.6 to 88.3 1 / min approx. 2.9 Nm 143.5 1 / min (n1 = 2800 rpm, P1 = 0.067KW) Weight: approx. 2 kg / piece
Mrv-1p11-7,667-4	
Pdo65	
Pd085-Hau010-1aa0	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.