

Power Jacks

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Power Jacks Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Power Jacks T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
37341M5-S/S-68885	
37344 - 70913	
EMT0025-IKA2100-0050-EB0B-0000	
EMT0050-U002100-0230-EB00-0000	
EMT0100-V001100-1150-EB00-0004	
EMT0100-V002100-1110-EB00-0004	
EMT0100-V-70913	
F828296	
KTE1802- 0050- 1	
ST025	
CMT0050-C00	
E-SERIES MS TRN 25KN S-JACK Configuration: JACK SERIES E-	

EMT0025-U001200-0100-TB0B-000M	SERIES SCREW TYPE MACHINE SCREW SCREW CONFIG TRANSLATING SCREW LIFT CAPACITY 25KN GEARBOX STYLE UPRIGHT VERSION GEARBOX FEATURE NONE GEARBOX FEATURE NONE GEAR RATIO OPTION 1 (STD RATIO)6:1 LIFTING SCREW RH OPTION 2 LEAD 30X6 WORM SHAFT TYPE STANDARD WORM SHAFT ENDS BOTH ENDS RAISE 100mm END TYPE TOP PLATE GEARBOX MOUNT BASE MOUNT SCREW MATERIAL STANDARD SCREW COVER FABRIC BELLOWS BOOT ACCESSORIES NONE - STD FEATURES MOTOR FRAME NOT APPLICABLE LIMIT SWITCH NONE PAINT EPOXY PAINT + STD GREASE
C350S20-10M00-0010-0000-000000	C35 2-WAY 1:1 SPIRAL GEARBOX RANGE C - RANGE SIZE 35 SERIES DESIGN STANDARD SHAFT TYPE SOLID SHAFT NUMBER SHAFTS 2-WAY CONFIGURATION STD GEAR CONFIG GEAR RATIO 1:1 RATIO SHAFT DESIGN METRIC - SPIRAL BEVEL DESIGN REVISION REVISION 00 HOUSING MAT STANDARD SG IRON DRIVE SHFT DESG STANDARD MATERIAL MOUNTING STD - RANGE C ALL SIDES TAPP ENVIRO / TEMP STANDARD KEY SIDE 1 STD - CLOSED KEYS KEY SIDE 2 STD - CLOSED KEYS KEY SIDE 3 N/A KEY SIDE 4 N/A DRIVE TYPE STD - NORMAL SHAFT MOTOR FRAME NOT APPLICABLE DRV SHFT COVER NONE BREATH / VENT NONE - STANDARD LUBRICANT STD - OIL (SPEED > 250RPM) PAINT STD RED PAINT
C350S30-10M00-0010-0000-000000	C35 3-WAY 1:1 SPIRAL GEARBOX RANGE C - RANGE SIZE 35 SERIES DESIGN STANDARD SHAFT TYPE SOLID SHAFT NUMBER SHAFTS 3-WAY CONFIGURATION STD GEAR CONFIG GEAR RATIO 1:1 RATIO SHAFT DESIGN METRIC - SPIRAL BEVEL DESIGN REVISION REVISION 00 HOUSING MAT STANDARD SG IRON DRIVE SHFT DESG STANDARD MATERIAL MOUNTING STD - RANGE C ALL SIDES TAPP ENVIRO / TEMP STANDARD KEY SIDE 1 STD - CLOSED KEYS KEY SIDE 2 STD - CLOSED KEYS KEY SIDE 3 STD - CLOSED KEYWAYS KEY SIDE 4 N/A DRIVE TYPE STD - NORMAL SHAFT MOTOR FRAME NOT APPLICABLE DRV SHFT COVER NONE BREATH / VENT NONE - STANDARD LUBRICANT STD - OIL (SPEED > 250RPM) PAINT STD RED PAINT WEIGHT = 6KGS EACH DIMS = 22 X 15 X 10CMS EACH
EMT0025-U001200-0100-TB0B000M	E-SERIES25KN S-JACK EMT0025-U001200-0100-TB0B000M
L16493	AUTOMATIC LUBRICATOR
L16869	1/8" B x M10 x 1 M/FIX FEM EXT
DE1811- 0375- 1	10TE INV ROT 24:1
E18100	
Sr100-0100-P1r0-Cpc100b	
P110 Gear Ratio = 1:1	
Ce1810-760	
Ce1804-0150-1-L	
S-025 Model: St025-0100-E2rw-Apc1b3b	

P110 Gear Ratio = 2:1
E1805
E2625
F8243 81-70-1
Kum2806-24
E1820
F770961
Me2501-0450-1 E2501
Te3809-1100
Fspb6405-12
E1810
Kme2625-0070 E2625
F828860
De2502-0140
E1802
St050-T2r0-Chg100b S/N F728616 R300
E2501
E2501 Model: De2502-140
F829857
E1850
E1830
St050-0300-T2r0-Cpc100b