

Protectowire

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Protectowire Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Protectowire Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
NEMA-4X	WLM - termination box (fiberglass), (NEMA-4X) with 8.2K ohm resistor & test switch - IP66 housing for terminating a WLM line - including test switch - Delivery takes place with connection terminals - Cable glands must be ordered separately
WLM	WLM - cable gland with lock nut Material: galvanized steel, M For secure screwing of WLM sensor cables in junction boxes & Devices. - Degree of protection: IP68
PHSC-155-EPC 120	
100357105	WLM - Sensor cable (A) Trigger temperature 105°C Ambient temperature: 79°C, PHSC-220-EPC - Maximum length: 2,000m - Max. ambient temperature: 79°C - Delivery includes assembly instructions - FM approved - Cable color grey - Minimum order quantity: 100m
Phsc-190-?Pc	
Phsc-280- Xcr-M (1pc.=50ft)	
Phsc-190-Xcr	
Phsc-155-Xcr	
Protectowire-Kabelkanal-Caddy-F3;R-Wlm-Mit-Clip-W2-Cc-2-100541-Istanbul-Türkiye	
Phsc-356-Erp Replaced By Phsc-356-Xcr	

Ürün	Açıklama
Phsc 155 Epr Obsolete Alternative Wlm - Sensorkabel (A) And Wlm - Sensorkabel (Typ F)	
Pim-430e (101093)	
Phsc-280-?Pc	
Pim-430 Zone Interface Module	
Protectowire-Kabelkanal-Caddy-F3;R-Wlm-Mit-Clip-N2-Cc-2-100540-Istanbul-Türkiye	
Pim-430d	
Sg-42sk2	
Elr-Hd-1a-Qc (N4x)	
Phsc-190-Epr - Obsolete, Replaced By Phsc-190-Xcr	
Protectowire-Trö;Gerklammer-Mit-Kabelclip-F3;R-Wlm-Bc-2-100534-Istanbul-Türkiye	
Phsc-220-Epc	
2113.510.046	
Waw-P	
Phsc-356-Xcr	
Mfl- 92	
Sr-502	
Phcs-190-Epr	
Elr-Hd-4-Qc	
Phsc-155-Epr	
Phsc155edc	DETECTOR 1000FT
Phsc-280-Xcr	
Srp4x4	CONTROL PANEL

Ürün	Açıklama
Phsc-155-Epc	
356-Xcr	
Phcs-155xcr	
Phsc-280-Epc (1pc.=50ft)	
Apl-90	
Phsc-155-Epc 155; (68;C)	
Protectowire-Befestigungsclips-F3;R-Wlmnylonpolyamid-Waw-100531-Istanbul-Türkiye	
Phsc-155-?Pc (1pc. = 460m.)	
Phsc-280-Epr ()	
Protectowire-Befestigungsclips-F3;R-Wlm-Polypropylen-Waw-100532-Istanbul-Türkiye	
Phsc- 220-Xcr	