

Ps Automation

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Ps Automation Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Ps Automation Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
0501-110	
1000-299	
1000-308	
1000-345	
1000-416	
1000-519	
1000-574	
1000-592	
1000-593	
1101-506	
2001-112	
2100-091	
2100-122	
2100-127	
2100-194	
5900-503	
5900-568	
5900-595	
5902-033	

Ürün	Açıklama
70481-402	
CY03B452107	
POTIGR/1K/25/1Kab/PSQx03 (1000-593)	
PSAP.2A/115/1A (1000-051)	
PSL208	
PSQ103	
PSQ202	
PSQ202 115VAC 28S/90°	
PSQ203/115VAC/50-60Hz/64W/250Nm/69/F07+F10 (1202-501)	
PSQ703AMS13/115VAC/50-60Hz/93W/700Nm/70/F12 (1900-525)	
ZUSATZSCHALTER/ WEG/PSQx03 (1000-592)	
5153-404	PSL204/230VAC/50-60Hz/18W/4.5kN/0.50 Model 4 V2 - Samson M30 Electric linear drive Type: PSL204 Can be used in regular operation according to Class C according to DIN-EN 15714-2 - Power supply: 230VAC - Frequency: 50/60Hz - Actuating force: 4.50 kN - Actuating speed: 0.50 mm/s - Stroke (max.): 50 mm - Connection thread: SAMSON/M30/16 - Operating mode according to IEC60034-1: S2 30 min / S4 50% ED - Ambient temperature: -20°C to +80°C (S2) / -20°C to +60°C (S4) - Protection class according to EN60529: IP65
1000-519	PSAP.3/230/PSL/Mod. 4 Stellungsregler PSAP.3/230/4-20mA/PSL/Mod. 4
1000-576	POTIGR/1K/30/PSL/Mod.4/V2 Potentiometer PSL Modell 4 V2 1000 Ohm / Hub = 30 mm
PSQ-203	230VAC/50-60Hz/62W/250Nm/69/F07+F10 (ambient

Ürün	Açıklama
	temperature -40C)
ACTUATOR - PSL204	
1000-575	POTIGR/1K/25/PSL/Mod.4/V2 Potentiometer PSL Model 4 V2 1000 Ohm / Stroke 25 mm
1000-013	
Psap.3	
Pd 210 (1000?)	
Psq-202/Ams11	
Psq202 115vac 28s/90;	
Psq 102,Bv10-2366e, Dn 125	
Psl208ams11/230vac/50-60hz/38w/ 8,0kn/0,70/M10 (5902-033)	
Psl204.1ma-18-Pot-Psap (18 Mm)	
Psr45 (230v, 50hz)	
140 415	
Psl 312	
Psq52 / 230vac / 50hz / 50 Nm / 22	
Psl204ams11204	
Psl 314 Dp	
1000-299 Prozessregler/Psic/ Ams11-13prozessregler Psic	
5900-416 Psl204.1	
Psq102ams12 230vac	
566 422	
Psq202 !! By (1202-550+1000-051+1000- 593+2002-127)	
Psl204.1ma-18-Pot-Psap (25mm)	

Ürün	Açıklama
Psq-Ams	
Binâ196;Re Eingã196;Nge/Ams1x/ 24vac+dc/Standard (1000-567)	
2100-094	
5900-462 Psl208.1	
Psl201 / 230vac / 50hz / 1 Kn / 0,25	
Psq202 / 230vac / 50hz / 250 Nm / 28	
1502-402	
105539	
Pls325 Ser No: 224154	
(1202-550+1000-051+1000-593+2002-12 7)	
Psl204 / 230vac / 50hz / 4 Kn / 0,50	
5153-601	
1000-051	
2100-180	
Psl 314	
2100-091 Spare/Leiterplattepos.6/Psr-E/ 230vac 1~spare/Leiterplattepos.6/Psr-E/ 230vac 1~	
Type Psc 2	
5900-564 Psl202.1/230vac/50-60hz/8w/ 2,0kn/0,25/M12	
Cy02d345264	
2004-126	
Psl 208	
Psq102 / 230vac / 50hz / 130 Nm / 16	
Psl 325 S/N 224154	

Ürün	Açıklama
5153-602	
Psq102 115vac 8s/90	