



Pulsafeeder

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Pulsafeeder Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Pulsafeeder T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
17LA00-316	
180002-316	
330001-316	
523888	
526353	
AC983863-1	
KK88F-13135-AATT	
KPC3CBHGACC	
KZ5966	
LPH8SB-PTCB-XXX AATL	
NG440155-N0R	
NP440155-VTN	
NPKAAAUCCEE	
W032794-000	
W034581-316	
W035372-316	
W041935-316	
W078200-TFE	
W078419-TFE	
W078452-TFE	

W202173-316	
W202473-316	
W202906-316	
W203637-000	
W208140-010	
W213474-316	
W213794-316	
W214544-188	
W214551-316	
W215252-A00	
Z-PU	
680-S-AE	%5 NH3 10-20 bar Discharge head: 11m
680-S-AE	%10 N2H4 10-20 bar Discharge head: 11m
7120-S-E	%10 Na3PO4 100-110 bar Discharge head: 24m
K4KTC1	Kop Kit PVDF / TFE / CDBL .38T
LBS4S2-KTC1-CZXXX	Series A+ Pump 230 PVD/TFE/CDBL.38T
04-00-21-1	PROBE, TOROID, (CE) 15 ft, lead Manufacturer: PULSAfeeder Measuring cell with 4.95m cable
0903100484	
KZ5966	KOP kit (maintenance kit) for PULSA 7120 Seals for pistons and housings, membranes, valve balls and valve seats.
NPKAAAURBCC	KOP kit (maintenance kit) for PULSAR 25H/55H - B HEAD Membranes, seals, valve balls, valve seats
KK71F-26161-YATT	KOP kit (maintenance kit) for PULSA 7120
NPKAAAURABB	KOP kit (maintenance set) for PULSA dosing pumps
NPKAAAURBBB	Head kit P25H/55H-B head: 1 x NP17LB00-316 Diaphragm Assembly (1 x NP170005-TFE; 1 x NP170006-TFE; 1 x NP180003-316; 2 x NP180007- 304; 2 x NP460018-000) 4 x NP330001-316 Valve Seat 4 x NP340001-316 Valve Ball 12 x NP440015-TFE O-Ring
NPKAAAURBCC	KOP Kit (maintenance kit for PILSA dosing pumps
LD54S2-KTC1-CZXXX	PULSAtron dosing pump, series C max. flow rate: 4.7 liters/hour (1.25GPH), max. output pressure 5.6 bar Dosing head made of PVDF, diaphragm and seals made of PTFE, valve ball (6.35mmD) made of ceramic. Hose nozzle: 1/4" inside x 3/8" outside manual stroke adjustment via rotary

	knob from 0-100%, 230Volt/50-60Hz, 1-phase incl.: 1.3m suction line with foot valve/suction filter, 1.3m return line, 2.6m delivery line, vent valve.
NPKAAAURBBBp	Repair kit for Pulsafeeder KOPKit NPKAAAURBBB pump
KZ5962	KOPKIT Pulsafeeder kit, article KZ5962
MTC1LTF-CZXXX	Controller, Microtrac
NPKAAAURBBB-	Head kit P25H/55H-B Head: 1 x NP17LB00-316 diaphragm assembly (1 x NP170005-TFE; 1 x NP170006-TFE; 1 x NP180003-316; 2 x NP180007- 304; 2 x NP460018-000) 4 x NP330001-316 valve seat 4 x NP340001-316 valve ball 12 x NP440015-TFE O-rings
NPKAAAURBCC-	KOP Kit (Maintenance Kit for PULSA dosing pumps)
7120 S-AE	Flat Diaphragm metering Pump 316/316L Stainless Steel 90 GPH, 145 PSIG, 02.1250-IN Piston Flanged (ANSI) Connections, Automatic Electric Controls, Pulsamatic, stock motor 1450 RPM
KZ12316-	Headkit 7440 973559: 1 x W032724-000 Seal 4 x W041935-316 valve ball 12 x W078200-TFE O-rings 4 x W202906-316 valve seat 1 x W203239-000 Oil seal for worm shaft 2 x W204191-000 piston seal 1 x W213529-316 diaphragm assembly (1 x W213458-316 (W213531-316); 1 x W213462-TFE; 1 x W213467-TFE; 2 x W213487-304; 1xW213488-000; 1 x W213539-000)
NPKAAAURBCC/	KOP Kit (Maintenance Kit for PULSA dosing pumps)
NPKAAAURBBB/	Head kit P25H/55H-B Head: 1 x NP17LB00-316 diaphragm assembly (1 x NP170005-TFE; 1 x NP170006-TFE; 1 x NP180003-316; 2 x NP180007- 304; 2 x NP460018-000) 4 x NP330001-316 valve seat 4 x NP340001-316 valve ball 12 x NP440015-TFE O-rings
NPKAAAURABB/	KOP Kit (Wartungssatz) f¼r PULSA Dosierpumpen
Repair kit NPKAAAURABB for Pulsafeeder pump	
680 -S - AE	PULSA piston diaphragm metering pump, with electric stroke length adjustment, Dosing head, valve balls, seats and guides made of 316L stainless steel, PTFE membrane technical data according to the design in the system, without motor (only pump with base plate, coupling and coupling guard)
DM7C3PP	FRAME,IEC 20, KOPKIT NO: KD7PX, MAX PRESSURE: , MAX FLOW: 1300, 2ND BRIGHTON HENRIEM TOWN BE, ENGINEERED PRODUCTS
	Metering Pump PULSAtron Series Aplus 1.00 GPH / 24 GDD / 3.8 LPH, 125SPM, 100PSI (7.0 bar) 230VAC, 50/60Hz, Manual control by on-line adjustable stroke rate and stroke length. Agency approved for demanding OUTDOOR and indoor applications. Internally dampened to reduce noise, very

LB04S2-VTC1-CZXXX	acceptable for household installations. Few moving parts and wall mountable. Safe and easy priming with durable lwak-free bleed valve assembly. PVC Liquid End, PTFE Seats, Ceramic Balls, 0.25" ID x 0.38" OD Tubing Connections electrical: 230Volt, 50/60 Hz, 1 ph, 6' (2m) cord, no plug, less agency, CE listed. boxed dimensions: 9.5 x 5.0 x 9.9 inches LB04S2-VTC1-CZXXX Unit weight: 4.500 kg
PULSAFEEDER A PLUS LB04 52 VTC1 CZXXX	POMPA KLOR DOZAJLAMA
LBS4SA-KTC1-130	PULSA Pump Series A+ 115 PVD/TFE/CDBL.38T
K4KTC1	KOPKIT K4 PVD/TFE/CDBL.38TL
W771004-017	
7660-S-Ae	PUMP METERING 423GPH 95PSI W/1.5HP BALDOR MOTOR
W770425-Stl	
Kosb-29/Dp5 A/B	
W214551-316 Edstahlkappe Mit Gewinde	
W208858ã173;062	
Kpdrdbjacc	
Mvs1xf-Czxxx	
680c-S-E	
W202840-316.	
40359	
J00022	
Y1800600-316	
W213474-316 Pumpenkopf	
Y0801000-000	
180002-316 Dosing Pumpspacing Diaphragm 40	
K4ptc1	
523888 Replacement Kit Npkaaaurabb For Pump Pulsafeeder	
Kz10770	
Kz4680	REPAIR KIT
Ld5482-Ktc1-C7001	

W208861ã173;017	
W032580-316	
Npkaaaurbcc	
W092772-000	Stroke length indicator for Pulsafeeder dosing pump 8480-S-E (AE), 7660H, (COUNTER) W092772-000 Piece weight: 0.100 kg
Xp008lvhxu03	PULSAFEEDER SERIES XP 115V 2AMP 1PH 60HZ 125PSI
7660	
W205731ã173;001	
E25flv0-X	PUMP W/MOTOR 1HP 150PSI ECLIPSE SERIES 25
W096323-Ntr	
Kpc3akhaaee	
U8800657	RUN TIME CONTROLLER ON/OFF MALE 115VAC 60HZ 6AMP
Gc8adttta	PUMP
W 096477	
Kz10771	
W771000-188	
Lph6sb-Ptc3-Xxx	
Npkaaaurcff	
15ft 2000005	
Y1900400-000	
W770048-Sta	
Repair Kit For Overhaul Chemical Pulsafeeder Pump Model 25hj Ser-V729784-22 Gear- 20 Piston Dia	
27097	
Lpe4ma-Vtc1-Xxx	PUMP CHEMICAL INJECTION 1PH 115VAC 0.6AMP 50/60HZ
W204815-316	
W773963-003	
W214696-000	
Kz6262	
W205042ã173;000	

7120-S-E	DIAPHRAGM METERING PUMP GEAR RATIO 25:1
40600	
Npkaaaucbbb	
W208070ã173;000	
Ck250	
Lpk3sb-Ktc1-Xxx	PULSAtron Series E plus dosing pump, Output: 2.3 liters / h (0.6 GPH, 14.0 GPD), Max. 125 strokes / min. Max. Outlet pressure: 7.0 bar / 100 psi Dosing head made of PVDF Valve seats made of PTFE (Teflon) Valve balls made of ceramic Hose connections: 1/4 "inside x 3/8" outside 230 volts, 50/60 Hz, 1ph Packaging dimensions: 35 x 15 x 30 cm LPK3SB-KTC1-XXX Piece weight: 5,900 kg
Kpebhacacc	REPAIR KIT
W035372-Hco	
Lpb3m2-Vtc1	
Ck160	
W089032ã173;000	
W096334-316	
Pulsa 8480x	
Doz0201	
Y9901500-316	
Kosb-12/Dp1 A/B	
7660-S-E	
Doz0351	
Kpebcbpaacc	
W213794-316 Pumpenkopf	
Mvs1pc-750	
W035372-316 Ventilkugel, Edelstahl, .75 Dia	
Kz6951	REPAIR KIT
Npkaaaucabb	
W771006-Stl	
W771207-002	
Npkaaurcee	

526347 Replacement Kit For Pump Pulsafeeder Kopkit Npkaaaourcee	
Kz12316	
W773963-001	
W771004-029	
W771206-053	
Microtrac Ct	
W036290-Cuo	
526350 Replacement Kit For Pump Pulsafeeder Kopkit Npkaaaurbcc	
Mct130m3	CONTROLLER COOLING TOWER PROTECTION PULSATROL
526353 Replacement Kit For Pump Pulsafeeder Kopkit Npkaaaurbcc	
Lb04s2-Vtc1-Czxxx	Dozer pump Pulsatron, Seria A plus, Flow rate 3.8 liters / hour (1.0 gal./hour) 125 strokes / min, max output pressure 7.0 bar (100psi) Drive 230V, 50 / 60Hz., 1ph., 2m bakel, without plug, CE approval
Kpc3abmcaee	
Ld54sb-Ptc1-Xxx	
W208854ã173;000	
Y0801100-316	
W770044-Sta	
Ck125	
Lpg5saktc3xxx	PUMP ELECTRONIC METERING .8A 1PH 115V 50/60HZ
W771005-Stl	
W208140-010 Worm Wheel	
Kosb-13/Dp2 A/B	
E02xlv	
W204769-000	
W096686-000	
Y1000209-000	
Ck200	
W203375-A00	Overpressure valve, hydraulic Valve Assy, Hydraulic Bypass, 40-170 Piece weight: 0.300 kg

Gmc4-Kct-Kkl
W 213919-Stl
W 203637-000 Complete Pistons
W 078419-Tfe.
W 032575-Cuo
W 208247ã173;000
Lb04-S2-Ktc1-Czxxx
Lpe5s2-Vtc1-C2xxx
Lpa2ma-Vtc1-Czxxx
W 032825-000
171a00-316 Dosing Pumptdiaphragm Assembly 40,0
W 773963-005
Kz6263
Repair Kit For Overhaul For Chimocal Pump Model 25hj S/N: -N626351-8 Gear- 30 Piston Dia -13 Mm
Dcs902axx
W 770120-Sta
Npkaaurabb
Kpc3ekecnc
W 213949-Stl
Ng440155-N0r Dichtung
E05blekx
W 213270-Tfe
Y9900800-316
Ck100
41101
W 773965-007
W 078419-Tfe O - Ring, Ptfe
230v 60 Amps 50/60 Hz 1p 120gpd 18.9 Lph 100 Psi 7b For Area 62amp;80

Lpg5sa-Ptc3-Xxx	PUMP SERIES EPLUS 115 FPP/FTF/CDBL
Gmc4- Kct-Kkj	
W771117-188	
Lph8maptccxxx	PUMP
Xrn 38p 133mo Series: 2012 P4313	
Rkb 500x250	
W049855ã173;Ntr	
Mct110am3 Obsolete,Alternative Mvs1xf-Czxxx	
Doz0251	
Doz0278	
Pump-Plus-Le13s2phc1	
W096317-Hyp	
Lb04s2-Ktc1-Czeuroxxx	Dosing pump Pulsatron, series A plus, Delivery rate 1.9 liters / hour (0.50 gal./h), 125 strokes / min, max output pressure 7,0bar (100psi). Dosing head made of PVDF, valve seats PTFE, valve ball ceramic. Connections: 1/4 "ID x 3/8" OD hose connection. Drive: 230V, 50 / 60Hz. Ce certificate 4,50kg
W032724000	
Ld54s2-Vtc1	
Mtc2ltx-Xxx	
W208236-006	!!! KOD TANIMLANAMIYOR !!!
W032843-000	
W202172-316	
Lpe4s2-Vtc1-Czxxx	
Rkb 400x200	
W047526-000	
W202173-020	
W773963-007	
330001-316 Dosing Pumpvalve Seat D=5,0	
Npkaaurbbb	
W208853ã173;015	

W096687-000	
X630-Xb-Aaaaxxx	
W 202966	
Y1700300-Tfe	
W034859-000	
Kpgbcgmaeee	REPAIR KIT
W096321-000	
W214544-188 Estrich Faden	
W214491-Stl	
Lc03e2-Vtc1-Czxxx	
Doz0426	
W772568-Stl	
Npkaaaucbee	
P/N G41-72	
526348 Replacement Kit For Pump Pulsafeederkopkit Npkaaaurcff	
Kz10769	
Doz0301	
W770167-Sta	
Overhaul Repair Kit For Model- 7440 S-E Gear-Ratio-10 Piston -1.5 Kopkit No- Kpfrabmaccc Serial V7712	
Y0703300-316	
W771008-Stl	
Kpgbcbfacc	
Npkaaauccee Kopkit Pulsar 25h/55h-C Head	
Pump-And-Motor Assembly ? 30 Gph Vs 200 Psig 1,044,250.00 2,088,500.00 250,620.00 2,339,120.00	
Kosb-27/Dp4 A/B	
Y0800900-Cgr	
W092589ã173;000	

Lb04-S2-Ktc1-Czxxx Dozaj Pompasi	
Kosb-19/Dp3 A/B	
Ga4-Ack-Kkq	PUMP ECO GEARCHEM
Lpk3eb-Vtc1-Czeuroxxx	
Y0801300.000	
526349 Replacement Kit For Pump Pulsafeederkopkit Kz12316	
W209634316	HEAD
Model 25hj, Part Number: Nph25004560	
W032580-Hc0	
Np440155-Vtn Dichtung	
Mct210	CONTROLLER FOR COOLING TOWER
Ck315	
W208242ã173;000	
W772603-001	
Lb04sb A	
W078452-Tfe O - Ring, Ptfе	
Pump-And-Motor Assembly ? 9.88 Gph Vs 100 Psig	
Pump Assembly And Spare Manual For Model 25hj Ser-V729784-22 Gear- 20 Piston Dia -10mm Kopkit No-Npk	
W210653-000	
Lpe4s2-Vtc1-Czeuro500 Replaced By Lpe4s2-Vtc1-Czxxx	
Gmc6-Act-Tbf-Ms	PUMP ISOCHEM SELF PRIME SELF LUBE GEAR
Kz10046	
Lpe5s2-Vtc3-C2xxx	
Y0400800-316	
0701103456	
Mc 9230 Aaxxbx	
Y0801200-000	
W202173-316 Ventil Sitz, Edelstahl 316L, .75 B O H Std	

Vrs 1
Pump Assembly And Spare Manual For Model- 7440 Se Gear-Ratio-10 Piston - 1.5 Kopkit No-Kpfrabmaccc Se
Rfn-7015.0 Stainless Steel, For Feeder A2-200x3.5,Ident-No. 1997416.
Kpgbcgraecc
Vrs1 For Ck Series
W034581-316 Ventilkugel, Edelstahl
W 202473-316 Ventilsitz 1.00 B O H Std
Ld04s2
Mc 9550 Abxxbx
Pump Assambly And Spare Manual For Model 25hj S/N: -N626351-8 Gear- 30 Piston Dia -13 Mm Kopkit No-N
Rk 500x300
Pulsa Series 880
Y1700400-Tfe
W096269-Hyp