Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Red Lion

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Red Lion Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Red Lion Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Paxi0030	Industrial speedometer / preset counter Measuring input: NPN, PNP sensors, CMOS, TTL, HTL, Namur Number of digits: 6 digits Digits: LED 7-segment red Digit height: 14 mm Case size: 92 x 45 mm Supply voltage: 11-36 VDC Degree of protection: IP65 on the front Housing dimensions: W 97 x H 50 x D 105 mm Operation: push button Connection: fixed terminal block
Px2chz00 (Px2c8h00 In Muadil Modeli)	horizontal PID control with reduced Overshoot - universal input for process, - temperature, voltage, current and resistance - Programmable two-line display with units and bar chart - Four programmable universal detectors - Three color display with 7 programmable Color zones - Optionally installable option cards for Setpoints, - Communication and retransmitted Analog output - Support for FlexCards, including second analog input, - Remote setpoint, heating current monitoring or a 2nd PID controller - Ramp / Soak Capability, up to 16 profiles with 20 steps each - Up to 16 alarms with Boolean Logic functionality - Built-in USB programming port - Allows device configuration with the Crimson® programming software

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	- NEMA 4X / IP65 Sealed front panel Dimensions: 96.52x 49.53 x105.16mm Weight: 226.8 g Customs tariff number: 8504409580 Country of manufacture: USA
Paxcds20	Plug-in relay output card 4x changer for PAX digital display and large digital display LPAX Weight: 100g Customs tariff number: 9032.90.6080 Country of origin: US
Paxcdl10	Plug-in analog output card for PAX digital display and large digital display LPAX 0 to 20 mA, 4 to 20 mA or 0 to 10 VDC Country of manufacture: USA Weight: approx.10g Customs tariff number: 9032.90.6080
PAXP0000	Industrial digital display / process signal display Measuring input: standard signals 0/4 ... 20 mA, 0 ... 10VDC Measuring rate: 20 measurements / sec., A / D converter with 16 bit resolution User inputs: 3, programmable Number of digits: 5 digits Digits: LED 7-segment red Digit height: 14 mm Case size: 96 x 48 mm Supply voltage: 85-250 VAC Protection class: IP65 on the front Housing dimensions: 96 x 48 x 104 mm Operation: push button Connection: fixed terminal strip Country of manufacture: USA Weight: 227g Customs tariff number: 9029.10.8000
IFMR0036	Speed monitor
110542-336	
110591-336	
110708-336	
110821-336	
110FXE2-SC-15	
111750-336	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
111850-336	
112190-336	
112297-336	
112320-336	
112771-336	
716TX	
CUB4CL20	
CUB4LP/CL	
CUB4V000	
CUB7CCR0	
DSPLE000	
DSPSX000	
DT800010	
GEM20060	
IAMS0010	
LD2006P0	
M4048X	
Model: PAXD	
NSY-1000 APSIS010	
PAX S	
PAXCDS10	
PAX-I-0010	
PAXI0020	Industrial tachometer / preset counter Measuring input: NPN, PNP sensors, CMOS, TTL, HTL, Namur Number of digits: 6 digits Digits: LED 7-segment red Digit height: 14 mm Case size: 92 x 45 mm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Supply voltage: 85-250 VDC Protection class: IP65 front Housing dimensions: W 97 x H 50 x D 105 mm Operation: push button Connection: fixed terminal block
PAXLCR00	
PAXS0010	
PAXT0000-	Industrial temperature display Number of digits: 5 digits Digits: LED 5-segment red Digit height: 14 mm Housing: plastic Supply voltage: 85 VAC...250 VAC Housing dimensions: W 97 x H 50 x D 104 mm Protection class: IP65 Temperature: 0°C...+50°C Operation: push button or PC Thermocouples type S, T, J, N, K, E, R, B, N, C Pt 100 sensors: 3 wire, 2 wire can be compensated, power supply: 100 Weight: 800
PSDR0100/AC	
ST-IPM-6350	
SL-5ES-1	691500000059 5 port unmanaged switch 10/100 Mbit/s 10/100BaseTX: 5 ports, RJ45 10/100/1000Mbps SFP: 10/100BaseTX PoE: 10/100/1000BaseTX PoE: Operating temperature range: -10 - +60 °C Housing Material: UL94V0 Lexan
CUB4LP/CL CURRENT LOOP INDICATOR 4-20mA-M2248D	EXTERNAL BACKLIGHT POWER
6915CDL10106	PAXS/CDL10 20 Set
302PAXP0010D	PAXP0010 Industry standard display Display: LED, 5 digits Colours: red Dimensions (W x H x D): 97 x 50 x 105 mm Panel cutout (W x H): 92 x 45 mm
320000000050	PAXCDS20

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	PAX® Setpoint plug-in cards Quad relay version For use with PAX units only
691500001004	PAXI0030 Industrial counter/tachometer/slave display Display: LED, 6 digits Colours: red Dimensions (W x H x D): 97 x 50 x 105 mm Panel cutout (W x H): 92 x 45 mm
INDICATOR 4-20mA-M2248D	CUB4LP/CL
SIXNET ET-8MG-MIL-1	
PAX CDL	PAXCDL10 CARD, ANALOG OUTPUT
PAXP0010	110402-336 Industrial digital display / process signal display - Number of positions: 5 - Digits: 7-segment LED - Display colors: red - Digit height: 14 mm - Measurement input: Standard signals 0...10VDC and 0/4...20mA - Measurement rate: 20 measurements/sec., A/D converter with 16-bit resolution - User inputs: 3, programmable - Measuring range: -22 ... +24mA, -12 ... +12VDC - Supply voltage: 11 ... 36 VDC - Case size: 96.5 x 49.5 mm - Protection class: IP65 front - Weight: approx. 295g - Dimensions: 96.5 x 49.5 x 106.6 mm (W x H x D) - Operation: Push button - Connection: Terminal block
PAXCDS20	RELAY OUTPUT CARD, QUAD SETPOINT,3 AMP CONTACTS @ 120/240 VAC OR 28 VDC
PAXI0030	COUNTER/RATE METER, DUAL, RED DISPLAY, DC POWERED
PAXD0000	Universal DC Input Meter, Red Display, AC Powered
PAXT0000	
CUB4V	
MP62TAC1	110508-336 Permanent magnet sensor

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Diameter: 16mm - 5/8" thread with M12 connector Switching distance: 0.8mm Limit frequency: 20 kHz Output impedance: 1200 Ohm/400 mH Protection class: IP65 Operating temperature: -40°C ... +107°C Housing: stainless steel - no external energy source required - encapsulated, insensitive to dirt, oil, moisture & humidity Installation: via 2 nuts, flush Connection: cable 200mm
6915N0000820	116TX 16 Port Unmanaged Switch 10/100 Mbit/s
CTL2001F	AC/DC converter - Brand: Red Lion - Input voltage: 10-30 VDC - Power consumption: 0W - Operating temperature: -40°C ... 75°C Storage temperature: -40°C ... 85°C - Mounting: DIN rail mount, panel mount - Weight: 0.35g - Certificates: CE, UL, ATEX, DNV, FCC, Shock: IEC60068-2-28; Vibration: IEC60068-2-6
Paxs0000 Analoganzeige Moment Zinken	
Paxlvd00	
Ifmr0036	
Cub2l800	
Pgmmod00	
Paxi0020	
Csmstrzr	
Cub7tvso	
Paxusb00	
Pmk10000	
Paxcdc20	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Sl-6es-4sc Sixnet Sl-6es-4sc Multimode, Sc Style Unmanaged Ethernet Switch, 4km	
We-Cub4cl20	
Cub5rly0	
Ps24v03aa	
Vt-Mipm-245-D	
CUB5PB00	111762-336 DC voltage ranges: 0 to 10 V, 0 to 20 mA, 0 to 50 mA Minimum and maximum display capture LCD with backlight: Red / Green Digit height: 0.48" (12.2 mm) Power source: 9 to 28 VDC Front panel or Crimson® programmable Color change capability when outputting setpoint values show NEMA 4X IP65 - Sealed front panel
1279066	
Sl-5es-1	
Paxlc800 Moden No:Paxlc8 230vac	
Iama3535	
Cub4lp00	
Pax10010 , By Paxi0020 And Paxi0030	
Sl-8es-1 Sixnet Sl-8es-1 8 Port Unmanaged Ethernet Switch	
Et-Gt-9es By Slx-8es-1	
Vcm20000 (50-270v)	
Lmpc0000	
C48ts10449074	
106fx2-St	
Tips Mds	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
112193-336	
04913497	
IFMR0066	Speed monitor
Zfh0500d	
Paxcdc40	
Iama3535 Module	
Model: Ifmr0036	
Cub4lp40	
112191-336	
Cub4v	
Pax-I-0010 Replaced By Paxi0030	
Nsy-1000 Apsis010	
Paxs0000	
P4810115	
Sl-8es-1	
Paxi0130	
Dsple000 Konverter Rs-232/Rs485 Ethernet	
Model Pax 1	
Slx-8es-1	
Paxp0010 11-36vdc/24vac	
M2248c	
T4811000	
Paxcdc50	
691500001070 Paxs0000	
Aplit405 - , By Paxlit00	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Paxp0010	
691500000521 Drrj45t8	
110396-336	
Mp62ta00	
Cub4cl20 Digitalanzeige24v 4-20ma	
Icm50000	
Cub4lp/Cl Anzeigeplatine	
Cub4cl10	
Paxcds20 Quad Setpoint Relay Output Card	
Iams0011	
Paxcdl Replaced By 302paxcdl10d Paxcdl10	
302paxcdl10d Paxcdl10	
112016-336	
112fx4-Sc N-Tron 112fx4-Sc Multimode, Sc Style Ethernet Switch, 2km	
6915dsple000	
Pax S	
Pmkcc100	
Nsy-1000 Apsis000	
Cub4v000 5000b4	
Imp23167 Alternativ: Paxd0000, Paxcds10	
Cub3t300	
T16 Series M4048x Nh003 / T164111u	
Cub5b000	
Oo10 Pgm	
Drrj45t8	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
G310s210	
Dt800000	
Imp20162 Nsy-1000	
Voltmeter Cub4v-000	
C48cd012	
Tsw1a400	
Paxp0000 A	
Dt3do5000	
Cub4v-000 Voltmeter	
Xchspa00	
Paxt0000 Industrial Temperature Indicator	
Paxlit00	
G310s210 Systemsteuerung	
Eb-Pse-24v-1b	
Paxcdl10 Ein Optionaler Dual Analog Output Card	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.