

Rema Tip Top



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Rema Tip Top Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Rema Tip Top T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
5952373	
5952139	
5954553	
5952548	115X6X22
FROG CLAMP, TRACTION POWER 1000 KG, FOR RUBBER BELT	
STITCHER 4MM W/BALL BEARING PN - 595 1044	
STITCHER 12MM W/BALL BEARING PN - 595 1123	
STITCHER 45MM W/BALL BEARING PN - 595 1130	
NEEDLE STITCHER 46MM PN -595 1154	
STITCHER 45MM CORRUGATED PN -595 1051	

Rema Tip Top	
Rema Tip Top	
Rema Tip Top	
Rema Tip Top	
Rema Tip Top	
5126051	PN DIAGONAL PLASTER BLUE 05 PU/10 pcs Alternative for 5126116
5126037	PN DIAGONAL PLASTER BLUE 03 PU/10 pcs
5021159	WHEEL 115 TL PREMIUM / 20pc.
4. DUBLEX TIRE VALVE 5 CM – LONG NUT TYPE	
TIRE RIM ORIGINAL 10 MM (29.5 R25 - 26.5 R25)	
65/CN	10mm
5380031	RUBBER COVER PLATE, unvulcanized 5x500x3300mm =10 pieces a 10kg
5380062	GUMIDECKPLATTE, unvulkanisiert 1x500x17800mm =5 Stk a 10kg
5440283	Intermediate rubber strips Stz NL, unvulcanized 2.5x8x7200mm 12 pieces a approx. 7200 mm long, ZWG strips
5722200	Intermediate rubber strips STZ NL, unvulcanized
5021551	RAD 155 TL PREMIUM / 5pc. Net Weight: 9,000KG The reference product from passenger cars to OTR/EM • Bimodal connection layer (manufactured in one piece) • Reinforcement Rayon Cord • Padding at cord end • universally applicable • indispensable when repairing forklift and OTR/EM tires • 5 years shelf life
5021654	RAD 165 TL PREMIUM / 3pc Net Weight: 13.356KG PU 3 pcs The reference product from passenger cars to OTR/EM • Bimodal connection layer (manufactured in one piece) • Reinforcement Rayon Cord • Padding at cord end • universally applicable • indispensable when repairing forklift and OTR/EM tires • Can be stored for 5 years
5021506	RAD 150 TL PREMIUM / 5pc The reference product from passenger cars to OTR/EM • Bimodal connection layer (manufactured in one piece) • Reinforcement Rayon Cord • Padding at cord end • universally applicable • indispensable when repairing forklift and OTR/EM tires • 5 years shelf life
5642896	Protractor W FIX 5, cutting width 10-14 mm, PU/20 pcs.
5959560	

5177402	T2-CL cleaning rubber, 5 rolls of 3x18x3000mm, approx. 1kg
549 1630	Remaline MP40.6(4) x 2000 x 10000mm The wear protection with built-in signal layer Execution Dimensions: 6(4) x 2000 x 10 000 mm Signal layer: 1 mm Weight: 6.80 kg/m ² Net weight: 154 kilograms High-quality rubber lining material The wear protection with built-in signal layer Reliable protection against wear and build-up with integrated replacement indicator Black wear layer Orange signal layer Very wear-resistant, especially in wet applications Very elastic High self-cleaning effect Reduces noise and dust Easy and good bonding thanks to CN bonding layer Particularly suitable for hard-to-reach components, where checking the lining thickness using conventional methods is difficult – Lining of gutters, pipes, hydrocyclones, Flotation cells, tanks, e.g. in the sand and gravel industry – Sludge extraction – Flexilo and bunker linings – Linings for sticky materials Polymer base: NR Specific gravity: 1.05 g/cm ³ (DIN ISO 1629 / EN ISO 1183-1) Hardness: 44 Shore A (DIN ISO 7619-1) Color: Orange/Black*
EXPEL-30	WATER RETAINING FILTER
528 5497	CN leveling plate standard, 3 x 500 mm
5496517	
Sc 4000	
5629644	
5253112	
Remaclean 60/ 7022054	
5302507 (1 Pack = 25 Pcs)	
5959307	
5620045	
5251043	
Remaclean Kwa	
5253105	
5492998	
5494972	
5496555	
5380316	
5159389	
5709270	

5620083	
5381316	
5302545 (1 Pack = 25 Pcs)	
5496523	
5253121	
5380017	
Pr304 Art No:5254112	
5954656	
5496530	
5380000	
5930515	
Pr200 Art No:525 2406	
5507630	
5253160	
Remaline 60	
525 2029 , 5253160	
5930649	
Type:Remaline 65/Cn Ref.No:549 0062	
Remaline 60/Cn	10x2000x10000mm TARIFF : 40082190
5954508	