



Reo

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Reo Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Reo Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Reovib MFS 159	
REOVIB MFS 268 DP UL	
Reovib mfs 268	
Reovib mfs 268 m DP24	
1020063682110	REO frequency converter for vibratory conveyors REOVIB MFS 368 Version Series: - Input filter stage with reactive power compensation - Wide-range mains input with full output voltage - LCD display - Short circuit detection/current limiting - Vibration amplitude control - Input voltage: 99...264 V - Input frequency: 50 / 60 Hz - Output voltage: 0... 205 V - Output current: 3 A - Output frequency: 20...140 Hz (other frequencies available on request) - Release input: Contact / 24V, DC invertible - Analog setpoint: 0...+10 V, DC, 0(4)...20 mA - Jam sensor: 24 V, PNP (100 mA, DC) - Status relay: (On-Off) changeover (24 V, 1 A) - Ready relay: (fault) Changeover contact (24 V, 1 A) - Operating temperature: 0... +40°C - Protection class IP 20 - UL version with additional type plate
200045710	REO accelerometer REOVIB SW 10 - Measurement signal 300 mV/g - Protection class IP 54 - Cable length 2m, open ends
213023-Lbk	
444 R1 Ca	

Clr-600-14	
Reovib Mfs 268 Ip2	MFS268M DP24 Profibus Driver
Reovib R15/469-400	
Reo-444rt/Ca	
213023-104	
Reovib 514	Our article number. 200051401 REO control unit for vibratory conveyors REOVIB 514 Input voltage: 230 V, +/- 10%, 50/60 Hz Output voltage: 40 ... 210V Output current: 6 A Specification: potentiometer 10kOhm, 0 ... 10V, DC, 0 ... 20mA Vibrations: 3000/6000 / minute - in the RPG case - Sanftanlauf ECCN: N Stat. Lot number: 85044082
213022-27	
Reovib509	
213022-32	
213022-Lbk	
200003202	
213022/23-38	
Reovib 509	
213022-36	
Reovib Mfs 268	Our article number. 200621615 REO frequency inverter for vibratory conveyors REOVIB MFS 268 Input voltage: 110/240 V +/- 15%, 50/60 Hz Output voltage: 0 ... 205V Output current: 6 A Output frequency: 0 ... 150 Hz Protection class: IP 20 - with amplitude feedback and level control ECCN: N Stat. Lot number: 85044082
Mfs 159	RED REOVIB MFS 159 P 54 oder IP 20, Frequenzregelgerät mit automatischer Resonanzfrequenzermittlung Ausgangsspannung : 0 - 100 / 0 - 205 V Ausgangsstrom : max 3/6/8 A Eingangsspannung autom.Erkennung : 110 / 230 V
213023-Lbk / Linear Bearing Kit	
Reovib E 0.3	
213023-27 / Extractor Door Post.Dx	
213023-27	
Reostab-Dnk 213/Sd 9,Version C	
213022-104	
213022rh-43313	

[213022/23 36](#)

[200616803](#)

[207640040002700](#)

[M40591](#)

[213023-28](#)

[213022/23-100](#)

[213022-28](#)