



Resatron

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Resatron Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Resatron Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Rsf 58 Pn 29-3-B-V6-Ds	02.14.29321255 Absolute encoder, Profinet, Total resolution 29 bit, 13 bit (8,192 S / U singleturn), 16 bit (65,536 U multiturn), binary code, UB 10 ... 30 VDC, 6 mm shaft, servo flange, Operating hours counter and temperature measurement, Bus cover with 3 x M12 connector: 1 x M12 plug 4 pol. (Pin, A coded) 2 x M12 plug 4 pol. (Socket, D coded) "GSDML file" Customs tariff number: 90 31 80 20 Weight approx .: 650 g country of origin: Germany
Rsf 58 Pn 29-3-B-W1n-Ds-F2	02.14.26231001 Absolute encoder, Profinet, Total resolution 29 bit, 13 bit (8,192 S / U singleturn), 16 bit (65,536 U multiturn), binary code, with two additional incremental tracks 2,048 I / U, Push-pull, UB 10 ... 30 VDC, 10 mm shaft, Clamping flange, hour meter and Temperature measurement, bus cover with 3 x M12 connector: 1 x M12 plug 4 pol. (Pin, A coded) 2 x M12 plug 4 pol. (Socket, D coded) "GSDML file" Customs tariff number: 90 31 80 20 Weight approx .: 650 g country of origin: Germany
RSH 58 M-13+12-G-3-2-SS	02.30.2513321 absolute encoder, Total resolution 25 bit, 13 bit (8,192 S / U singleturn), 12 bit (4.096 U multiturn), Gray code, SSI, UB 10 ... 30 VDC, 12 mm hollow shaft with clamping ring on the housing side and pin, 12-pin connector radial. Customs tariff number: 90 31 80 20

Ürün	Açıklama
	Weight approx .: 400 g country of origin: Germany
Intermediate flange RSH 58 - RSH 75	04.07.7558 Customs tariff number: 90 31 90 00
02.05.25134195	
02.06.25136400	
02.07.18134150	
02.12.25231450, RSP02- 58 13+12-3-B-W1-DS	
02.12.25323 19 + 04.10.091029	
02.14.29321255	
02.30.2513321	
02.30.25133230	
02.40.29233100	
02.40.293200	
04.05.01411661	
04.07.7558	
05.02.00302102	
05.02.00304105	
59-18+01-G-3-W1-K	
Montage Seilzug Geber	
RS KA 21	
RSF 58 P 26 3 B W1N DS4 F2	
RSF-58 PN29-3-B-W1N-DS-F2	
RSG 10 M 13+12-G-3-V1-SS-H	
RSG 10 P02 13+12-3-B-V1-DS	
RSH58M-13-12-G-3-2-SS	

Ürün	Açıklama
RSN 58 12+12-P-3-V6-KS	
RSP02 58-PROFIBUS DP	
RSW 10	
RSE 59-18-3-P-W1-DS8	02.0629134185 absolute angle encoder, 262,144 S/U (18 bit), PC programmable, SSI, UB 10...30 VDC, 10 mm shaft, clamping flange, bus cover with 2 x M12 plugs, 5-pin. and 8-pin.
RSM 58-13+12-G-3-W1-KS	02.05.25134100 absolute angle encoder, Total resolution 25 bits, 13 bits (8,192 S/U singleturn), 12 bits (4,096 U multiturn), Gray code, SSI, UB 10...30 VDC, 10 mm shaft, clamping flange, 1 m cable radial.
02.14.26231001	RSF 58 PN 29-3-B-W1N-DS-F2 Absolute angle encoder, Profinet, Total resolution 29 bit, 13 bit (8,192 S/U singleturn), 16 bit (65,536 U multiturn), binary code, with two additional incremental tracks 2,048 I/U, Push-pull, UB 10...30 VDC, 10 mm shaft, Clamping flange, operating hours counter and Temperature measurement, bus cover with 3 x M12 connectors: 1 x M12 connector 4 pin. (Pin, A coded) 2 x M12 connector 4 pin. (socket, D coded) "GSDML file"
RSF 58 PN 29-3-B-W1N-DS-F2	02.14.26231001 Absolut angle encoder, Profinet, total resolution 29 bits, 13 bits (8,192 S/U single-turn), 16 bits (65,536 U multi-turn), binary code, with two additional incremental tracks 2,048 I/U, push-pull, UB 10...30 VDC, 10 mm shaft, clamping flange, operating hours counter and temperature measurement, bus cover with 3 x M12 connector: 1 x M12 connector 4-pin (pin, A coded) 2 x M12 connector 4-pin (socket, D coded) "GSDML file"
Rs-Dt-E-P-S-K-E-S010t-N Position Sensor Bereich Von 10-15 Mm,	
Rsp02-58 13+12-3-B-W1-Ds-V	
02.12.25231455	
02.12.25231150	

Ürün	Açıklama
Rs St 1	
RsF 58 P 29-3-B-V6-Ds	
RsF 58 P 26-3-B-W1n-Ds4-F2 (02.12.26231981)	
Rs-Dt-E-P-S-K-E-S0105-M	
04.09.02104031, Rs Ka 21 - St 4 - 30 - Rsm 58	
02.12.25231150 Rsp02- 58 13+12-3-B- V6-Dsabsolut-Winkelcodierer, Profibus Dp,	
02.05.25131400 Rsm 58-13+12-G-3-W1- Ssabsoluter Winkelcodierer	
02 01 241334000	
04.05.01411615 Rs Bsk 41 16 15	
Rska21	
Rsw-15	
04.07.7558 Zwischenflansch Rsh 58 - Rsh 75	
Rsbsk411615	
Rsm58-13-12-G-3-W1	
Rsbsk411616 Kupplung Spiral	
Rsc 58-13+12-P-3-V6-Us Endlosregler	
Rsc58-13+12-P-3-W1-Us	
Rsp02 58?Profibus Dp	
04.05.01411610 Rs Bsk 41 16 10	
Rsg10p02 - Profibus Dp	
Rsbsk411611 Kupplung Spiral	
Rs Gel 500s 10 10	
04.10.12102001	

Ürün	Açıklama
Rsw15 Drive Unit	
Rsm 58-13-12-G-3-W1-Sst	
Rsh58m-13+12-G-3-2-Ss Encoder	
02.01.241334000	
03.01.00103002	
Rsp02-58	
Rsg 10 Fen 29-3-B-V1-Ds	
Rsp02 58-13+12-3-B-V6-Ds - Absolut Winkdelcodierer	
Rsp0258133bw1dsf1	
Rsm 58-13-12-G-3-W1-Sst Transfer Sensor	
03 01 00103002	
Rsm 59-18+01-G-3-W1-Ks	
Gsx-101-5bm-G24c	
Rs 98 Ex-M 13+12-G-3-Ks	
Rs-Dt-E-P-S-K-E-S010t-N Sensor10 -15 Mm	
04.05.01411615	
Rsm 58-13+12-G-3-W1-Ss	
Rsh 75m 13+12-G-3-2-Ss Rsh 75m Sensor	
Rs Gel 500s - 10/10	
Rs-Dt-E-P-S-K-E-S010t-N Sensor 10-15 Mm	
02.05.25131400, Rsm 58-13+12-G-3-W1-Ss	
02.41.2530302100 Rsh 75 I 13 + 12 - 30 - 3 - C	
02.12.25231450	

Ürün	Açıklama
Rsf 58 P 29-3-B-W1-Ds 02.12.29231100	
Rsp02 58	
Rshf 75 P-29-3-B-3-3-Ds Rotations-Kodierer 29 Bit 8.192 S/T X 65.536 T/14mm/Profibus Dp/10...30vdc	
Rs-Dt-E-P-S-K-E-S0105-M Sensor 10-15mm	
Rs Bsk 41 30 12	
Rst 59-18-01-G-3-W1-Ks Endlosregler	
Rsm 58-13+12-G-3-W1-Sst Transfer Sensor	
Rsbsk411610	
Rsm 58-13+12-G-3-W1-Ks	
02 12 25231459	
Rse 59-18-3-P-V6-Ds8	
Rsb58c 13+12-3-4-Can-W1n-Ds4 F2	
Rse 59 18 3 P V6 Ds8	
Rse 59 18 3 P W1 Ds 8	
Rsb58c 13+12-3-4-Can-W1n-Ds4	
Rsg 10 Fen 29-3-V1-Ds 02.22.29313300	
Rsh58m-13-12-G-3-2-Ss Encoder	
Rsf 58 P 26-3-B-W1n-Ds4-F2	
Rsg10r1200-Y-3-G-V1-Ss	
Rsc 58-13+12-P-3-V6-U	Absolute multi-turn angle encoder, 02.06.25136400 Multi-turn, total resolution 25 bits, 13 bits (8,192 S / U singleturn) 12 bits (4,096 U multiturn) Code Gray / Binary, SSI, UB 10 ... 30VDC, 6mm wellw, Servo flange, 16 pol. Plug radial, PC programmable
Rsf58p26 3-B	

Ürün	Açıklama
Rs-Dt-E-P-S-K-E-S010t-N	
04.05.01411610	
02.30.2513321 Rsh 58 M-13+12-G-3-2-Ss 5,00 -51,90absoluter Winkelcodierer	
02.12.25231459	
02.05.25131400	
D41751	
Rsm 58-12+12-G-3-V6-Ss-F	
Rsf 58 P 26 3-B-W1	
Rsst4	
Rsp02- 58 13+12-3-B-V6-Ds	
Rst 59-18+01-G-3-V1-Ss	
Rsp02 58-13-12-3-B-V6-Ds Endlosregler	
Rsp02- 58 13+12-3-B-W1-0s-F2 02.12.25231455	
Rse 59-18-3-P-W1-Ds-8	
Rs St 5	
02.12.26231981	