

Robo Cylinder

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Robo Cylinder Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Robo Cylinder Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Rcs2-Ss8r-I-150-10-750	SLIDER / FOLDED MOTOR TYPE, 150W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rca-Sa4r-A-20-2.5-250	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPT
Rcp2-Sa7-I-Pm-8-800	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2-Sa7r-I-56p-8-650	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 8MM
Rcs2-Sa7r-A-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcs2-Sra7bd-I-60-4-250	ROD / SHORT BODY TYPE, INCREMENTAL ENCODER, 60W, LEAD 4MM
Rcs2-Sa4r-I-20-2.5-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcp2-Sa6r-I-Pm-3-350	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcargs3ci2025100	ROD / SINGLE GUIDE / COUPLING TYPE, 20W, INCREMENTAL
Rcp2cr-Ss-I-Pm-3-600	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Ra55-I-60-Gd-L-150	ROD / DOUBLE GUIDE TYPE, 60W, INCREMENTAL ENCODER, LOW
Rcp2-Sa6r-I-42p-3-450	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 3MM
Rcaw-Ra4r-I-30-3-50	ROD / FOLDED MOTOR TYPE, 30WDUST/SPLASH-RESISTANT TYPE IP54INCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12

Ürün	Açıklama
Rcs-Smr-A-150-M-400	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcp2cr-Sa5-I-Pm-6-200	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 6MM
Rcaw-Ra4c-A-20-3-200	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcs2-Rgs4c-A-20-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcp2cr-Sa6-I-Pm-3-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rcp2-Sa6r-I-Pm-12-50	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcargs3ci2025150	ROD / SINGLE GUIDE / COUPLING TYPE, 20W, INCREMENTAL
Rcs2-Sa6c-I-30-12-250	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcp2-Sm-A-Pm-5-200	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcaw-Ra3c-I-20-10-100	ROD / COUPLING TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER
Rcp2cr-Sa6c-I-42p-3-150	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 3MM
Rca-Ra4r-A-30-3-100	ROD / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-F5d-A-100-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P
Rcargd3ri2025100	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rcs2-Rgs5c-I-60-4-250	ROD / SINGLE GUIDE / COUPLING TYPE, 60W, INCREMENTAL ENCODER, LEAD 4MM
Rcp2-Sa7r-I-Pm-8-800	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rca-Rgs4c-A-30-3-200	ROD / SINGLE GUIDE / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY

Ürün	Açıklama
Rca-Rgs4d-A-30-6-250	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rca-Sa5r-A-20-3-350	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcp2cr-Sa5-A-Pm-6-350	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 6MM
Rcacr-Sa6d-I-30-3-550	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W INCREMENTAL ENCODER
Erc2-Ra6c-I-Pm-3-150-Pn-R05	
Rcp2cr-Sm-A-Pm-5-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcs-Ra35-I-20-Gd-L-50	ROD / DOUBLE GUIDE TYPE, INCREMENTAL ENCODER, 20W, LOW
Rcs2-Rgd4r-A-30-3-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Sa7r-I-Pm-16-400	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcaw-Ra4r-A-20-3-250	ROD / FOLDED MOTOR TYPE, 20WDUST/SPLASH-RESISTANT TYPE IP54ABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2cr-Sa5-I-Pm-3-400	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 3MM
Rcaw-Ra4c-A-20-3-300	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcs2-Sa6c-I-30-3-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca2-Sa6r-I-30-6-550	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcs2-F5d-I-100-4-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSE
Rcp2-Sa7r-A-Pm-4-700	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16

Ürün	Açıklama
Rcp2cr-Sa7c-I-56p-4-150	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 4MM
Rcp2-Sa7r-I-56p-8-50	SLIDER / FOLDED MOTOR TYPE INCREMENTAL ENCODER LEAD (MM) -- 4, 8, 16(*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIONS
Rcaw-Ra4c-I-30-6-150	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30W INCREMENTAL ENCODER (C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPE LEAD (MM) -- 3, 6, 12
Rcp2-Sm-A-Pm-20-700	SLIDER TYPE, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcacr-Sa5c-A-20-3-100	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcp2-Sa7-I-Pm-4-800	SLIDER TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcs2-Ss8c-A-100-10-100	SLIDER / COUPLING TYPE, 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcssmi100m600n	ACTUATOR
Rcp2cr-Sa6-I-Pm-6-600	SLIDER / CLEANROOM TYPE CLASS 10 (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rca-A6r-A-30-12-50	ARM / FOLDED MOTOR TYPE WITH BRAKE, 30W ABSOLUTE ENCODER *USE W/A SEL-ABSOLUTE ONLY LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM (STANDARD), (MR)
Rcp2-Sa6r-A-Pm-3-250	SLIDER / FOLDED MOTOR TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcacr-Sa6d-A-30-12-200	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcaw-Ra4c-I-30-3-300	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30W INCREMENTAL ENCODER (C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPE LEAD (MM) -- 3, 6, 12
Rca-Sa5r-A-20-3-250	SLIDER / FOLDED MOTOR TYPE, 20W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcp2-Sa7r-A-Pm-8-400	SLIDER / FOLDED MOTOR TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2-Sm-I-Pm-20-900	SLIDER TYPE, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20

Ürün	Açıklama
Rcp2w-Sa16c-l-86p-4-450	SLIDER / WATERPROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 4MM
Rcs-Sa6-A-30-L-500	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcp2-Ss8c-l-56p-10-450	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcs2-Sa7r-l-60-4-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcp2-Sa6r-l-42p-3-500	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Ss8c-l-56p-20-650	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 20MM
Rcs-Sm-l-100-M-200	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Rcp2cr-Sa5-l-Pm-6-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 6MM
Rcp2-Ba7-l-Pm-54-1150	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcaw-Ra3r-l-20-5-200	ROD / FOLDED MOTOR TYPE, 20WDUST/SPLASH-RESISTANT TYPE IP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rca2-Tca3na-l-10-2-30-A3-N	
Rcs2-Sa7r-l-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rca-Rgd4r-A-30-12-150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER
Rcp2-Sa7r-l-Pm-8-200	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rca-Sa6r-l-30-3-550	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Rcp2cr-Sa5-A-Pm-12-200	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 12MM
Rca-A4r-A-20-10-150	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WABSOLUTE ENCODER *USE W/ASEL-ABSOLUTE ONLY LEAD (MM) -- 5, 10, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR
Rcs2cr-Ss7c-A-60-6-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON

Ürün	Açıklama
Rcs-Ra45r-l-30-Gd-L-50	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 30W, INCREMENTAL ENCODER, LOW
Rca2-Sa6r-l-30-12-450	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rca-Sa4r-l-20-2.5-100	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE
Rcp2-Sa6r-A-Pm-12-50	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa6c-l-30-3-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2cr-Sa7-A-Pm-8-400	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 8MM
Rcp2-Sa6r-l-Pm-3-550	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Ra55r-A-60-Gd-L-50	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcacr-Sa6d-A-30-12-150	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcs-Sm-A-150-M-200	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcs2-Ra5r-A-60-4-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P
Rcp2-Hs8r-l-86p-30-50	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcp2-Ba6-l-42p-54-550	SLIDER / BELT TYPEINCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rcacr-Sa5c-A-20-3-350	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcs2-Rgd4c-l-20-3-150	ROD / DOUBLE GUIDE / COUPLING TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Ba7-A-Pm-54-1050	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2cr-Sa4c-A-20-5-200	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, LEAD 5MM

Ürün	Açıklama
Rcacr-Sa5c-I-20-3-450	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rca-Sa5r-A-20-3-50	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcs2-Ss8c-A-100-10-950	SLIDER / COUPLING TYPE, 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcs2-Rgs4c-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcs-Ss-A-60-M-400	SLIDER TYPE, ABSOLUTE ENCODER, 60W, MEDIUM
Rcp2-Smr-A-Pm-5-1000	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2cr-Sm-A-Pm-5-400	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcs2-Sa5c-A-20-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca-Sa6r-A-30-12-600	SLIDER / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcs2-Rgd5c-A-100-4-50	ROD / DOUBLE GUIDE / COUPLING TYPE, 100W, ABSOLUTE ENCODER, LEAD 4MM
Rca-A4r-I-20-5-200	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WINCREMENTAL ENCODERLEAD (MM) -- 5, 10,(*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR) RIGHT, (ML) LEFT*LIST
Rcp2-Rtbbl-I-35p-20-360-P1	ROTARY-LARGE/TALL TYPE, MULTIPLE ROTATION SPECIFICATIONGEAR RATIO -- 20, 30, OSCILLATION ANGLE: 360
Rcs2-Sa5d-A-20-3-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcs2cr-Sa5d-I-20-3-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Ba6-A-Pm-54-950	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2-Rgd4r-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SS

Ürün	Açıklama
Rcs-Smr-A-150-M-200	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcp2-Ss-A-Pm-3-300	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2cr-Sa6-I-Pm-3-50	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2cr-Sa6-I-Pm-3-600	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rcacr-Sa6d-A-30-3-150	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Sa5-A-Pm-6-500	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 6MM
Rcs2cr-Ss8c-A-150-10-950	SLIDER / CLEANROOM / COUPLING TYPE, 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcp2-Rtb-I-28p-20-330-P1	ROTARY-MEDIUM/TALL TYPE, STANDARD SPECIFICATION, GEAR RATIO: 20
Rcs-Ssr-A-60-M-100	SLIDER TYPE, ABSOLUTE ENCODER, 60W, MEDIUM
Rcs2-Sa6r-I-30-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL
Rca-A5r-I-20-6-200	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WINCREMENTAL ENCODERLEAD (MM) -- 6, 12,(*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR) RIGHT, (ML) LEFT*LIST
Rcs-Ra45r-A-30-Gn-L-50	ROD / FOLDED MOTOR TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcs2-A4r-A-20-5-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / X
Rcp2-Ss-I-Pm-12-600	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcacr-Sa4c-A-20-10-300	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcp2cr-Ss-I-Pm-3-500	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Sm-A-100-M-400	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rcp2-Sa7r-I-56p-16-350	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 16MM

Ürün	Açıklama
Rcp2-Sa7-I-Pm-8-600	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcs2cr-Sa6c-I-30-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcp2-Hsm-I-Pm-30-1000	SLIDER / HIGH-SPEED TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcacr-Sa6c-A-30-6-50	SLIDER / CLEANROOM / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Rca-Sa4r-A-20-5-350	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPT
Rcp2-Ss7r-I-42p-12-550	SLIDER / FOLDED MOTER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 12MM
Rcp2cr-Ss8c-I-56p-5-450	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL ENCODER, LEAD 5MM
Rcs2w-Ra4r-I-20-3-150	ROD / FOLDED MOTOR TYPE, 20W, DUST/SPLASH-RESISTANT TYPE IP54, INCREMENTAL LEAD 3MM
Rca-Rgd3d-I-20-5-200	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs2-Sa6c-A-30-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Sa6r-I-Pm-3-600	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2-Ra10c-I-86p-5-150	ROD / HIGH-THRUST TYPE, INCREMENTAL ENCODER, LEAD 5MM
Rcp2-Grs-I-20p-1-10-P1	GRIPPER, SLIDE TYPE, INCREMENTAL ENCODER, 10MM STROKE
Rcp2w-Sa16-I-Pm-8-400	SLIDER / WATER-PROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 8MM
Rcs2-A6r-A-30-6-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / X
Rcs2-Sra7bd-I-150-4-250	ROD / SHORT BODY TYPE, INCREMENTAL ENCODER, 150W, LEAD 4MM
Rcp2-Ss8r-I-56p-5-50	SLIDER / FOLDED MOTOR TYPE, STEEL BASEINCREMENTAL

Ürün	Açıklama
	ENCODERLEAD (MM) -- 5, 10, 20(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MUL
Rcp2-Ssr-A-Pm-6-100	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Smr-A-150-M-500	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcs2-Sra7bd-I-150-4-150	ROD / SHORT BODY TYPE, INCREMENTAL ENCODER, 150W, LEAD 4MM
Rcs-Ra55-A-60-Gs1-L-150	ROD / SINGLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, 1 GUIDE POSITION, LOW
Rcacr-Sa5c-A-20-3-50	SLIDER / CLEANROOM / COUPLING TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Rcp2-Smr-I-Pm-10-100	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2-Sa6r-A-Pm-6-300	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rca-Rgd3r-I-20-2.5-50	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcaw-Ra4d-I-20-3-200	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WINCREMENTAL ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12
Rcs-Ra55r-A-60-Gs1-L-300	ROD / FOLDED MOTOR / SINGLE GUIDE TYPE, 60W, ABSOLUTE ENCODER 1 GUIDE POSITION, LOW
Rca-Rgs3d-I-20-10-150	(A3) ACON/RACON/ASEL, (A3) ASEP
Rcs2-Rgd5c-A-100-4-150	ROD / DOUBLE GUIDE / COUPLING TYPE, 100W, ABSOLUTE ENCODER, LEAD 4MM
Rcp2-Smr-A-Pm-5-100	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2-Smr-A-Pm-20-1000	ACUATOR ONLY, STEEL BASE, ABSOLUTE, LEAD 20MM
Rca-Sa6r-A-30-3-400	SLIDER / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcp2w-Sa16-I-Pm-4-150	SLIDER / WATER-PROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 4MM

Ürün	Açıklama
Rcaw-Ra4d-I-20-3-300	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WINCREMENTAL ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12
Rca-Rgs4d-A-30-6-200	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Ra4r-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Sa7r-I-56p-4-650	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 4MM
Rcs2-Sa6c-I-30-12-350	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcs2sa4ra2025350	SLIDER / FOLDED MOTOR TYPE, 20W, ABSOLUTE ENCODER, 2.5MM
Rca-Rgs4d-A-30-3-250	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcacr-Sa5d-A-20-3-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W ABSOLUTE ENCODER
Rcs-Smr-I-100-M-600	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Rcacr-Sa6c-I-30-6-250	SLIDER / CLEANROOM / COUPLING TYPE, 30W INCREMENTAL ENCODER
Rcp2-Sa6r-I-Pm-3-200	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2cr-Sm-I-Pm-20-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 20MM
Rcp2cr-Sm-A-Pm-5-1000	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, ABSOLUTE, LEAD 5MM
Rcs-Sm-I-150-M-500	SLIDER TYPE, INCREMENTAL ENCODER, 150W, MEDIUM
Rcs2cr-Sa5c-A-20-3-300	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcs2cr-Sa4c-I-20-5-100	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, LEAD 5MM
Rcs2-Rgd4r-I-20-3-250	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM

Ürün	Açıklama
Rcs-E-Rb7525-I-60-0 Obsolete	
Rcs-Ra45r-A-30-Gd-L-200	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 30W, ABSOLUTE ENCODER, LOW
Rcp2-Sa6r-I-Pm-6-550	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2-Ss7r-I-42p-6-250	SLIDER / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 6MM
Rcaw-Ra4r-A-20-12-50	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcacr-Sa5d-I-20-3-250	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcp2-Hsm-I-Pm-30-400	SLIDER / HIGH-SPEED TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 30
Rcs2-Sa6c-A-30-6-300	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca2-Sa5r-I-20-12-500	SLIDER / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT** LIST MULTIPLE O
Rcp2-Ss7r-I-42p-3-550	SLIDER / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 3MM
Rcs2-Sa7r-I-60-4-750	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcs2cr-Sa6c-I-30-3-600	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcl-Sm5I-I-5-N-108	MICRO MULTI SLIDER / LINEAR SERVO TYPE INCREMENTAL ENCODER, 5W, UNIT WIDTH 48MM (A1) ACON/RACON/ASEL, (A3) ASEP
Rcp2-Sa6r-I-Pm-12-250	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Rcacr-Sa6c-A-30-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 30W ABSOLUTE ENCODER
Rcacr-Sa6d-A-30-12-300	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2-Sa6r-I-Pm-12-400	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM

Ürün	Açıklama
Rcs2-Sa6c-A-30-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs-Sa6-A-30-L-350	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcs2w-Ra4c-I-20-3-250	CONTROLL
Rcp2-Sa6r-I-Pm-12-300	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Rcs2-Rt7r-I-60-4-300	ROTARY TYPE, SERVO MOTOR, INCREMENTAL ENCODERLIMIT SWITCH IS STANDARD, 60WRT6R / RT7R -- FOLDED MOTOR TYPEGEAR RATIO -- RT6 / RT6R = 18, RT7R = 4CONTR
Rcp2-Ss-I-Pm-3-600	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Erc2-Ra6c-I-Pm-6-200-Pn-R03-B-Ft	
Rca-Ra4r-A-20-6-250	ROD / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Rgd5c-I-100-4-200	ROD / DOUBLE GUIDE / COUPLING TYPE, 100W, INCREMENTAL ENCODER, LEAD 4MM
Rca2-Sa6r-I-30-12-250	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcs2-Ss7r-A-60-6-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSE
Rcp2-Smr-I-Pm-5-400	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2cr-Sm-I-Pm-5-1000	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 5MM
Rcp2-Ba7-I-Pm-54-1000	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcacr-Sa5d-I-20-12-400	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcs2-Ss8r-A-150-10-350	SLIDER / FOLDED MOTOR TYPE 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcp2-Sm-A-Pm-20-600	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcp2-Ssr-A-Pm-12-400	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A)

Ürün	Açıklama
	ABSOLUTELEAD (MM) -- 3, 6, 12
Rca2-Sa4r-l-20-2.5-300	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE
Rcs-Sm-A-150-M-600	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Rcacr-Sa6d-l-30-6-200	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W INCREMENTAL ENCODER
Rcs-Ra45r-A-30-Gn-L-100	ROD / FOLDED MOTOR TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcs2-A4r-l-20-5-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL
Rcp2-Hs8r-l-86p-30-550	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcp2cr-Sa6-l-Pm-6-250	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2-Ssr-A-Pm-3-500	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcaw-Ra4c-A-20-3-250	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcp2-Ssr-A-Pm-6-500	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2-Ss8c-l-56p-10-550	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcs2-Rgd4c-l-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSE
Rcs-Smr-A-100-M-900	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rcs-Ra55r-l-60-Gn-L-300	ROD / FOLDED MOTOR TYPE, 60W, INCREMENTAL ENCODER LOW
Rcs-Smr-l-150-M-400	SLIDER TYPE, INCREMENTAL ENCODER, 150W, MEDIUM
Rcp2-Ss8c-l-56p-20-50	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 20MM
Rcp2-Sa6r-A-Pm-12-250	SLIDER / FOLDED MOTOR TYPE, ABSOLUTE, LEAD 12MM
Rcp2cr-Ss-A-Pm-3-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I)

Ürün	Açıklama
	INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcaw-Ra3r-I-20-10-200	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER
Rcs2w-Ra4c-A-30-3-50	CONTROLLER
Rcacr-Sa5d-I-20-12-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcacr-Sa6d-A-30-3-550	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2-Sm-I-Pm-5-300	SLIDER TYPE, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcs-Ra55-A-100-Gd-L-300	ROD / DOUBLE GUIDE TYPE, 100W, ABSOLUTE ENCODER, LOW
Rcs2-Sa7c-A-60-4-450	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Ba6-I-Pm-54-750	SLIDER / BELT TYPE (U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rca-Ra4r-A-20-12-250	ROD / FOLDED MOTOR TYPE, 20W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2-Sa7-A-Pm-16-600	SLIDER TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2cr-Sa5-I-Pm-3-300	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 3MM
Rcs-Ss-A-60-M-200	SLIDER TYPE, ABSOLUTE ENCODER, 60W, MEDIUM
Rcawra3di2025200	ROD / MOTOR BUILT-IN TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER
Rcs2-Sa7r-I-60-4-350	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcs2-Rgd4r-I-20-3-50	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON /
Rcacr-Sa4c-I-20-5-300	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rcacr-Sa6c-A-30-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 30W ABSOLUTE ENCODER

Ürün	Açıklama
Rcs2-Sa5d-A-20-3-400	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcp2-Ba7-A-Pm-54-850	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rca-Sa5r-I-20-3-400	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Rcs-Ra55-I-100-Gs1-L-300	ROD / SINGLE GUIDE TYPE, 100W, INCREMENTAL ENCODER, 1 GUIDE POSITION, LOW
Rcs2-Ss8c-A-100-10-150	SLIDER / COUPLING TYPE, 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcs2-Ss8c-I-100-10-250	SLIDER / COUPLING TYPE, 100W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcp2-Grm-I-Pm-1-14-P1	GRIPPER TYPE, INCREMENTAL ENCODER, 14MM STROKE
Rca2-Sa5r-I-20-12-400	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcacrsa4ca202540	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcp2cr-Hsm-I-Pm-30-500	SLIDER / HIGH-SPEED / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, STEEL BAS, LEAD 30MM
Rcaw-Ra4c-A-30-3-100	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcs2-Rgd5c-I-60-4-250	ROD / DOUBLE GUIDE / COUPLING TYPE, 60W, INCREMENTAL ENCODER, LEAD 4MM
Rcs2-Srgd7bd-I-60-4-150	ROD / DOUBLE GUIDE / SHORT BODY TYPE, INCREMENTAL ENCODER, 60W, LEAD 4MM
Rcs2-Rgd4r-I-30-3-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcs2-Rgs4d-A-30-3-200	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Hs8c-I-86p-30-150	SLIDER / HIGH-SPEED TYPE, STEEL BASEINCREMENTAL ENCODERLEAD (MM) -- 30
Rcs2-Rgd4d-I-30-3-250	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30W,

Ürün	Açıklama
	INCREMENTAL ENCODER, LEAD 3MM
Rcacr-Sa5d-I-20-3-400	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rca-Sa6c-A-30-12-1200	SLIDER / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Rcp2-Ba7-I-42p-54-600-P1-N	
Rcp2cr-Ss-I-Pm-3-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Ra55-I-60-Gs1-L-250	ROD / SINGLE GUIDE TYPE, 60W, INCREMENTAL ENCODER, 1 GUIDE POSITION, LOW
Rcp2-Sm-A-Pm-5-800	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcp2-Ba6-A-Pm-54-850	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcp2-Sa6r-I-Pm-6-100	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2cr-Sa5c-I-20-3-150	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, 3MM
Rcs-Ra55r-A-60-Gd-L-300	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcs2-Rgd4d-A-20-3-100	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rca-Sa4r-A-20-5-300	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPT
Rcs2-Ss8r-A-100-10-850	SLIDER / FOLDED MOTOR TYPE 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcacrsa4ca202535	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcs2-Sa6c-A-30-3-500	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2-Rgs4d-A-20-3-200	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM

Ürün	Açıklama
Rcp2-Ss7r-l-42p-6-100	SLIDER / FOLDED MOTER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 6MM
Rcs2-Ss8c-A-150-10-100	SLIDER / COUPLING TYPE, 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcp2cr-Sa7c-l-56p-8-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 8MM
Rcs-Ra55-A-100-Gd-L-200	ROD / DOUBLE GUIDE TYPE, 100W, ABSOLUTE ENCODER, LOW
Rcp2-Smr-A-Pm-20-100	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2-Smr-A-Pm-5-300	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcp2-Hs8r-l-86p-30-650	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcs-Ra45r-l-30-Gd-L-200	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 30W, INCREMENTAL ENCODER, LOW
Rcs-Ra55-A-60-Gd-L-250	ROD / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcs-Ra45r-A-30-Gd-L-150	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 30W, ABSOLUTE ENCODER, LOW
Rcs-Ra55-A-60-Gs1-L-250	ROD / SINGLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, 1 GUIDE POSITION, LOW
Rcp2-Sa7c-l-56p-16-650	SLIDER TYPEINCREMENTAL ENCODERLEAD (MM) -- 4, 8, 16
Rcp2cr-Hsm-l-Pm-30-800	SLIDER / HIGH-SPEED / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, STEEL BAS, LEAD 30MM
Rcs2-Sa6c-A-30-6-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2sa4ca2025100	SLIDER / COUPLING TYPE, 20W, ABSOLUTE ENCODER, LEAD 2.5MM
Rcs2-A5r-A-20-6-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / X
Rcs2cr-Sa5d-A-20-3-300	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM

Ürün	Açıklama
Rcs2cr-Sa7c-A-60-4-350	SLIDER / CLEANROOM / COUPLING TYPE, 60W, ABSOLUTE ENCODER, LEAD 4MM
Rca2-Sa6r-l-30-12-500	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcs2w-Ra4c-l-30-3-100	CONTROLLE
Rcp2-Sa7r-A-Pm-8-200	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcs2cr-Sa5c-A-20-3-450	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcp2-Ba6-l-42p-54-900	SLIDER / BELT TYPEINCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rca-Rgd3d-l-20-10-150	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcacr-Sa6d-A-30-6-50	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Rcacr-Sa4c-A-20-10-400	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcs2-F5d-A-60-4-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rca-Sa6r-A-30-3-300	SLIDER / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Rcp2w-Sa16-l-Pm-8-200	SLIDER / WATER-PROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 8MM
Rcs-Sa5-A-20-L-250	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Erc2-Ra7c-l-Pm-4-150-Pn-R05	
Rca-Sa6c-A-30-6-1200	SLIDER / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Rcs2-Rgs4c-A-30-3-300	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcs2-Ss8r-A-100-10-950	SLIDER / FOLDED MOTOR TYPE 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcp2-Ss8c-l-56p-10-350	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM

Ürün	Açıklama
Rcp2-Smr-I-Pm-10-900	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcs2cr-Sa5c-A-20-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcl-Sm6I-I-10-N-48	MICRO MULTI SLIDER / LINEAR SERVO TYPE INCREMENTAL ENCODER, 10W, UNIT WIDTH 58MM(A1) ACON/RACON/ASEL, (A3) ASEP
Rcs-Ra45r-A-30-Gs1-L-150	ROD / FOLDED MOTOR / SINGLE GUIDE TYPE, 30W, ABSOLUTE ENCODER, 1 GUIDE POSITION, LOW
Rcp2cr-Sa7c-I-56p-4-750	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 4MM
Rcp2w-Sa16c-I-86p-8-150	SLIDER / WATERPROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 8MM
Rcs2sa4da2025250	SLIDER / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 2.5MM
Rcs2-Rgd4d-A-30-3-150	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30W, ABSOLUTE ENCODER, LEAD 3MM
Rcs2-Rgd4d-I-20-3-100	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Grst-I-20p-2-80	LONG STROKE GRIPPER, INCREMENTAL ENCODER
Rca-Rgd4r-A-20-3-100	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcaw-Ra4r-A-20-3-150	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Sa6r-A-30-3-150	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcs2-Rgd4r-A-20-3-150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Sa7r-A-Pm-16-200	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2-Sm-I-Pm-10-400	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20

Ürün	Açıklama
Rca-Rgd4r-A-30-3-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2-Ss-A-Pm-3-500	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Sa4-A-20-L-50	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Rcp2cr-Hsm-I-Pm-30-700	SLIDER / HIGH-SPEED / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, STEEL BAS, LEAD 30MM
Rcp2cr-Sa7c-I-56p-4-450	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 4MM
Ispe-Mzm-A-200-10-200-T1-Aq-B	ISPA MEDIUM VETICAL-AXIS LONG SLIDER TYPE W/ BRAKE, 200W
Rcs2-Rgd4d-I-20-3-150	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcs2-Sa5c-A-20-3-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca2-Sa5r-I-20-3-500	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcs-Sa4-A-20-L-250	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Rcp2cr-Sm-I-Pm-20-700	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 20MM
Rcs2cr-Sa6d-A-30-3-350	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W, ABSOLUTE ENCODER, LEAD 3MM
Rcl-Sm4I-I-2-N-60	MICRO MULTI SLIDER / LINEAR SERVO TYPEINCREMENTAL ENCODER, 2W, UNIT WIDTH 40MM(A1) ACON/RACON/ASEL, (A3) ASEP
Rcs2-Rgd5c-I-100-4-50	ROD / DOUBLE GUIDE / COUPLING TYPE, 100W, INCREMENTAL ENCODER, LEAD 4MM
Rcp2-Rfw-I-Pm-2.5-300	ROD / HIGH-THRUST / SPLASH RESISTANT TYPEIP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs2-Srgs7bd-I-150-4-250	ROD / SINGLE GUIDE / SHORT BODY TYPE, INCREMENTAL ENCODER, 150W, LEAD 4MM
Rcp2-Sa6r-A-Pm-3-500	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12

Ürün	Açıklama
Rcs2sa4ca2025200	SLIDER / COUPLING TYPE, 20W, ABSOLUTE ENCODER, LEAD 2.5MM
Rca-Rgd3d-I-20-10-200	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER
Rcs2-Rgd5c-A-60-4-100	ROD / DOUBLE GUIDE / COUPLING TYPE, 60W, ABSOLUTE ENCODER, LEAD 4MM
Rcs2cr-Sa5c-A-20-3-200	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcp2-Ss8c-I-56p-5-890	SLIDER TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 5, 10, 20
Rcs-Smr-A-100-M-200	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rcs-Ra55r-I-60-Gd-L-250	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 60W, INCREMENTAL ENCODER, LOW
Rca-Rgs4d-A-30-3-300	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Sa4c-A-20-5-250	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca-Rgd4r-I-30-6-250	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12
Rcp2-Sa7r-I-Pm-16-800	SLIDER / FOLDED MOTOR TYPE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2-Ss7r-I-42p-6-50	SLIDER / FOLDED MOTOR TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12, (*) CABLE OPTION (ML) MOTOR FOLDED LEFT (STANDARD), (MR) RIGHT** LIST MU
Rcs2-Sa6c-I-30-12-450	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcs2-Rgd4d-I-30-3-300	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rca-Rgd4r-A-30-3-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Ss8r-A-150-10-450	SLIDER / FOLDED MOTOR TYPE 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcacr-Sa6c-I-30-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 30W INCREMENTAL

Ürün	Açıklama
	ENCODER
Rcs2-Rgs4c-A-30-3-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcacr-Sa6d-I-30-3-200	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W INCREMENTAL ENCODER
Rcacr-Sa5c-I-20-3-250	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rcp2-Sa7r-I-Pm-16-100	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcs2-Ra13r-A-750-1.25-200	ROD / SUPER HIGH-THRUST TYPE, 750W2-TON TYPE / 19600N (4400LBS), ABSOLUTE ENCODERLEAD (MM) -- 1.25*SEE REGEN BOX REQUIREMENT BELOW*SELECT MOTOR/CABLE
Rcs2-Sa6c-A-30-6-550	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2-Ra5r-A-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P
Rcs2w-Ra4c-A-30-3-100	CONTROLLER
Rcs2-Ss8r-I-100-10-150	SLIDER / FOLDED MOTOR TYPE, 100W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcp2-Ssr-A-Pm-12-200	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa6d-I-30-3-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcaw-Ra4d-A-20-3-250	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcp2-Sa6r-I-Pm-12-200	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Rcp2-Ba7-I-Pm-54-600-P1-N Replaced By Rcp2-Ba7-I-42p-54-600-P1-N	
Rcs2-Ss8c-I-150-10-450	SLIDER / COUPLING TYPE, 150W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcp2-Sa7r-I-Pm-4-600	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2-Sa7c-I-56p-16-50	SLIDER TYPEINCREMENTAL ENCODERLEAD (MM) -- 4, 8, 16

Ürün	Açıklama
Rcp2-Ss-A-Pm-12-400	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs-Ra55-A-60-Gd-L-200	ROD / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcs-Sa6-A-30-L-300	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW
Rca-Sa6r-l-30-3-200	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Rcs2cr-Sa6c-l-30-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcs2-Sa7r-A-60-4-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcp2-Ss-l-Pm-3-300	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa6r-A-30-3-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcaw-Ra4c-A-20-3-50	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 20WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcs-Sa6-A-30-L-100	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcs2-F5d-A-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcaw-Ra4c-A-30-3-250	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30WABSOLUTE ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-
Rcs2-Sa6r-l-30-3-600	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL
Rca2-Sa6r-l-30-6-600	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcp2cr-Sa6-l-Pm-12-100	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2sa4ri2025150	SLIDER / FOLDED MOTOR TYPE, 20W, INCREMENTAL ENCODER, 2.5MM
Rcs2-F5d-l-100-4-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSE

Ürün	Açıklama
Rcs2-Gr8-I-60-5-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcacr-Sa6d-A-30-6-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Sm-A-Pm-5-600	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcs2-Sa7c-I-60-4-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2cr-Sa6c-I-42p-6-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcs2cr-Sa6c-I-30-3-300	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcp2-Ba7-A-Pm-54-800	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2-Ra4r-A-30-3-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs-Sm-A-100-M-600	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rca-A6r-I-30-6-150	ARM / FOLDED MOTOR TYPE WITH BRAKE, 30WINCREMENTAL ENCODER LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR) RIGHT, (ML) LEFT*LIST
Rcp2cr-Sa7-I-Pm-4-800	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 4MM
Rcs2-Sa6c-I-30-12-300	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcp2-Hs8r-I-86p-30-100	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcp2cr-Sa7-A-Pm-8-800	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 8MM
Rcp2-Hs8c-I-86p-30-950	SLIDER / HIGH-SPEED TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 30
Rca-Rgd4c-A-30-3-300	ROD / DOUBLE GUIDE / COUPLING TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2cr-Ss-A-Pm-3-100	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12

Ürün	Açıklama
Rcs2-Rgs4d-A-20-3-100	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2cr-Sa5c-l-42p-3-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 3MM
Rca-Rgd4r-l-30-12-150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rca-Ra4r-A-30-6-50	ROD / FOLDED MOTOR TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2w-Ra4c-A-30-3-300	CONTROLLER
Rcs2-Ss8c-l-150-10-250	SLIDER / COUPLING TYPE, 150W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcs2cr-Sa6d-l-30-3-100	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcaw-Ra4c-l-30-12-50	ROD / DUST/SPLASH-RESISTANT TYPE IP54, 30WINCREMENTAL ENCODER(C) COUPLING TYPE, (D) MOTOR BUILT-IN TYPELEAD (MM) -- 3, 6, 12
Rcp2-Ssr-A-Pm-6-200	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcacr-Sa5d-A-20-3-350	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 20W ABSOLUTE ENCODER
Rcp2-Sa6r-l-42p-3-150	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 3MM
Rcs2cr-Ss7c-A-60-6-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON
Rcp2cr-Sa6c-l-42p-6-550	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcacr-Sa6d-A-30-12-550	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Sa5-l-Pm-3-500	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 3MM
Rcs-Sm-l-100-M-500	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Rcacr-Sa6c-A-30-6-400	SLIDER / CLEANROOM / COUPLING TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Ss7c-l-42p-3-350	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE,

Ürün	Açıklama
	INCREMENTAL ENCODER, LEAD 3MM
Rcargd3ri2025200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rca-Rgd4r-l-30-3-250	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12
Rcp2cr-Ss-A-Pm-6-400	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa5r-A-20-3-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcp2cr-Sa5c-l-42p-6-450	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcs-Smr-l-100-M-700	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Rcp2-Sm-l-Pm-5-500	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rcs2-Rgd4d-A-20-3-250	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcp2-Ssr-A-Pm-6-300	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcacr-Sa6d-A-30-6-300	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2cr-Hsm-l-Pm-30-300	SLIDER / HIGH-SPEED / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, STEEL BAS, LEAD 30MM
Rcp2-Sa6r-l-Pm-6-450	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Rgd4d-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON /
Rcp2cr-Ss-A-Pm-3-600	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2-Sa7c-l-56p-4-450	SLIDER TYPE, INCREMENTAL ENCODER, LEAD 4MM
Rcs2-Sa6d-A-30-3-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Rcp2-Ss-l-Pm-12-500	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2-Ss7c-l-42p-12-150	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD

Ürün	Açıklama
	12MM
Rca-Rgd4r-I-30-12-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rcs2cr-Sa5c-I-20-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, 3MM
Rcs2ra13ri750251	ROD / SUPER HIGH-THRUST TYPE, 750W, 1-TON TYPE / 9800N, INCREMENTAL ENCODER, LEAD 2.5MM
Rcacr-Sa5c-A-20-3-500	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Rcp2-Ba6-I-Pm-54-900	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2w-Ra4r-A-20-3-300	ROD / FOLDED MOTOR TYPE, 20W, DUST/SPLASH-RESISTANT TYPE IP54, ABSOLUTE LEAD 3MM
Rcp2cr-Sm-I-Pm-5-200	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rca-Rgd4r-A-30-6-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W ABSOLUTE ENCODER LEAD (MM) -- 3, 6, 12* COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcs2-Rgd4r-I-20-3-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Sa6r-A-Pm-6-600	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2cr-Sa5-A-Pm-6-250	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 6MM
Rcs-Sa6-A-30-L-50	SLIDER TYPE, ABSOLUTE ENCODER, 30W, LOW
Rcs2cr-Sa5c-I-20-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, 3MM
Rcs2w-Ra4r-I-30-3-300	ROD / FOLDED MOTOR TYPE, 30W, DUST/SPLASH-RESISTANT TYPE IP54, INCREMENTAL LEAD 3MM
Rcs2-Sa5r-I-20-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL
Rcp2cr-Sa5-I-Pm-6-500	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 6MM
Rcp2-Sa7r-A-Pm-4-600	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16

Ürün	Açıklama
Rca-Rgs3c-l-20-5-150	ROD / SINGLE GUIDE / COUPLING TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs-Ra55r-l-60-Gn-L-200	ROD / FOLDED MOTOR TYPE, 60W, INCREMENTAL ENCODER LOW
Rcp2cr-Ss8c-l-56p-5-950	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL ENCODER, LEAD 5MM
Rcacr-Sa6c-l-30-3-550	SLIDER / CLEANROOM / COUPLING TYPE, 30W INCREMENTAL ENCODER
Rcp2-Rtcs-l-20p-30-330-P1	ROTARY-SMALL/FLAT TYPE, STANDARD SPECIFICATION, GEAR RATION: 30
Rcp2cr-Sa7-l-Pm-4-700	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 4MM
Rcp2-Ba7-l-42p-54-700	SLIDER / BELT TYPEINCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rcs-Ra35r-l-20-Gd-L-50	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, INCREMENTAL ENCODER, 20W, LOW
Rca-Rgd4r-l-20-3-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12
Rcp2-Grst-l-20p-2-100	LONG STROKE GRIPPER, INCREMENTAL ENCODER
Rcp2-Rfa-l-Pm-2.5-200	ROD / HIGH-THRUST TYPEINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs2-Sa6r-A-30-3-300	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcs2cr-Sa6c-l-30-3-150	SLIDER / CLEANROOM / COUPLING TYPE, 30W, INCREMENTAL ENCODER, 3MM
Rcp2cr-Sa7-A-Pm-4-300	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 4MM
Rcs-Sa5-A-20-L-300	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Rca-Srgd4r-l-20-5-200	ROD / DOUBLE GUIDE / SHORT / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rcp2cr-Sa5-l-Pm-12-250	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rcs2-F5d-l-100-4-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSE

Ürün	Açıklama
Rcp2cr-Sa5c-l-42p-6-350	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcp2-Sm-l-Pm-5-600	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcs2-Srgd7bd-l-100-4-300	ROD / DOUBLE GUIDE / SHORT BODY TYPE, INCREMENTAL ENCODER, 100W, LEAD 4MM
Rcs-Smr-A-100-M-700-T1-M	SLIDER TYPE, ABSOLUTE ENCODER, 100W
Rcp2cr-Sm-A-Pm-10-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, ABSOLUTE, LEAD 10MM
Rcs2-Sa5c-A-20-3-500	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2-Rgd5c-A-60-4-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Rcp2-Sa7r-A-Pm-8-100	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcp2-Grm-l-28p-1-14-P1	GRIPPER, SLIDE TYPE, INCREMENTAL ENCODER, 14MM STROKE
Rcs2-Sa6d-A-30-3-300	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-