

Rohs

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Rohs Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Rohs Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
KS48-8-1024VL / 1m cable	
KS48-8-1024VL / 3m cable	
KS48-8-1024VL / 5m cable	
SY8204FCC (ROHS)	LINEAR SMD SY8204 4A (4.5-30Vin/up to 30Vout) SYNC. STEP-DOWN DC/DC CONTROLLER SOIC-8-EP
SY7072A (ROHS)	LINEAR SMD SY7072 800mA BOOST CONV. SOT23-6
SYR837PKC (ROHS) / TCS4525 (ROHS)	LINEAR SMD SYR837PKC 65uA (2.6-5.5Vin/2.8Vout) STEP DOWN REGULATOR CSP1.56*1.96-20
SY6280AAC (ROHS)	MICRO SMD SY6280AAC USB/1A SOT23-5
SY8088AC (ROHS) / SY8088AAC (ROHS)	LINEAR SMD SY8088 1A STEP DOWN REGULATOR SOT23-5
SYR838PKC /TCS4526	LINEAR SMD SYR838PKC 65uA (2.6-5.5Vin/2.8Vout) STEP DOWN REGULATOR CSP1.56x1.96-20
Mg557-Pp-10	
Gas Chromatography Mass Spectrometry - GCMS	Gas Chromatography Mass Spectrometry - GCMS I. General Requirements 1. System Type: Single Quadrupole GC-MS System 2. Applications: Forensic medicine, toxicology, and chemical analysis II. Gas Chromatography (GC) Module 1. Temperature Range (Oven): At least 50°C to 350°C. 2. Column Compatibility: At least two capillary columns (preferably a dual-line system) 3. Flow Control: Advanced Flow Controller (AFC) with constant pressure, flow, and rate modes. 4. Inlet Maintenance: Instrument-free inlet maintenance system (e.g., ClickTek™ or similar) III. Mass Spectrometry (MS) Module

Ürün	Açıklama
	1. Mass Analyzer: Single quadrupole with a front rod and metal quadrupole. 2. Mass Range: At least 1.5 to 1,090 m/z. 3- Measurable FWHM: 0.4 to 2.0 µm 4- Ionization Modes: Electron Ionization (EI), Chemical Ionization (CI), and Negative CI (NCI). 5- Scan Speed: Minimum 20,000 u/s (or equivalent high-speed scanning capability). 6- Simultaneous Modes: Simultaneous Scan/SIM Mode for dual qualitative and quantitative analysis. 7- Molecular Ion Detection: Quick-CI function or equivalent. IV. Vacuum System 1- Pump Type: High-capacity turbomolecular pump. 2- Carrier Gas Compatibility: Helium, Hydrogen, and Nitrogen. 3- Differential Exhaust System: Must support stable operation with all the above gases. V. Software and Data Processing, Workstation 1- Control Software: Integrated software for full GC-MS control and data analysis. 2- Features: Smart SIM™, automatic method generation, real-time analysis, customizable reports. 3- Data Export: Must support standard formats (e.g., CSV, Excel, NetCDF, etc.). 4- A dedicated workstation must be provided with the following minimum specifications: Intel Core i7 or higher, 16 GB or higher, 1 TB SSD, Windows 11 Pro, 1920x1080 28" Full HD Display, plus additional USB for peripherals and Microsoft Office (for reports), PDF viewer, and antivirus. VI- The bidder must include a price list of all required consumables in their bid.
9583370 - Invalid Code	
K1-Erasm+	
Apm-Sh220gek Sn Mb3j00178	
Csf600-24	Please look at the attachment
A6d800-Ad01-01	Axial fan 400VAC-50Hz HyBL Förd. "V" Ball bearing IP54-iso-term. "F" TW-run Terminal box built -> replaces A6D800-AJ01-01 Compliant beyond 2014 in accordance with the ErP Directive
Kwc-Lhp	
Metals Acc. To E Din En 623321-7-1 Hexavalent Chromium By Ic	

Ürün	Açıklama
99.051.8400.3 Buchsenkontakt	
K1-Tcg2+	
K1-Dbtc+	
K5-Bw2+	
225 - 0437	
Non-Metals Acc. To E Din En 623321-7-2 Hexavalent Chromium By Ic	
K2-Sbtc+	
K1-Adp+	
Legrıs 3100 00 00 55	
Eva-3000+	
Adch-80	
Mwoc 25102 Obsolete, No Replacement Capacitor For Microwave Oven	
K1-Mca+	
K3-Zx05+	
K-Jtos-3+	
Polybrominated Biphenyls And Polybrominated Diphenylethers By Gc-Ms	
Metals By Icp-Oes Or Aas (2) Decomposition: Per Metal	
Kbmm-125 (9449f)	
Jsphs-23+	
Ar67 Ray Connection Kit	
K1-Gva+	
Metals By Icp-Oes Or Aas (1) Decomposition: Per Sample	
Mg557-Pp-10	

Ürün	Açıklama
Es50/3 Relay With Base	