Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Rosemount

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Rosemount Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Rosemount Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
644hai1j5q4g2	644 Product Description: Smart Temperature Transmitter H Transmitter Type: Head Mount - DIN A A Output: 4-20 mA with Digital Signal based on HART protocol I1 Product Certifications: ATEX Intrinsically Safe J5 Enclosure Options: Remote/Integral Mount Universal Hd; Alum Alloyw/2"; SST Pipe Bkt (M20 Entries) Q4 Calibration Certificate: Calibration Certificate (3-Point Calibration) G2 Cable Gland Option: Cable Gland (7.5mm-11.9mm)
113 369 S29/644hana/Zpxxxx	Thermoelectric rod temperature sensor with ceramic protective tube with thermocouple S, B or K without converter, type 113 36
644hanaj5m5q4	TEMPERATURE TRANSMITTER SERIES 644H
403-11-20-_-_-_-__	Rosemount™ 403 PUR-Sense™ Conductivity Sensor
2090PG2S22C2Q4	Rosemount 2090P pressure transmitter for paper and pulp applications
1-CFR-23967 OUTPUT PRESSURE: 0-125 PSI With gauge	
CONTROL PRESSURE REDUCING VALVE	TYPE:95H SIZE: 1" MATERIAL:316SS BARG SET PRESSURE: 9, RANGE: 4.8-10.3 BARG , END CONNECTION: ANSI 300#RF NIPPLE FLANGE
CFR-224 67 OUTPUT PRESSURE: 0-35 PS	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
TRANSMITTER MICROMOTION : 2700R11EFFEZAZ	
TRANSMITTER MICROMOTION: 2700I11EBFEZAZ	
RTD - TYPE OF SENSOR: RTD, SPRING LOADED	, PIPE DIAMETER: 9MM; SENSOR DIAMETER: 6MM ; MAT: 316L , LEMGHT:395MM RTD WIRE; MEAS. RANGE; CLASS; DUPLICATE 2XPT100 WW; 3; -200/600 C ; (A); -200/600 C (B)
2120D1BG1NAAA0000	Rosemount 2120 Level Switch 2120 Product Description: Vibrating Fork Level Switch D Materials of Construction: 316/316L Stainless Steel (1.4401/1.4404) dual certified 1B Process Connection Size / Type: 1-in. BSPP (G) Thread G Electronic Type: PNP/PLC Low Voltage (3-wire) 24 to 60 VDC 1 Surface Finish: Standard surface finish NA Product Certifications: No Hazardous Locations Certifications A Housing: Glass Filled Nylon, M20 conduits/cable threads A Fork Length: Standard Length (44mm / 1.7 inches) 0 Specific Extended Fork Length: Factory default length (only if Fork Length A or H is selected) Description: Certificate; DIBt overfill protection certificate `U1´ option;
Pressure transmitter 2088G322B3	0-50 bar
3051TG2A2B21AB4K5Q4D4M5	
644HANAJ5M5Q4 +	0065N37F0150N0500A1XA Flanged Thermowell TW10, solid machined
0399-09-62	
1151 DP4S5AB2P2	
8800 Reducer Vortex Flow Meter - 3 Inch (DN80)	
RTG31157312	
SN: 09844892	
2051CD2A22A1AL4	2051C Transmitter Type: Pressure Transmitter D Measurement Type: Differential 2 Pressure Upper Range Limit: CD/CG: 250 inH2O (623 mbar)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	A Transmitter Output: 4-20 mA with Digital Signal Based on HART Protocol 2 Materials of Construction: Coplanar SST SST 2 Isolating Diaphragm: 316L SST A O-Ring: Glass-filled PTFE 1 Sensor Fill Fluid: Silicone A Housing/Conduit: Polyurethane-covered Aluminum 1/2-14 NPT L4 Bolting Material: Austenitic 316 SST Bolts Cal : 0 to 1500mmH2O
List attached	
MODEL:2051CD2A02A1BH2L4D4	
Seri: 2404701	Enduser: Türkei
Model: 1056	
Model: 0228-04-21-56-61	
2120	2120D1HV1E1XM0200Q8Q25QTSerial: JBE1291867Year - 2019Supply 20-264 Vac50-60 Hz20 -60 Vdc 0,5WMax Power 2WMax WP AT 20 derece (bar) 49,6Max Process Temp (T) 150
9603430	
2088G2S22A1M5D4Q4	Rosemount 2088 Gage and Absolute Pressure Transmitter
TRANSMITTER 3144PD1A1E5B4M5F5C4Q4	
WC3000	
CONDUCTIVITY SENSOR - ENDURANCE SCREW-IN	(400) 400-12-_-_-_-__
5081 Explosion-proof	Transmitter 5081--C-HT-21-60-__
8750WDMR1A2FNSA015CDHM4C1Q4	
PT100 J01310 3051TG3A2A21A2AB4C6	
PT100 4-pin temperature sensor, probe length 22cm	
142-01-14-54-SP	
09948855	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
8705THA020CEW0EMB3Q4+8732EST1P1EMM4	
8705THA030CEW0EMB3Q4+8732EST1P1EMM4	
3051 Coplanar™ Pressure Transmitter	3051CD2A22A1AB4K5M5Q4D4 Measurement Type D:Differential Pressure Range 2:-250 to 250inH2O(-623 to 623 mbar) -250 to 250inH2O(-623 to 623 mbar) 0 to 150 psia(0 to 10.34 bar) Transmitter Output A:4-20 mA with Digital Signal Based on HART Protocol Process Flange Type | Flange Material | Drain Vent 2:Coplanar | SST | SST Isolating Diaphragm 2:316L SST O-Ring A:Glass-filled PTFE Sensor Fill Fluid 1:Silicone Housing Material | Conduit Entry Size A:Aluminum | 1/2-14 NPT Mounting Bracket B4:Coplanar Flange Bracket for 2-in. Pipe or Panel Mounting,all SST Product Certifications K5:USA Explosion-proof, Dust Ignition-proof, Intrinsically Safe, and Division 2 Display and Interface Options M5:LCD Display Calibration Certification Q4:Calibration Certificate Configuration Buttons D4:Analog Zero and Span RANGE : 0 to 620 mBAR
PT-100 (20")	0065N19N0000N0335I1 CLASS A-December 60 to 600 °C -- Ø=6mm-- L=335mm 4 with probes
PT-100 (12")	Range -60 TO 600 °C Ø=6mm L=220mm 4

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	with probes
1CSD287382-2	
144PD1A1E5B4M5Q4	TEMPERATURE TRANSMITTER \ 4-20 MA
5301HA2S8E4AM00133CBKCM1Q4Q8Q TR3013	Tag number: LIT - 0005
DİFFERENTİAL COPLANER TRANSMİTTER	(3051CD1A02A1BM5S5Q4HR5D4)
0305RC32B11B4	Manufacturer R:Rosemount Inc. Manifold Style C:Coplanar Manifold Type 3:3-Valve Materials of Construction 2:316/316L SST Process Connection Style B:1/2-14 NPT female Packing Material 1:PTFE Valve Seat 1:Integral Mounting Bracket B4:SST Mounting Bracket for 2-inch pipe mount with series 300 SST bolts
3051TG4A2B22JM5	3051 In-Line Pressure Transmitter
2051CFCDPS030N065031AB1DGQ4	Measurement Type D : Differential Pressure Primary Element Technology P : Orifice Plate Material Type S : 316/316L Stainless Steel Line Size 030 : 3-in. (80 mm) Primary Element Style N : Square Edged Primary Element Type 065 : 0.65 Beta Ratio Temperature Measurement 0 : No Temperature Sensor Transmitter Connection Platform 3 : Direct-mount, Integral 3-Valve Manifold Differential Pressure Range 1 : 0 to 25 in H2O (0 to 62,3 mbar) Transmitter Output

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	A : 4-20 mA with Digital Signal Based on HART Protocol Transmitter Housing Material | Conduit Entry Size B : Aluminum | M20 x 1.5 Transmitter Performance Class 1 : Up to +/-2.25% flow rate accuracy, 5:1 flow turndown, 2-yr stability Installation Accessories DG : DIN Alignment Ring (PN16) Transmitter Calibration Certification Q4 : Calibration Certificate for Transmitter
56-03-21-38-HT	Power -03 : 85-265 VAC switching, 50/60 Hz with four alarm relays Measurement 1 -21 : Analog - Toroidal Conductivity Measurement 2 -38 : None Communication -HT : 4-20 mA with Digital Signal Based on HART Protocol
3051	1/2 NPT Seal., 1/2" NPT
08800-0250-0001	Rosemount™ 8800D piezo sensor - Extended Temp "E"
3051TG3A2B21AB4E5	Rosemount™ 3051 In-Line Pressure Transmitter Pressure Type G : Gage Pressure Upper Range Limit 3 : 800 psi (55.2 bar) Transmitter Output A : 4-20 mA with Digital Signal Based on HART Protocol Process Connection Style 2B : 1/2-14 NPT Female Isolating Diaphragm | Process Connection Wetted Parts Material 2 : 316L SST | 316L SST Sensor Fill Fluid 1 : Silicone Housing Material | Conduit Entry Size A : Aluminum | 1/2-14 NPT Mounting Bracket B4 : Bracket for 2-in. Pipe or Panel Mounting, All SST Product Certifications E5 : USA Explosion-proof, Dust Ignition-proof Cal; 0 to 800 psi
8705THA025C3W0	Lining Material T : PTFE Electrode Material H : Nickel Alloy 276 (UNS N10276)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Electrode Type A : 2 Measurement Electrodes - Standard Flange Type and Material C : Slip-On, Raised-Face, Carbon Steel Flange Rating 3 : ASME B16.5, Class 300 Coil Housing Configuration W0 : Sealed, Welded Housing with Legacy Terminal Block
3051CD3A02A1AC1M5BADFE8H2L4Q4	Rosemount™ 3051 Coplanar™ Pressure Transmitter Measurement Type D : Differential Pressure Range 3 : -1000 to 1000 inH2O (2.5 bar) Transmitter Output A : 4-20 mA with Digital Signal Based on HART Protocol Process Flange Type | Flange Material | Drain Vent 0 : Alternate Process Connection Isolating Diaphragm 2 : 316L SST O-Ring A : Glass-filled PTFE Sensor Fill Fluid 1 : Silicone Housing Material | Conduit Entry Size A : Aluminum | 1/2-14 NPT Alternate Flange H2 : Traditional Flange,316 SST,SST Drain/Vent Mounting Bracket BA : SST B1 Bracket with Series 300 SST Bolts Product Certifications E8 : ATEX Flameproof and Dust Bolting Material L4 : Austenitic 316 SST Bolts Display and Interface Options M5 : LCD Display Calibration Certification Q4 : Calibration Certificate Software Configuration C1 : Custom Software Configuration Flange Adapters DF : 1/2-14 NPT Flange Adapter(s) Cal - 0 to 397.437 mbar,
2051CD3A02A1BS5Q4	Measurement Type D:Differential Pressure Range 3:-1000 to 1000 inH2O (-2,5 to 2,5 bar) Transmitter Output A:4-20 mA with Digital Signal Based on HART Protocol

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Process Flange Type | Flange Material | Drain Vent 0:Alternate Process Connection Isolating Diaphragm 2:316L SST O-Ring A:Glass-filled PTFE Sensor Fill Fluid 1:Silicone Housing Material | Conduit Entry Size B:Aluminum | M20 x 1.5 Manifold Assembly S5:Assemble to Rosemount 305 Integral Manifold Calibration Certification Q4:Calibration Certificate
G3S22A1EDB404	
2-3-0500-521	Thermistor Kit
8705TSF120P3W0B3Q4	12" MAGNETIC FLOW METER (FE) + (FIT) Rating: ANSI 300
8732EMT1A1M4C1	12" MAGNETIC FLOW METER (FE) + (FIT)
142-03-14-54	MEASUREMENT CONVERTER (CONDUCTIVITY TRANSMITTER)
2410SFRWF21PSE1RAGPSTU1	
2240SP0840FI10AGM	
5900SP01FI1R1AG1PFSPFWE0Q4U1	
0185J002K1Z0150Y1000G02	Temperature Transmitter
2088G2S2BA1M5D4EDP2	
2051CG1A02A1BH2Q4	0-50 mbar
632795	
01984-0283-0030	Power Cable P 916
2051cg2a33a1jh7b3l4m5	Pressure URL: 250 inH2O
03031-1045-0022	
644ranaf6q4	Smart Temperature Transmitter
Dh7001	POWER BOARD ASSEMBLY COM PROVOX SERIES 10
636857	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2051cg5f33a1jh3b1i1l4	Pressure URL: 2000 psi
2051cg5f33a1jh2b3i1l4m5	Pressure URL: 2000 psi
3051cd1a52a1ab4	Differential Pressure Transmitter
2051cd2a02a1ah2b1dfd4	Pressure URL 250 inH2O
2051cg5f33a1jh2b4kcl4	Pressure URL: 2000 psi
Oxt4a 640011110000	
01984-2761-0001-C-Mei	OI Drive Rack
861040	
3055 Cg 4a02a1bs5b4i1l4m5q4q8p1 V5 + 0305rc22b11	
2051cd1f33a1jh7b4l4m5	Pressure URL: 25 inH2O
2051cg2a33a1jh7b3kcl4m5	Pressure URL: 250 inH2O
0305rt32a11b1l4	
305 It G 5 A 2b 2 1 B B4 11 Q4 M5	
2051cg4a22a1jh7b4kcl4	Pressure URL: 300 psi
1199dac58dpfwjgda00	
2051cd3a22a1bb4e1m5	
2088g2s22a1m7b4q4	
2051cg2a33a1jh7b3l4	Pressure URL: 250 inH2O
2051cg2a33a1jh7b3k5l4	Pressure URL: 250 inH2O
3900vp-02-10	
0058cn1200nnn	Cut to Fit RTD Sensor
2051cg2f22a1ah2b1k5l4m5	Pressure URL: 250 inH2O
03031-0332-0011	
2051cg2a33a1jh7b2l4m5	Pressure URL: 250 inH2O
2051cd3a02a1bcnm5i1s5q4q8 2051c	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2051cd3a02a1ah2s6b3e1m5+1151ap5e22m1b1	
2051cg5f33a1jh2b4kcl4m5	Pressure URL: 2000 psi
2051cg4a22a1jh7b1l4	Pressure URL: 300 psi
3051cd2a22a1ab4k5m5	Differential Pressure Transmitter
2051cg5f33a1jh2b3i1l4	Pressure URL: 2000 psi
2051cg2a33a1jh7b4k5l4m5	Pressure URL: 250 inH2O
2140aha1ms1nnna00001e5m4	Vibrating Fork 1"NPT, EXP Class 1, Fork=1.7", LOI
Cl7011x1-A2	COMPUTING CTRL
2088g1s22a1s1q4+119w2a95dfesjglaoo	
2051cg4a22a1jh7b3l4	Pressure URL: 300 psi
8732esr1a1nada1da2	
1151dp4s22b1	
2051cg5f33a1jh2b4k5l4	Pressure URL: 2000 psi
2051cg2a33a1jh7b4kcl4	Pressure URL: 250 inH2O
642804	
01151-0034-0204 - Obsolete	
2051cd2a02a1ah2s6b3e1m5+0304rt32b11	
1501511z3aeaa	
2051cg2a33a1jh7b4l4m5	Pressure URL: 250 inH2O
1199mdf59aefw71dc401	
1151-(Reply By)3051	
3051tg3a2b21ab4m5	0-16 BAR // 0-16 Bar 1/2 NPT Female Pressure Transmitter
2051cg2f22a1ah2b1i1l4m5	Pressure URL: 250 inH2O
2051cg4a22a1jh7b4kcl4m5	Pressure URL: 300 psi

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2051cd4a02a1bs5i1m5cnq8 2051c	
8711tsa020p1n5	FLOW TUBE MAGNETIC 740PSI 5.10MPA 40VDC 0.5AMP 20W
2051cg5f33a1jh2b4i1l4	Pressure URL: 2000 psi
1199dcc59defwjgda60	
Model 3144p	
2051cg4a22a1jh7b2i1l4m5	Pressure URL: 300 psi
1680-01-071-1628	
03031-2101-3142	
3051tg2 A 2 B 2 1 B B4 I1 Q4 M5	
2051cg5f33a1jh2b3k5l4m5	Pressure URL: 2000 psi
0065n310000n0100	
2051cd2a22a1ah2b1i1l4	Pressure URL: 250 inH2O
2002557	
3051cg5a22a1am5b4e5	Gage Pressure Transmitter
0065 D01z005040115g38aixai1	
2051cg2f22a1ah2b1i1l4	Pressure URL: 250 inH2O
2051cg5f33a1jh2b2k5l4	Pressure URL: 2000 psi
03031-1045-2052	
03151-9018-0001	
2051cg4a33a1ah2b1k5l4m5	Pressure URL: 300 psi
620321	
2051cd2a02a1as5e5m5q4	d/p xmtr: Pressure URL, HART 250 inH2O
815187	
0065d23d0080n0315e1g3	
2051cg2f22a1ah2b2kcl4	Pressure URL: 250 inH2O
3052 Cd 4a02 A1bs 5b4i 1l4m 5p1q 4q8	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
V5+ 0305 Rc32 B11	
3051sal1cg2aa2a1020dffjgca00	3051SAL Product Description: Scalable Advanced Level Transmitter 1 Performance Class: Ultra: 0.055% span accuracy, 150:1 range down, 15-year limited warranty C Configuration Type: Liquid Level Transmitter G Sensor and Module Type: Gage, Coplanar 2 Main Pressure Range: Coplanar: 250 in.H20 (623 mbar) Inline: 150 psi (10.3 bar) A Multivariable Static Pressure Range: None, Single-Variable Device A Transmitter Output: 4-20 mA with digital signal based on HART protocol 2A Housing Style: Junction Box, Aluminum, 1/2-14 NPT 1 Seal System Type: Direct-Mount Diaphragm Seal System - Welded Repairable 0 Transmitter Extension: Capillary or No Extension 2 Low-Pressure Connection: 316L SST Isolator / 316 SST Transmitter Flange 0 Capillary Length: N/A D Diaphragm Seal Fill Fluid: Silicone 200 FF Process Connection Style: Flush Flanged J Process Connection Size: DN 80 | EF: 3-in. / DN80 (2.99-in. [76mm] extension diameter) G Max Pressure / Flange Rating: PN 40
2051cg5f33a1jh2b3k5l4	Pressure URL: 2000 psi
2051cd2a22a1ah2b2k5l4	Pressure URL: 250 inH2O
90003223	
0304rt52b11_Vs_Df	
2051cg5f33a1jh2b2kcl4	Pressure URL: 2000 psi

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
5302ha1s1v4ae00806aae5	Guided Wave Level Transmitter
2051cg4a22a1jh7b4i1l4	Pressure URL: 300 psi
5402ah1na2ppvhbc	
3054 Cd 4a02 A1bs 5b4i 1l4m 5p1q 4q8 V5+ 0305 Rc32 B11	
2051cg4a22a1jh7b2kcl4m5	Pressure URL: 300 psi
76x00110ch	
0zttl1501	
2051cd2a22a1a	d/p xmtr: Pressure URL, HART 250 inH2O
03031-1045-0012	
2088a1s22b1b4q4	2088 Product Description: 2088 Pressure Transmitter A Transmitter Type: Absolute 1 Pressure Range: -14.7 to 30 psi (-1,01 to 2,1 bar) 1.5 psi (144,8 mbar) 30 psi (2,1 bar) S Output: 4-20 mA dc/Digital HART Protocol 22 Material of Construction: 316L SST 316L SST Silicone B Process Connection: DIN 16288 G 1/2 Male 1 Conduit Thread: 1/2-14 NPT B4 Mounting Brackets: SST Mounting Bracket with SST Bolts Q4 Calibration Certification: Calibration certificate Cal : 0 to 1200mBar A Please note the A before the 22 is now an S, but is identical.
2051cg4a22a1jh7b3kcl4	Pressure URL: 300 psi
Dm6003	INVALID PART NUMBER
3051s-2-T-G-4-A-2	
2051cg5f33a1jh2b2l4m5	Pressure URL: 2000 psi
2051cg5f33a1jh2b4l4m5	Pressure URL: 2000 psi
Model 2180	
2051cg5f33a1jh3b1kcl4m5	Pressure URL: 2000 psi
2051CD5A02A1BS5I1M5CNQ8	
1199wdf59aefw91dc401	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
248hae5a2q4	248 Product Description: Smart DIN B Head Mount Temperature Transmitter H Mounting Style: DIN B Head Mount A Output Protocol: HART E5 Product Certifications: USA Explosionproof and Dust Ignition Proof A Enclosure: Rosemount connection head, DIN, IP68, aluminium 2 Cable/Conduit Entry: 1/2-inch NPT Q4 Calibration Certificate: Transmitter Calibration Certificate 3-Point standard (use codes C4 with Q4 for 5-point cal cert) 4 wire PT100/0 to 100deg C
2051cg4a22a1jh7b2l4	Pressure URL: 300 psi
39a0727x042	PROCESSOR BOARD
0306rt22aa11	Manifold Style: Threaded
2120	
0066n01n0000n0 Sn:03216275	
2051cd2a02a1ah2b1e5d4	Pressure URL 250 inH2O
3900vp-01-10	
2051cd2a22a1bs2i1d4p1q4a0227 + 1199ddb64affwg2daa9	
3d39645g03	
3056 Cg 4a02a1bs5b4i1l4m5q4q8p1 V5 + 0305rc22b11	
0065j01v0000n0151xam89 It : -50 To 450 C So : 49440062 / 25	
03031-0234-0002	
1195s015a3s1022cg2	
00753-9220-0001	
2051cd2a22a1ab4k5m5l4	Pressure URL: 250 inH2O
333u	
Oxymitter 4000	
3051s1ta1a2e11a1ab	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
12p0818x012	8 Slot Carrier Rack KJ4001X1-
2051cg2a33a1jh7b2l4	Pressure URL: 250 inH2O
2051cg2a33a1jh7b2k5l4	Pressure URL: 250 inH2O
03031-1045-2042	
3051tg3a2b21ab4q4	
3051t-G-3-A-2b-2-1	
0306rt22ba11	Manifold Style: Threaded
01984-4186-9100	Termination Panel Cable
2051cg4a22a1jh7b3k5l4m5	Pressure URL: 300 psi
0185d003k1d0035n1300kai1	
644hanaxacaq4	
2051cg4a33a1ah2b1kcl4	Pressure URL: 300 psi
3051cd1a02a1am5b7h2d4q4	
372-02	
2051cg4a22a1jh7b4k5l4m5	Pressure URL: 300 psi
2051cg4a22a1jh7b2k5l4m5	Pressure URL: 300 psi
Es-72-70574	ACTUATOR/BODY/VALVE NPS 667 HEAD3IN BODY CL300VALV
2051cd2a22a1ah2b2kcl4	Pressure URL: 250 inH2O
2051cd3a02a1ah2s6b3e1m5p9+0304rt32b11	
2051cd2a22a1ah2b2k5l4m5	Pressure URL: 250 inH2O
0305rc22b11b4 (Est. Weight (Lbs) Per Unit: 7 Eccn: 2b999 Hts:8481.80.3090)	
2051cd2a02a1ah2b2e5	d/p xmtr: Pressure URL, HART 250 inH2O
2051cg4a33a1ah2b1k5l4	Pressure URL: 300 psi
2088G3S22A1B4EDQ4	Transmitter Type G:Gage Pressure Ranges

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	3:-14.7 to 800 psi (-1.01 to 55.2 bar) Transmitter Output S:4-20 mA dc / Digital HART Protocol Material of Construction, Isolating Diaphragm, Fill Fluid 22:316L SST, 316L SST, Silicone Process Connection A:1/2-14 NPT Female Conduit Entry 1:1/2-14 NPT Mounting Brackets B4:SST mounting bracket with SST Bolts Product Certifications ED:ATEX Flameproof Calibration Certificate Q4:Calibration certificate 0 to 20.7 bar
0065c01d0135y0150t46i1q8xa	
2051cd1a02a1bs5i1m5cnq8	
2051cd2a22a1ah2b1kcl4m5	Pressure URL: 250 inH2O
3051-Cg4a52a1ab4m5	PRESS TRANS M. W.P. 300 PSI 10.5 TO 55 VDC 0-15P
01984-2503-0001	GENERATOR I/O GRAPHICS VIDEO
1151lt5sa0a12d	4-20mA
3052 Cg 4a02a1bs5b4i1l4m5q4q8p1 V5 + 0305rc22b11	
01984-0283-0010	Power Cable P 916
2051cd2a22a1ah2b2l4m5	Pressure URL: 250 inH2O
Oxt4a 531511110000	
305rc53b11	
2051cg4a22a1jh7b1k5l4m5	Pressure URL: 300 psi
2051cd1a22a1am5	
622351	CONNECTOR BOARD
90001026	
2051cd2a22a1ah2b1l4	Pressure URL: 250 inH2O

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
876776	
3051tg5a2b21ab4	
3051cd3a02a1am5b7h2d4q4	
2051cg5f33a1jh2b2kcl4m5	Pressure URL: 2000 psi
1151dp5s22m4b1q4	
2051cg4a22a1jh7b1l4m5	Pressure URL: 300 psi
36a3439-L5b	PARALLEL I/O INTERFACE BOARD W/34PIN MALE CONNECT
2051cg4a22a1jh7b4l4	Pressure URL: 300 psi
0065l29d0035n0305i1xa 0065	
2051cd2a02a1afam5	d/p xmtr: Pressure URL, HART 250 inH2O
3054 Cg 4a02a1bs5b4i1l4m5q4q8p1 V5 + 0305rc22b11	
107542	
0305rc92b21b4l8	
2051cd2a22a1ah2b2i1l4m5	Pressure URL: 250 inH2O
2051cg2f22a1ah2b2kcl4m5	Pressure URL: 250 inH2O
8711tsa030p1n0	FLOW TUBE MAGNETIC 740PSI 5.10MPA
0304rt32b11vs	
2051cd2a02a1ah2s6b3e1m5p9+0304rt32b11	
2051cg4a22a1jh7b2l4m5	Pressure URL: 300 psi
2051cg2a33a1jh7b2kcl4m5	Pressure URL: 250 inH2O
2051cg2f22a1ah2b1l4	Pressure URL: 250 inH2O
228-04-21-56-61	
2051cd2a22a1ah2b1i1l4m5	Pressure URL: 250 inH2O
Cl6003	IAC MPU/ROM CARD
1199ddf59aefw71dc401	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0306rt32ba21	Manifold Style: Threaded
01984-0373-0020	Power Cable
01984-1613-0001	Trackball with Keypad
2051cg4a22a1jh7b2kcl4	Pressure URL: 300 psi
2051cg2a33a1jh7b4k5l4	Pressure URL: 250 inH2O
2051cg2a33a1jh7b4l4	Pressure URL: 250 inH2O
03031-1145-0022	
2051cg5f33a1jh2b3l4	Pressure URL: 2000 psi
1151gp7e22s1m1	TRANSMITTER
2088g2s22a1b4kh	Gage Pressure xmtr -14.7 to 150 psi/1.5 psi
1151-0011-0053 (Part Obsolete)	
2088g2s22a1m5b4	Gage Pressure xmtr -14.7 to 150 psi/1.5 psi
2051cg4a22a1jh7b3kcl4m5	Pressure URL: 300 psi
2051cd2a22a1ah2b2kcl4m5	Pressure URL: 250 inH2O
01984-2783-9015	15" Flexterm Cable P167
2051cd2a22a1ah2b2i1l4	Pressure URL: 250 inH2O
2051cg4a22a1jh7b2k5l4	Pressure URL: 300 psi
8606b2b2d08	
888693	
2051cg4a33a1ah2b1kcl4m5	Pressure URL: 300 psi
3101la1frcna	Ultrasonic Level Transmitter
5402 Ah 2n A4p Pvc Am 1qg	
2140aha1ms1nnne00601e5m4	Vibrating Fork 1"NPT, EXP Class 1, Fork = 6", LOI
2051cg2a33a1jh7b4kcl4m5	Pressure URL: 250 inH2O
2051cg4a22a1jh7b3l4m5	Pressure URL: 300 psi
8711asa30fr1no	MAGNETIC FLOWMETER FLOWTUBE .3INCH

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1151lt4sc0a22d	TRANSMITTER LIQUID LEVEL 4/20MA 12/24VDC 285PSI
3144pd1a1e5b4q4	Smart Temperature Transmitter
634380	
Model 3051/3001	
2051cg2f22a1ah2b1kcl4	Pressure URL: 250 inH2O
12687-01	PH SENSOR 0-14PH
2051cg5f33a1jh2b3kcl4m5	Pressure URL: 2000 psi
2088g4s33a1kh	Gage Pressure xmtr -14.7 to 4000 psi/40 psi
10p56840001	Power Supply Connection Cable
0185l203k1v0000n0435/49062644/017002,Exi	
2051cg2f22a1ah2b1l4m5	Pressure URL: 250 inH2O
3051cg4a22a1am5b4dfi5	
1151ap8s52b1m3	PRESSURE TRANSMITTER
1151dp3s22b1	
Cl7675x1-A10	PROVOX I/O DRIVER MUTILAYER
2051cg4a22a1jh7b3i1l4	Pressure URL: 300 psi
2051cd2a02a1bh2i1m5cnq8	
8711tsa010r1e5	FLOWTUBE MAGNETIC
9150025-548	BARRIER BOX
Dm7051	RAM BOARD 32K
Cp6121x1-A1	POWER CONVERTOR ASSEMBLY
Oxt4a-6-4-0-0-12-1-1-00-00-00	
2051cg2a33a1jh7b2k5l4m5	Pressure URL: 250 inH2O
3051 Cg 4a02a1bs5b4i1l4m5q4q8p1 V5 + 0305rc22b11	
3051cd0a02a1ah2e8l4m5	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2051cd2a22a1ah2b1kcl4	Pressure URL: 250 inH2O
2051cg4a22a1jh7b4k5l4	Pressure URL: 300 psi
Cl6923x1-A1	PC BOARD IDI DUAL CONTROL 200MA 21-29VDC
2088g2s22a1e5m5	
3051-Cg4a22a1aj3a0078m551	TRANSMITTER 10.5/55VDC 0/300PSI
654793	
01151-0112-0092	
3051-Cd2a52a1ab4	PRESSURE TRANSMITTER 3626PSI 4-20MA 316SS
0306-R-T-2-2-Ba-1	
2051cg2a33a1jh7b3i1l4	Pressure URL: 250 inH2O
2051cg5f33a1jh2b2i1l4	Pressure URL: 2000 psi
644hahaj6m5q4	
3144pd1a1e5m5q4	Smart Temperature Transmitter
2051cg4a33a1ah2b1i1l4m5	Pressure URL: 300 psi
5402ah1na2ppvhbc1q4	
2051cg5f33a1jh2b2i1l4m5	Pressure URL: 2000 psi
3051l3aaofd21aa504	
30b7248x022	MPU/ROM COMMUNICATION INTERFACE
2051cg5f33a1jh2b2l4	Pressure URL: 2000 psi
546s	TRANSDUCER ELECTRO PNEUMATIC
8711tpe005r1e5	FLOWTUBE MAGNETIC
3051cd2a02a1am5b7h2d4q4	
3660	PNEUMATIC VALVE POSITIONER SIGLE ACTING
2051cg2a33a1jh7b3i1l4m5	Pressure URL: 250 inH2O
2051cd2a22a1ah2b1l4m5	Pressure URL: 250 inH2O
01984-0158-0002	Interface Cable 2'

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
42a5711x0a2	MODULE TYPE KM1303 SIGNAL CHARACTERIZER
636850	
2051cg2a33a1jh7b3k5l4m5	Pressure URL: 250 inH2O
617900	
2051cg5f33a1jh2b3kcl4	Pressure URL: 2000 psi
3051cd3a02a1am5b7	
01984-1630-9901	Power Cable P978
2051cg5f33a1jh2b1k5l4m5	Pressure URL: 2000 psi
2051cg5f33a1jh3b1kcl4	Pressure URL: 2000 psi
2051cg4a22a1jh7b3k5l4	Pressure URL: 300 psi
3051-Ca1a22a1bs1q4	PRESSURE TRANSMITTER ABSOLUTE 4.20MA 0-30PSI
2051cg2a33a1jh7b3kcl4	Pressure URL: 250 inH2O
03031-2102-3122 (Part Not Recognised)	
5945s-1	Streaming Cartridge Tape Drive. R603
2051cg2f22a1ah2b2i1l4	Pressure URL: 250 inH2O
3144pd1a1e5b4	Smart Temperature Transmitter
36a3557x012	MUX BOARD
2051cd2a22a1ah2b1k5l4m5	Pressure URL: 250 inH2O
0065n31n0000n0315	
2051cd2a02a1ah2e5b1	Pressure URL 250 inH2O
Dpr-900x1-A8	PROCESS CONTROLLER PV SP
2051cg5f33a1jh2b1k5l4	Pressure URL: 2000 psi
499a0z	ozon prob
211001bna	Vibrating Fork Level Switch
2051cg2f22a1ah2b2i1l4m5	Pressure URL: 250 inH2O
Pwa79056-01	System Monitor Extender

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
248hanau2nsq4	248 Product Description: Smart DIN B Head Mount Temperature Transmitter H Mounting Style: DIN B Head Mount A Output Protocol: HART NA Product Certifications: No approvals U Enclosure: Universal Connection Head, DIN IP68, Aluminium 2 Cable/Conduit Entry: 1/2-inch NPT NS Sensor Type: No Sensor NA NA Q4 Calibration Certificate: Transmitter Calibration Certificate 3-Point standard (use codes C4 with Q4 for 5-point cal cert) 4 wire PT100/0 to 100deg C
3051cd3 A 0 4 B 1 A H4 E8 D4 Hr5	
Dh7631x1-A1	VME CIA CARD
2051cg2a33a1jh7b4i1l4m5	Pressure URL: 250 inH2O
619802	
2051cg4a22a1jh7b4i1l4m5	Pressure URL: 300 psi
2051cg5f33a1jh2b1l4m5	Pressure URL: 2000 psi
3053 Cd 4a02 A1bs 5b4i 1l4m 5p1q 4q8 V5+ 0305 Rc32 B11	
2051cg5f33a1jh2b3l4m5	Pressure URL: 2000 psi
3051tg4a2b21ab4d4m	
Cd5613x1-Cd5	MASTER PROCESSOR UNIT UNIVOX DISPLAY
2051cg5f33a1jh2b4k5l4m5	Pressure URL: 2000 psi
5945 C	Streaming Cartridge Tape Drive. LR 49250
01984-1140-0001	PC BOARD HOST ADAPTER
1199wda95defwgjda40	
1151ap7e22m1b1	PRESSURE TRANSMITTER 0-300PSIA 4-20MA 45VDC
620346	
2051cd1f33a1jh7b4k5l4m5	Pressure URL: 25 inH2O
2051cd4a52a1bi1m5d4q4q8 2051c	
13718615	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2051cg2f22a1ah2b1k5l4	Pressure URL: 250 inH2O
Esg92-01	
2051cd2a22a1bs2b4e1m5q4	
01984-1691-0100	Communication Cable
852553	
1151-0011-0043 (Part Obsolete)	
Dm6001x1-Ka15	MPU ROM MODULE
36a2654x02r	DC RAM CARD DH6003 8K/16SWITCH
Smn1	Mobrey M-Switch
0185 D003k1d0035n1800xai1	
2051cg2f22a1ah2b1kcl4m5	Pressure URL: 250 inH2O
403-13-21-50	PROBE CONDUCTIVITY SENSOR
3144pd1a1e5b4m5	Smart Temperature Transmitter 3144PD1A1E5B4M5
Cl6821x1-A3	POWER CONNECT ANALOG I/O CARD P1.3
3051tg3a2b21ab4m5p8q4	
2051cg4a22a1jh7b4l4m5	Pressure URL: 300 psi
3051smv5m12a4r2a11a1bc32e1m5q4q8	
2000734	
41b5229x042	I/O POWER CONVERTER CARD
2051cg5f33a1jh2b4i1l4m5	Pressure URL: 2000 psi
G3s22a1m7b4q4	
2051cg4a22a1jh7b3i1l4m5	Pressure URL: 300 psi
Oxt4a-6-3-1-5-12-1-1-00-00-00	
644hanaj6m5q4	
3102ha1frcna	Ultrasonic Level Transmitter
03031-0001-2001	FOUNDATION MODEL 3051 ELECTRONICS FIELDBUS OUTPUT

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2051cd1a22a1ab4l4m5df	Gage Pressure Transmitter 25"H2O
Fs3610j-150	
8711tsa030u1n0	FLOW TUBE MAGNETIC 1000AMP 660VAC 740PSI
2051cd2a22a1ab4k5m5	d/p xmtr: Pressure URL, HART 250 inH2O
624207	P C BOARD DUAL ALARM
30b8625x01r	RAM INTERFACE DM6004 VIOC CARD
0305-R-C-5-2-B-1-1	
2051cg5f33a1jh2b1l4	Pressure URL: 2000 psi
3051-Cg4a22a1ab4e5m5	TRANSMITTER 0-50PSI 300PSI MAX
701pgnkf	Smart Power Green Power Module
222-01-54	
636340	
36a4586x012	CIA BOARD
2051cg4a22a1jh7b2i1l4	Pressure URL: 300 psi
2051cg5f33a1jh2b2k5l4m5	Pressure URL: 2000 psi
Dm7051x1-A1	RAM BOARD 8K/0SWITCH
620494	
13a1-Mk2w	
3095-Fh23baa12aa1100a	FLOW TRANSMITTER
0305rc62b11l4b4	
90001112	
Pp205-1001	LINEAR ACTUATOR HAGAN 5INCH STROKE
3051s1cd1a2e12a2akab4	Scalable Pressure Transmitter
0065c01c0035n0181a1i1xa 0065	
3053 Cg 4a02a1bs5b4i1l4m5q4q8p1 V5 + 0305rc22b11	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2051cg4a33a1ah2b1i1l4	Pressure URL: 300 psi
6003x1-Fa1	I/O MASS DCV BOARD DATA CONCENTRATOR
1054blc-01	ANALYZER 115/230VAC 50/60HZ MAX PWR 4.0 W
2051cd1f33a1jh7b4l4	Pressure URL: 25 inH2O
Dpr-960	PROCESS CONTROLLER
2051cd2a22a1ab4	Differential Press.Transmitter 250"/H2O
3051smv-5-M-1-2-A	
90001110	
2088a1s22a1b4	PRESSURE TRANSMITTER 0-25PSI
2051cd4a22a1ai1m5	
400-1	ACTIVE INPUT KIT, 460V, REFER TO PRICE B
400-11	ACTIVE INPUT KIT, 460V, REFER TO PRICE B
1199wdf59aefw72dc401	
1151gp3e12m2b1	TRANSMITTER OUTPUT 4-20MA SUPPLY 45VDC MAX
0305rc52b11b4l4.	
3051-Tg3a2b21ab4e5s1	PRESSURE TRANSMITTER 0-500PSI 10.5-55VDC
2051cd2a22a1ah2b2l4	Pressure URL: 250 inH2O
01984-0474-0005	Interface Cable
3302ha1s1e2am2290abi5m1q4	
1151dp3e22m1b1	TRANSMITTER ALPHALINE
8712-Hr12n0b6	HIGH-SIGNAL MAGNETIC FLOWMETER TRANSMITTER
3051smv3m12a3r2a11a1ac33e1m5q4	
2051cd1f33a1jh7b4k5l4	Pressure URL: 25 inH2O
602-156	FISHERSCOPE MMS SIGMASCOPE .8A 11VAC 40-60HZ
TI173	CONTROLLER ADDER- SUBTRACTER
2051cg2a33a1jh7b4i1l4	Pressure URL: 250 inH2O

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Etco1138	
2051cg5f33a1jh3b1i1l4m5	Pressure URL: 2000 psi
2700-C11effezaz	
1151-Gp0-E22-C1	PRESSURE TRANSMITTER
0065c01z0140y0200g38x1	
268	INTERFACE HAND-HELD CONFIGURATOR /CALIBRATOR
2051cd3a52a1bi1m5d4q4q8 2051c	
37a1530x032	EXPANSION ROM CARD MUX CONTROL UNIT
01151-0035-0002	
0305rc62b11b4l4	
03144-1133-0001	
2051cd5a02a1bs5i1m5cnq8 2051c	
4101am3	CHANNEL BOARD
2051cd2a22a1ah2b1k5l4	Pressure URL: 250 inH2O
3244mvf1e5b4m5c4q4	TRANSMITTER TEMPERATURE
2051cd2a02a1ah3e1d4q4	
2051cd3a02a1bs5i1m5cnq8	
01984-0344-0001	16 Pin IDC Cable Apdater 87133-6
Dh6003x1	PC BOARD
1199ddf59aefw72dc401	
66-Zz63	PRESSURE REDUCING REGULATOR
Dvc5010-513/G60	CONTROLLER DIGITAL FOR VALVE
620345	
3051 Cd 4a02 A1bs 5b4i 1l4m 5p1q 4q8 V5+ 0305 Rc32 B11	
41b5222x36r	I/O CARD P1.5 ANALOG

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
3051-Cd3a02a1ae5s5	TRANSMITTER
1151dp4e12s2m1b3	TRANSMITTER 4-20MA 45VDC WITH 2 TRANSDUCERS
2051cg5f33a1jh2b4l4	Pressure URL: 2000 psi
0304rt32b11	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.