

## Ross



Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Ross** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Ross T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">265k77</a>	
<a href="#">1776F5307Z</a>	4/2-WAY VALVE MAGNETIC BET. PAC 110/50 Weight: 3.3000 kg / 3.3000 kg Lot number: 84812090 Country of origin: US
<a href="#">D517C79</a>	PILOT HEAD SER. 27 Weight: 0.6500 kg / 1.9500 kg Lot number: 84819000
<a href="#">1"C5111-B6009 MAX.10BAR</a>	
<a href="#">1010K77</a>	
<a href="#">1762L77</a>	
<a href="#">1968B5007</a>	
<a href="#">1968B6017</a>	
<a href="#">2676 B-5001</a>	
<a href="#">2771A4002</a>	
<a href="#">2771A8958W</a>	
<a href="#">2773B6001Z</a>	
<a href="#">2776B5001</a>	
<a href="#">334B33</a>	
<a href="#">387C93</a>	
<a href="#">411B0410</a>	
<a href="#">421</a>	
<a href="#">5021B5008</a>	
<a href="#">503K87</a>	

<a href="#">515K87</a>	
<a href="#">5500A6003</a>	SILENCER
<a href="#">697K87</a>	
<a href="#">698K87</a>	
<a href="#">942K77</a>	
<a href="#">C5011B4008</a>	G1/2 FILTER
<a href="#">C5021B5008</a>	
<a href="#">C5022B4005</a>	
<a href="#">C5022B9018</a>	
<a href="#">C5112A7005</a>	
<a href="#">C5211B4017</a>	
<a href="#">C5H00C6412</a>	
<a href="#">D2153A5929</a>	
<a href="#">D2153B5001</a>	
<a href="#">D2154A6905</a>	
<a href="#">D2171A5926</a>	
<a href="#">D2171B4011 ROSS</a>	
<a href="#">D2259L77</a>	
<a href="#">D2753A4011</a>	
<a href="#">D2772B6011</a>	
<a href="#">D2773B4011</a>	
<a href="#">D2774B4011</a>	
<a href="#">D2776B4011</a>	G1/2PL 4/2-WAY VALVE MAGNET-ACTIVATED PACER
<a href="#">D2776B5001</a>	
<a href="#">D365G97</a>	
<a href="#">D366G97</a>	
<a href="#">D9576K2001Z</a>	
<a href="#">J3573A8871</a>	
<a href="#">J3573B5259</a>	
<a href="#">MR 2IV 100 UO2A 511</a>	
<a href="#">MR 2IV 64 UO3A 511</a>	

<a href="#">R 3/8" 220V</a>	
<a href="#">RESK0599.1</a>	
<a href="#">RESK4015.10</a>	
<a href="#">ROSS 503K87</a>	
<a href="#">W1613B2825</a>	
<a href="#">W517C7916 24 VDC 14W 150PSI + CUERPO 2773B5001</a>	
<a href="#">W6076A4934</a>	
<a href="#">W6076B5417</a>	
<a href="#">W6377S4407</a>	
<a href="#">W6476B2402</a>	
<a href="#">W6476B3401</a>	
<a href="#">W6476B3402</a>	
<a href="#">W7476B2331</a>	
<a href="#">YD1523C6002</a>	
<a href="#">D2783A6912</a>	G1 3/2-WAY ON VALVE. N.G. LOX/EEZ-ON 3LEGS. SEALED
<a href="#">D9576K1002</a>	COMPACT VALVE G1/8 5/2 WAY MAGNET BET. DOUBLE MAGNET 24 VDC
<a href="#">D9576K1001W</a>	COMPACT VALVE G1/8 5/2 WAY SOLENOID OPERATED 24VDC; 4 pieces 81.67 326.68 SPRING RETURN
<a href="#">D2773B4001</a>	G1/2 3/2-WAY VALVE N.G. MAGNETIC ACTUATED PAC
<a href="#">W7076C6331</a>	
<a href="#">W6076B4417</a>	
<a href="#">3031218 - AIR MONORAIL PRESSURE REGULATOR</a>	\ 9 KW \ 1 1/2" \ ROSS:C5X00B8029
<a href="#">C5X00B8029A</a>	C5X00B8029 G1-1/2 PRESSURE REGULATOR REMOTE CONTROLLED WITHOUT PRESSURE GAUGE
<a href="#">C5X00B6056A</a>	G1 PRESSURE REGULATOR REMOTE CONTROLLED WITHOUT PRESSURE GAUGE
<a href="#">DM2DXA5XA2X</a>	DOUBLE VALVE SZ8 24 VDC WITHOUT BASE PLATE MAGNET RESET
<a href="#">946K87</a>	PILOT REPAIR KIT
<a href="#">Valve 2771B3001</a>	NPT3/8 2/2-WAY MV N.G.PAC

<a href="#">306K33165</a>	MAGNETIC COIL 48/50-60; 24VDC; 5.8 WATTS Drawing no. 0558 14.1-10/5392
<a href="#">D2776B6011W</a>	G1PL 4/2 WAY VALVE MAGNETIC ACTUATOR PACER 24VDC
<a href="#">946K87</a>	PILOT HEAD REPAIR KIT
<a href="#">D9576K1001W</a>	COMPACT VALVE G1/8 5/2 WAY MAGNETIC ACTUATED 24VDC;
<a href="#">W7476B2331</a>	5/2-WAY VALVE NG 1.5 AIR RETURNED 110/50
<a href="#">3126A5010</a>	NPT3/4 4/3 HAND VALVE RATCHING, CLOSED CENTERST.
<a href="#">C5022B5005 ROSS FILTER</a>	
<a href="#">C5112B5009 ROSS LUBRICANT</a>	
<a href="#">C5112B7109 ROSS CONDITIONER</a>	
<a href="#">C5211B4017 ROSS REGULATOR</a>	
<a href="#">C5211B5027 ROSS CONDITIONER</a>	
<a href="#">C5211D5017 ROSS REGULATOR</a>	
<a href="#">D1968B4007 ROSS FLOW CONTROL VALVE</a>	
<a href="#">D1968B4107 ROSS CHECKVALF</a>	
<a href="#">D1968B7007 ROSS FLOW CONTROL VALVE</a>	
<a href="#">D1968D3001 ROSS CHECKVALF</a>	
<a href="#">D2751A4915 ROSS CHECKVALF</a>	
<a href="#">D2751B703001 ROSS VALVE</a>	
<a href="#">D2773B5001 ROSS ENABLA VALVE</a>	
<a href="#">D2773B7001 ROSS VALVE 24V DC</a>	
<a href="#">D2776B7003 ROSS VALVE 24V DC</a>	
<a href="#">D5500A8001 ROSS SUSPENDER</a>	
<a href="#">D9576K4001</a>	COMPACT VALVE G1/2 5/2 WAY MAGNETIC BED SINGLE SOLENOID 24 V DC
<a href="#">M5076B2401 ROSS VALVE DIRECTION VALVE</a>	
<a href="#">W6077B3401 ROSS VALVE 24V DC</a>	
<a href="#">W6077B4401 ROSS VALVE 24V DC</a>	
<a href="#">W6077B4407 ROSS DIRECTION VALVE</a>	

<a href="#">D2776B5001 ROSS VALVE 24V DC 3126A5010</a>	NPT3/4 4/3 HAND VALVE RATCHING, CLOSED CENTERST.
<a href="#">D2771B6011</a>	G1PL 2/2-WAY VALVE N.G. MAGNETIC ACTUATED PAC
<a href="#">MANUAL OPERATED 4/3 DIRECTIONAL VALVE</a>	3126A5010
<a href="#">C5211D6007A</a>	C5211D6007 G1 PRESSURE REGULATOR REMOTE CONTROLLED WITHOUT MANOMETER
<a href="#">W 6077B5411</a>	5/3-WV ISO 4,MAGN. BET. CLOSED AVERAGE
<a href="#">SOLENOID VALF-ROSS-D3573A 8831</a>	D3573 A8759 2-8,5 BAR-R 1 1/2" Air pilot controlled double coil VA 26/26 VOLT HZ=110V / 50V AC 110-120 / 60V AC 100 % ED Pressure switch type under valve 0420 JN3 1,5 -805803 R1/8
<a href="#">W6476B4417</a>	5/2-WV ISO 3 IMPULSE MAGNET BET REST
<a href="#">C5211B9007A</a>	C5211B9007 PRESSURE REGULATOR G2 WITHOUT REMOTE CONTROLLED MANOMETER
<a href="#">C5112B5008</a>	G3/4PL OIL NEBULIZER
<a href="#">C5022B5015</a>	FILTER WITH AUTOMATIC DRAIN G 3/4PL
<a href="#">C5211B5027A</a>	G3/4 PRESSURE REGULATOR WITHOUT PRESSURE GAUGE TYPE O-125 PSI
<a href="#">C5022B4005</a>	FILTER WITH AUTOMATIC DRAIN G 1/2 AND METAL CONTAINERS
<a href="#">C5211B4017A</a>	C5211B4017 G1/2 PRESSURE REGULATOR TYPE 0-125 PSI WITHOUT MANOMETER
<a href="#">C5112B4008</a>	G1/2 OIL NEBULIZER
<a href="#">D2776B5001</a>	G3/4 4/2-WAY VALVE SOLENO OPERATED PAC 24 VDC
<a href="#">D1968B5904</a>	G3/4 SPEED CONTROL VALVE FOR HIGH TEMP.
<a href="#">1968B8017</a>	NPT1-1/2PL SPEED CONTROL VALVE
<a href="#">961K77</a>	REP. SET 2" CONTROLLER REMOTE CONTROLLED
<a href="#">3573A5142</a>	NPT3/4PL PRESS VALVE CF8
<a href="#">D3573D8753Z</a>	G1-1/2 PRESSURE VALVE CF30; FLANGE,PRESSURE,110/50 SILENCER,WITH BG, NEW VERSION OUTSIDE FORECAST.
<a href="#">RESK 3478.26.3-06</a>	
<a href="#">9-12-056</a>	
<a href="#">D3573D7630W</a>	G1-1/4 PRESSURE VALVE CF30; FLANGE,PRESSURE,24 VDC SOUND,WITH BG, NEW VERSION
<a href="#">435K77</a>	VALVE REPAIR KIT

P-800	3/2-WAY PILOT VALVE FOR 21 VALVE BLOCK
<a href="#">D2776B4001</a>	G1/2 4/2-WAY VALVE MAGNET-OPERATED PACER Please let us know the desired voltage and frequency when ordering
<a href="#">5/2, W 6476B4417</a>	
<a href="#">D3573B7630</a>	
<a href="#">W 6077B4401</a>	5/3-WV ISO 3 MAGN. BETH.GENDER MEDIUM NOT RESTING
<a href="#">D2776B6013</a>	G1PL 4/2-WAY VALVE PULSE-ACTUATED GRE
<a href="#">D2776C6032</a>	G1PL 4/2-WEGEVENTIL ALF
<a href="#">D2753A6002</a>	G1 3/2-WAY VALVE NG DELAYED BLU
<a href="#">W 6476B4407</a>	5/2-WV ISO3 PULSE MAGNET BET. N. RASTEND Voltage: 24 VDC, 48/50-60, 5.8 WATT
<a href="#">D2773B6011W</a>	G1PL 3/2-WAY VALVE NG MAG PAC 24 VDC
<a href="#">502K87</a>	VALVE BODY REPAIR KIT
<a href="#">CONDITIONER,AIR,1/2",F+R+L</a>	
<a href="#">CONDITIONER,AIR,3/4",F+R+L</a>	
<a href="#">CONDITIONER,AIR,1",F+R+L</a>	
<a href="#">W 6076B4407</a>	5/2-WV ISO 3 IMPULSE MAGNET B. N RATCHET D-MAG. Voltage: 24 VDC, 48/50-60, 5.8 WATTS
<a href="#">D1968B4017</a>	G1/2PL speed control valve
<a href="#">D3573D6638W</a>	G1 PRESS VALVE CF8; FLANGE, PRESSURE, 24 VDC SCHALLD,WITH BG, NEW VERSION
<a href="#">D2773B7001</a>	G1-1/4 3/2-WAY VALVE NG SOLENO-OPERATED PAC Weight: 2.9940 kg / 2.9940 kg
<a href="#">1524C7916</a>	24VDC control valve for CP/CX SERIES, LF/LX VERSION B 1" TO 2-1/2" NC Weight: 0.1000 kg / 0.4000 k
<a href="#">411B3316</a>	COIL 24 VDC DM1+2
<a href="#">DM2DDA55B2X</a>	G1 DOUBLE VALVE SZ8 110/50 MAGNETIC RETURN
<a href="#">D2153b6012</a>	
<a href="#">411b04105 110v/50hz</a>	
<a href="#">494K87</a>	VALVE BODY REPAIR KIT
<a href="#">1523c4002</a>	
<a href="#">3573-8012</a>	
<a href="#">D2783a4065</a>	
<a href="#">W 7076c6332</a>	

<a href="#">Fc.3018</a>
<a href="#">2776b6001</a>
<a href="#">2776a6002</a>
<a href="#">2273b6011</a>
<a href="#">D2773b4001</a>
<a href="#">Fc.1309</a>
<a href="#">Fc.3020</a>
<a href="#">1131a2002</a>
<a href="#">C5211b3017</a>
<a href="#">306k33</a>
<a href="#">886k87</a>
<a href="#">936k87</a>
<a href="#">C5321h3042</a>
<a href="#">D2783a4903</a>
<a href="#">2753.3001</a>
<a href="#">D2783a6903</a>
<a href="#">D5500b9001 2quot;</a>
<a href="#">2753.6001</a>
<a href="#">J3573d8015</a>
<a href="#">Art. Nr. 2773b7930</a>
<a href="#">W1616b2020</a>
<a href="#">2771b4011, 501k87</a>
<a href="#">2773a7930,24vdc (250-0280)(Mp) , 250-0260-S</a>
<a href="#">D1968d4001</a>
<a href="#">512k87</a>
<a href="#">2753.4011</a>
<a href="#">2771b3001</a>
<a href="#">3573a5161</a>
<a href="#">W6476b2417</a>
<a href="#">2753.4001</a>

<a href="#">D1968d3001</a>
<a href="#">W 1618b2020</a>
<a href="#">1776f5307z</a>
<a href="#">946k87</a>
<a href="#">2776b6011</a>
<a href="#">2774b4001</a>
<a href="#">2276b4011</a>
<a href="#">497k87</a>
<a href="#">436 K77</a>
<a href="#">2752a7001</a>
<a href="#">02752a7001</a>
<a href="#">2783a8016</a>
<a href="#">D2776b5011</a>
<a href="#">C5022b5005</a>
<a href="#">C5111b8009</a>
<a href="#">D1968d3014</a>
<a href="#">2273b4011</a>
<a href="#">2753.6011</a>
<a href="#">Fc.3019</a>
<a href="#">2754 A-5001 3 Way N.O. 3/4</a>
<a href="#">C5211d5017</a>
<a href="#">1quot;C5111-B6009 Max.10bar</a>
<a href="#">C5022b3005</a>
<a href="#">C5022b6005</a>
<a href="#">1quot;C5111 ?B7009 Max.10bar</a>
<a href="#">W 6476b3411</a>
<a href="#">1968e3007</a>
<a href="#">1776f7305z</a>
<a href="#">D517c79</a>
<a href="#">434k77</a>

[D2176c5003](#)

[501k 87](#)

[445 K77](#)

[2753.8011](#)

[2776b6011w](#)

[2772b5001z](#)

[2776b8012](#)

[D2773b5001](#)

[435k77](#)

[Dm2cda54a21](#)

[170k83](#)

[2773b4011](#)

[D1968b4007](#)

[3573-6161](#)