



Roten

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Roten Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Roten T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Repair kit for Roten 5-22-X	
New Pump 5-22-X	
2RD038RDING1B10VG1G1-RCC	GLRD according to designation Italy TEN.ROTEN 2 DX D.38 XYXZY
Roten	
Roten	
Roten	
3D.024C.L. X7X7RR7	GLRD according to designation RED units 3D.024C.L. X7X7RR7 3D024RDINU20U20E1G1G1-UCL Sliding couple: WOC/WOC/EPDM
2-40-G X7GV7	GLRD according to 2-40-G X7GV7 (have the installation space checked) 2D040RDINEB10EG1G1-UCC Sliding pair: Cr. steel/carbon/EPDM

X7X7KK7	Mechanical seal (right rotation)
5-22-X	mechanical seal
8E5KTRD022DINQ10B10VG1G1-UCC	041570 Sliding pair: SiC/Carbon/FKM
8E5KTRD022DINQ60Q10VG1G1-UCL	051027 Sliding pair: SiC-Spec./SiC/FKM
GLRD according to 2-40-G X7GV7	2D040RDINEB10EG1G1-UCC (have the installation space checked) Sliding pair: Cr. steel/carbon/EPDM
CODE 2-40-3 DIAMETER 40MM LENGTH 48 MM	
MECHANICAL SEAL SET	Q1BEGG E D16MM ROTEN UNE5-16-X E5KD016DINQ10B10EG1G1-CC-AXIAL-NOSE Sliding pairing: SiC/carbon/EPDM
GLRD corresponding to 2-43-G spring on the right	2KD043RDINEB10PG1G1-UCC
GLRD corresponding to 2-43-G spring on the left	2KD043LDINEB10PG1G1-UCC
8E5KTRD022DINQ10B10VG1G1-UGC	041570 Sliding pair: SiC/carbon/FPM
5-28-x	
2D040RDINEB10EG1G1-UCC	GLRD according to 2-40-G X7GV7 (have the installation space checked) Sliding pair: Cr. steel/carbon/EPDM
5-18-x	
000107/000018	ROTEN 3 D. 16 X1Y1X1Y1Z1V1Y1 MECHANICAL SEALS
2233340	
3 D18 X6h62v6 Cod	
1000101032	
047301	
002233357	
Uniten 877lc Cl/Cc D. 43 Y1r1x3y1x1h1x1y1x3v1y1h1x1	
GlrD Un877s1yrryxhxyrryx D.28	
2-35d-Xy3ky	
5kd022rdinq10c10vg1g1-Ucl	
2-30-G	
U2kd060rxy3zycl (Suppu2kxy3zy)	
361-Lowara	

-28-X
5-22-X
5-30-X Right Spring
5-30-X Left Spring
2-25-G
20-X
Or158.12x5.33dinv
2d038rdinu21u21vg1g1-Ucl
L3nd038ding20q20vfv-U60cm (Ex.L3n D38mm Xyky)
5-55-X
2-60-G
R324xyxy2zysx
2-60-G / Mechanical Seal
U877d043yr3yxhxy3ryhxcl-Cc
5-30-X Right Spring Mechanical Seal
R324xyxy2zy
Xykyky
5-30-X Left Spring Mechanical Seal
85-14-X
5d043rdinq10b10vg1g1-Ucc
2-50-3
Uniten 877lc Cl/Cc D. 43 E1r1x3e1/E1x3v1e1
2-20-G
057253