

Sab Bröckskes

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Sab Bröckskes Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Sab Bröckskes Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
01410705	
01880707	
07749218	
07849213	
1880705	
1890805	
2841404	
38340720	
38669004	
3921425	
62240407	
67100507	
67450275	
7250004	
7537431-007 oem	
7742507	
CC 600 CY	
D-VIERSEN	
D-VIERSON S200 36X0,5MM2	

Ürün	Açıklama
L0127-0305	
L0392-90101	
L07840375	
L3696-2604	
L5260-0325	
L6166-0187	
Ö404-036-700	
SAB 0784-9008	
SL 803 C	
SL 842 C	
SPECIAL 50 – 200 07649213	
T021-007-040	
T055-046-529	
T056-000-771	
T207-058-597	
T207-058-598	
T233-048-279	
T433-027-824	
T521-029-387	
T545-009-590	
T999-029-444	
TBS5 RTD PT100	500mm
TBS5 RTD PT100	200mm T810-030-411
MODEL:TBS RTD PT100	CONNECTION TYPE: RTD 3 WIRE (Main hose length 2500mm) OPERATING TEMPERATURE: 0.....+60C

Ürün	Açıklama
MODEL:TBS RTD PT100	CONNECTION TYPE: RTD 3 WIRE (Main hose length 5200mm) OPERATING TEMPERATURE: 0.....+60C
AGL NC 4X0.5MM2 L0433-9249	
T545-009-590 Einsteck- Widerstandsthermometer545-0002 * 066-2001	
T233-048-279 Winkel-Thermoelement 1xtyp K Mit Sonderleitung 233-0002 * 066-3024	
3696-2604	
T056-000-771 Einschraubnippel Form Asw 17; 2 Stifte G 1/4 Alänge 30 Mmd=14.8	
L1631-4631	
T055-046-529 Coupling	
T531-005-200	
0784-9008	
T601-060-036	
T021-007-040 Die Verriegelung Des Kabels	
T413-035-673	Immersion thermocouple with MTE measuring insert Item 3 pc 354.00 /1 pc Designation: Immersion thermocouple with MTE measuring insert Protective tube: Form AS W.-Nr.: 1.4762 Dimension: 15 Nominal length: 400 mm Connection head: Form B Type: KE 021 Measuring insert: 2 x type K, class 1, form A Temperature range: -40...+1000°C Insert tube: 3 mm Material no.: 2.4816 Insert length: 425 mm Fastening: with threaded sleeve B 131/VA