Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Samchully

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Samchully Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Samchully Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Sam-Hc-24se	AUTOMATIC SELF-CENTERING WITHOUT STEPS BAR WITH PROTECTIONS FOR VERTICAL LATHES HC-SE SERIES; HC-S CYLINDER CONNECTION METRIC TEETH 1,5mm x 60 ° - 3mm x 60 ° from HC 21 EQUIPMENT: n. 1 set of sweet blocks
Sam-Hb18b2	SET HARDENED JAWS
Sam-Syh-1246cck (M52x1.5)	CILINDRI IDRAULICI ULTRA COMPATTI CON PASSAGGIO BARRA SERIE SYH VALVOLE DI SICUREZZA E PREDISPOSIZIONE AL CONTROLLO CORSA FORATURE D'ATTACCO POSTERIORI - CORSA NORMALE - ALTA VELOCITA' ROTAZIONE
Sam-Syh-1246cc/Cad (M52x2.0)	
Sam-Mh-208v1	AUTOMATIC SELF-CENTERING WITH LARGE PASSAGE BAR SERIES MH - MHT - MHF CYLINDRICAL ATTACHMENT - NORMAL STROKE METRIC TEETH 1,5mm x 60 ° - 3mm x 60 ° from MH 218 EQUIPMENT: n. 1 set of sweet blocks
SAM-HB08A1	SET GRIFFE TEMPRATE NR HC-08, HCH-08, HS-08, MH-208
SAM-CP-HS-10	COVER PLUG HS-10
SAM-MH-208V1	SELF-CENTERING AUTOMATIC WITH LARGE BAR PASSAGE SERIES MH - MHT - MHF CYLINDRICAL ATTACHMENT - NORMAL STROKE METRIC TOOTHING 1,5mm x 60 ° - 3mm x

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	60 ° from MH 218 EQUIPMENT: n. 1 set of candy blocks
HB08A1	HARDENED JAWS SET HC-08, HCH-08, HS-08, MH-208
SH-19082 [M90 x 2.0] Rotary Cylinder	
Mirror cover and HS10VI model mirror	
SAM-HS-10	SELF-CENTERING AUTOMATIC WITH PASSAGE NORMAL BAR SERIES HS - HST - HSF - HCH CYLINDRICAL ATTACHMENT - NORMAL STROKE METRIC TOOTHING 1,5mm x 60 ° EQUIPMENT: n. 1 set of candy blocks
SAM-HB10A1	HARDENED JAWS SET
Samchully 12 '' mirror dust cover	
Model name: SD-17568 ICU1I	MFG. Number: 18A031 built-in lock valve and relief valve hydraulic chuck cylinder
SD-15452CU (M60x2)	Max speed: 6,200 omw / min Max clamping force: o Pull: 63 kN o Pressure: 67kN
MH-210V1	Power chuck Samchully 3-jaw MH-210V1, diameter ø254mm, through-hole 82mm Mount: Z-edge ø220mm, without adapter flanges max.rpm 4,500 Jaw connection V = 1.5mm * 60 ° N = 16mm Pull nut blanks *****without adapter flanges*****
SD-18577 M85x2.0	Samchully hydraulic clamping cylinder SD-18577 M85x2.0 Mega Bore Short body open center cylinder Max RPM 5,000 Max. Pull / push: 82 / 89kN
SB18A2 L-180B=65 H=70 n=25 v=3.0x60˚	Set (3 pcs) of soft top jaws Samchully type SB18A2 L-180B = 65 H = 70 n = 25 v = 3.0x60˚
0116023	
0210012	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0210017	
0240015	
0240022	
0240128	
17 0000 4660	
20519605	
8824-4 M4	
8831-4/II KPL	
BJ/TJ-TC-190	
HB10A1	
HCH15	
HCH21	
HCHF-15	
HS-10 – 02 10 013	
MH-208	
MH208V1	
MH-221	
RTC-160	
SB18A2	
SD-17577BL	
SH-10036CAD	
SK-SDU-175XX	
SPR-SD-17577BL-3	
SPR-SD-17577BL-4	
SYH-1877	
SD-15452	Samchully mega bore short body open center hydraulic cylinder

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Y-1530 RE	
614357E013110	ASCO SENTRONIC PLUS ND. G1/4. NG6. 0-10 BAR. ATEX.
SYH-1245CCH	Samchully top hat Max speed: 8,000 RPM Max clamping force: o Pull: 33kN o Pressure: 38kN
MH-208	
MH-210, D 82 mm	
Number: R75577A	Model: SB18A2(HCHCH-21/24 MH-221)
SD 13546	
Power chuck Samchully 3-jaw HC18SE	Diameter ø450mm, without through hole Recording: Z-edge ø300mm Max RPM 2,710 Jaw connection V=1.5mm*60° N=25.5mm Max. clamping force 249kN Tie rod M30x3.5 This chuck is supplied as standard with 1 set of soft top jaws and 1 set of sliding blocks.
Modell SD-18582	- Samchully hydraulisher Spannzylinder SD-18582 M90x2.0 Mega Bore Short body open center cylinder Max. U/min 4.800 Max. pull/push: 79/85kN NOTE***: The SH-19082 cylinder is no longer manufactured and has been replaced by the SD-18582 model. We offer you these without obligation:
HC - 15D CNC LATHE CHUCK	
SB18A2	Set of soft cheeks Samchully L=180 B=65 H=70 n=25 v=3x60˚
Plunger nut for Samchully HS-08	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Drawnut for Samchully HS-08	
Wedgeplunger for Samchully HS-08	
PCV-100”	
soft jaws Samchully SB18A2	L=180 W=65 H=70 n=25 v=3.0x60˚
Base jaws for Samchully MH-208V1	3 pieces= 1 set
Samchully 3-jaw power chuck	MH-208BV1 diameter ø210mm, through hole 68mm Recording: Z-edge ø170mm max. rpm 5000, Jaw connection V=1.5mm*60° N=14mm tension nut blanks
IC-4056	
IC-2427	
FIG1 HB15A1	CNC Lathe triple hard feet set
P02481289 12” Hydraulic Cnc Lathe Chuck 3 Legs	
P02488353 10 INCH CNC HYDRAULIC MIRROR 3 FEET	
P02488354 8 INCH CNC HYDRAULIC MIRROR 3 FEET	
HS-06	
SYH-1552HA	
SD-15452(CU)	Samchully Mega-Bore Short body Open Center Hydraulic Cylinder Typ SD-15452CU
HS-O8VI	
4-jaw MHF-210	power chuck diameter ø254mm, through hole 82mm Hole: Z-edge ø220mm, without adapter flanges Jaw connection V=1.5mm*60° N=16mm max. rpm 4,500,

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Pull nut blanks (max. M90x2)
Adapter flanges APF08A06 for spindle nose A-6	(ACCEPTANCE)
Thread in the tension nut (max. M90x2)	
Mega-Bore Short body Open Center Hydraulic	Cylinder Typ SD-15452CU
TR-120	
S-170	
SAM-JB-M308	Automatically Self-Centering Chuck with Large Bar Passage Series: JBM 3-jaw Cylindrical mount Standard stroke Metric toothing: 1.5 mm × 60° up to model MH-212; then 3.0 mm × 60° Included accessories: 1 set of soft jaws (bloccetti dolci)
MH-212	raft chuck Samchully 3-jaw MH-212, Big Bore Outer diameter ø315mm, through hole 103mm Mounting: Z-edge ø300mm, without adapter flanges max. rpm 3,000, Jaw connection V=1.5mm x 60° N=21mm Tension nut blanks Weight: 55.3 kg Includes 1 set of soft jaws and 1 set of T-slots
MH - 208 BVI	
MH-208BV1	Samchully 3-Jaw Power Chuck MH-208BV1, Big Bore Outer diameter ø210mm, through hole 68mm Mounting: Z-edge ø170mm, without adapter flanges max. rpm 5,000 Jaw connection: V=1.5mm x 60° N=14mm Tension nut blanks Weight: 23kg Includes 1 set of soft jaws and 1 set of T-slots
YH-20135RE	
SD-17568CU	
SD-18582CU	
SD-21510CU	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
YH-20150RE	
AS APRVD/D40XST125	
YLDL-15	(2LDL15-DW01) (SEOAM)
SH-17068CC	
SH-18077CC	
HS-12	Samchully 3-jaw power chuck HS-12, diameter ø304, through bore 91mm Mounting: Z-edge ø 220mm max. rpm 3,300 Jaw connection V=1.5mm*60° N=21mm Tension nut blanks Includes 1 set of soft attachment jaws
EB23	Set of soft monoblok jaws steel type EB23 for Samchully SL-08 A=85 B=64.7 C=24 D=11.4 pitch 8.46mm
HS-12 chuck	chipcover set for the Samchully HS-12 chuck
0241112	
Hs-10 /808010	
Y-2035re	
Sam-Hc-15se [m30x3.5]	AUTOMATIC SELF-CENTERING WITHOUT STEPS BAR WITH PROTECTIONS FOR VERTICAL LATHES HC-SE SERIES; HC-S CYLINDER CONNECTION METRIC TEETH 1,5mm x 60 ° - 3mm x 60 ° from HC 21 EQUIPMENT: n. 1 set of sweet blocks
Sam-Sh-17068cck (M76x1.5/	BACKI) ULTRA COMPACT HYDRAULIC LINDERS WITH BAR PASSAGE SERIES SH SAFETY VALVES AND PREPARATION TO THE STROKE CONTROL REAR ATTACK HOLES - STROKE NORMAL
Hch-21b Kraftspannfutter	
Sam-Hb15n1	SET HARDENED JAWS FOR HC-15, HC-18, HC-18SE

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Mh-208v1 Spannfutter Drehmaschine	
Mh-208 Spannfutter Drehmaschine	
Hs-10 Patrone	
Hs-10	
Sam-Ap15a08-33t	ADAPTER
Sam-Sh-15052cad	Interchangeable with SH-15052CC (M60X2.0 / BACK) ULTRA COMPACT HYDRAULIC CYLINDERS WITH BAR PASSAGE SERIES SH SAFETY VALVES AND PREPARATION TO THE STROKE CONTROL REAR ATTACK HOLES NORMAL STROKE
Sam-Hc-15 [m30x3.5]	AUTOMATIC SELF-CENTERING WITHOUT STEPS BAR SERIES HC - HCT - HCF - HCHT - HCHF CYLINDRICAL ATTACHMENT - NORMAL STROKE METRIC TEETH 1,5mm x 60 ° - 3mm x 60 ° from HC 21 EQUIPMENT: n. 1 set of sweet blocks
16f008 Spare Part As In The Picture Completely	
Hs-08	
SB21A2	Samchully soft jaws To fit Powerchuck Samchully HC24 1 set of 3 jaws

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.