

Sartorius



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Sartorius Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Sartorius Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
17805-----E	Midisart 2000 Air&Gas Filter Pack size: 12 pieces Disposable filtration unit, sterile, individually packed. Housing material: Polypropylene Filter material: PTFE, reinforced with gauze Pore size: 0.2 micron Filtration area: 20 sq.cm
PR5230 Combinatoric	(As a possible successor to PR1710) Process transmitter in stainless steel housing, IP66 discount 564.90-1,318.10 Tariff no .: 85389099, country of origin: Germany □ housing Degree of protection: IP66 stainless steel, electropolished □ Dimensions: 350 x 250 x 150 mm □ Display: LCD, transfective, backlit, elements: 6-digit, Resolution 128 x 64 pixels, status LEDs □ Ethernet TCP / IP and Modbus TCP interface □ Serial interface RS 422/485 and RS232
17804 E	
721951	
722001	
9405 203 01250	
940515210001	

940526211521	
940536130043	
940536135322	
BOS103960541	
CAIS1	
FBP101947	
FBP101949	
H2O-CPFAD-1	
H2O-CPFCO-1	
H2O-CPR	
H2O-CRO-H-1	
H2O-CSO-1	
H2O-S-PACK	
MP20/00	
Option fur PR 5230	
PR 5211/11	
PR 6001/10S	
PR 6135/12	
PR 6251/23LA	
PR6211/12 D1	
PR6211/52D1	
PR6212/3t C1	
PR6212/500kg C1	
YIB02-230V	
LA220S - (70904670)	Accuracy class "Laboratory balances of general purpose and exemplary" according to GOST 24104-8 8 : 3 Accuracy class according to GOST 24104-2001: II Maximum weighing limit, g: 220 Part price, g: 0.001
11807--50-----N	PTFE membrane_0.2 µm_50mm_100pcs: membrane filter Pack size: 100 pieces Material:,,PTFE, white Pore size: 0.2 microns Diameter: .50mm
5502505P3	0.65micron
5382507H3	0.2micron
	Membrane filter 47 mm, 0.45 µm white with black grid sterile,

9.054 032	VE=100 (No ADR)
PR 1710/04	
9.054 032	Membrane filter 47 mm, 0.45 µm white with black grid sterile, VE=100 (No ADR)
11406--47----ACN	(0,45 µm)
GL224i-1CEU	
GL3202i-1S	
Midisart	
17805-----E	Midisart 2000 Air&Gas Filter Pack size: 12 pieces Disposable filtration unit, sterile, individually packed. Housing material: Polypropylene Filter material: PTFE, reinforced with gauze Pore size: 0.2 micron Filtration area: 20 sq.cm.
9.049 152	Midisart® 2000, 20 cm² Porengr. 0,2 µm, steril VE=25
FILTRE PTFE 64MM SARTORIUS STEDIM MIDISA	1000132433 \ 10
PR76/3000kgC3	As successor to MP46/33 C3: Minebea S-type tension load cell LC Tigo 3 t, Accuracy class C3 = 0.025%, stainless steel
11406-47 ACN 0,45 UM	
Type: PR6221/30T , C5	
PR6211/13D1	
PR6011/30N	
PR1721/31	
PR 5410/01	
MA30 / Display	
MDB D100x50	coil MDB 8-E BO-623710000/0 SN: 369 limestone on the band after stockhol 50X200
MDB D120x30	raw meal mill with search coil 3 mill inlets
4.669 132	Precision balance Entris® II internal calibration, 3200g/10mg, weighing plate 182x182mm
6.317 368	Load cell WZA1203-NC weighing range 1200g, readability 1 mg
WZA224-N	FLS0001 WZA224-N high precision load cell
WZA224-N	
MP20/00	
30" filtre 1,2µ	2227014413 0113 0091 0092
FLS0001	7M19LEN00162 Sartosteel Cartridge 3 µm FLS0001 Sartorius Stedim Biotech sanitary filter housings are specifically designed for air gas Filtration applications in the biopharmaceutical

	industry for autoclaves, Designed for freeze dryers and WFI tanks.
9.049 151	Midisart® 2000, 20 cm² pore size. 0.2 µm, sterile pack=12
BCE323I-1S	Model: BCE323I-1S • Capacity: 320 g • Accuracy: 0.001 g • Internal ISOCAL calibration • Touchscreen and advanced menu functions
7M19LEN00162	
TDP20-OCE 28439225	
9.604 072	
Ft 3 102 125	
3716	BALANCE
Pr6043/30n	
Mp58/454kg C3mr	
H2o-Cbs-5-S	
5231507h7 B	
Msa3203s-1ce-Dr	
25006 90g	
H2o-Cro-H-1 Modul	
Quintix224-1s	
940515410011	PR5410/01 X3 PROCESS INDICATOR 24V DC
H2o-Cpr Patrone	
H2o-Cso-1 Patrone Erweichung Vor Dem Edi-Modul	
Pr6130/08	
Pr 6135/12 Kabel	
Fc06bbe-S0ur	ELECTRONIC SCALE ANALYTICAL BALANCE 240X294X86MM
940515500011	PR5500/01 MAXXIS4 CONTROLLER WITH A/D CONVERTER
11406z 50scm	
291f7-1616--F	
721955	
940526211331	
Pr1713/Bsc	
Pr6221/30t/C5	
14075-47-N 47mm	

Ma160-1	
11107-47-N	
Bo-103960458 Display Dialog Pc	
Pr1591/00	
Pr1721/31	
Pr6201/23d1 Cellulose Dosing Tank 5 M3	
Pr1720/00	
6980104	
Cpa623s	SCALE
Mse5201s-100-D0	
Mdb8-E	
Pr6211/12d1	
Sartopure Pp2 5592542p1 5micron 10ã39;Å39;	
14053-47-N	
Fb6cceh	BALANCE
5592542p2	
Pr 6201/24d1	
2602	TRANSMITTER
Msa2202s-100-D0	
16612 Laboratory Vacuum Pump	
13906-50-Ajn	
11407-47-Acn	
Pr6201/14d1	
Msa3.6p-000-Dm	
291s7-1216--F	
13806 47 50acn	
Qc7dces	SCALE
Pr6011/30n	
Bo-377111385(Coated Rubber)	
Quintix124-1s	
Pr6041/30n	

Pr1721/01	
Bo-104601358	
17805	
Msa3 6potrdm	
17804-G Midisart 2000; 0,45?M	
11406--47---Acn Cellulose Nitrate Membrane Filters	
Entris 224i-1s (Sartorius Entrisã174; Analytical Balance)	
13906-47-Apr	
Cubis Msa 3203s-0ce-Dr Replaced By Msa3203s-1ce-Dr	
Einzelgewicht Klasse F2 500g	
Ydk01	
Pr6201/53l	S/S COMPRESSION LOADCELL, 5T CAPACITY
Nps Schaufus Pottinger	
13806 50 Acn	
U1sp18104	KIT
940526211231	
Cce40kj	PART
Pr1713/06	
25006 90g Filter Paper	
5580510w2	
13906-47-Acn	
Msa225s100di	BALANCE
Mm40 Water Bath (Capacity Of About 21l With Digital Display)	
Pr5410/00	
Pr6021/01n	
Pr 6201/23c3	
H2o-Cpfad-1 Vorfilter	
Pr6011/10n	
3713mp	BALANCE
9405 154 10001	

5182507t3	CARTRIDGE
Py-P12 - Obsolete, Replaced By Ma100c-000230v1	
Ft 2 605 100100r	
Pr 6201/53c3	
Einzelgewicht Klasse F2 2kg	
Nps Endo	
940526211521 Kompakt Druckwaegezelle Pr 6211/52d1	
Pr620124la	LOAD CELL
Cp2202s	SCALE TOP-LOADING
Mw1s1-15dc-L	
Ydp20-0ce	DATA PRINTER 2.5LINES/SEC 24CHARACTERS
6093016	POWER SUPPLY
Pr 6201/24c3	
Ma35m-000230v1	
H2o-Cpfco-1 Vorfilter	
11106--47----Acn Membrane Filter	
Pr6152/02	
721951 Piston 50ml	
Msa224s-0ce-Du	
Pr 6211/33 D1	
Eb60feg-I	SCALE DIGITAL 60KG MAX W/DIGITAL READ
153i-1s	
Siwrscp-1-35-I	BENCH SCALE 13.8X9.5IN 35KG-1G EST.SHIP WT. 24LBS
Pr6241/13c3	
Pr6201/13d1	COMPRESSION LOAD CELL +/-0.04% OR +/-4KG
Pr6221/25tc4e	
Capp1u-20cc-Lu	PLATFORM SCALE
9405 360 51102	
16407-25-Ack	
Pr6201/23d1	
69qc0001	

5592820p3	
Ma100c-000230v1	
Pr1713/12	
Nps Ttc Standard	
940536135322 Pr6135/32 Installation Cable, 300 M Drum	
140555-47-N	
1413mp8	SCALE
Pr6211/23	
Ea35ede-I	SCALE ECONOMY EXPRESS 35KG/77LB MAX
69qc0047	
H2o-Cbs-50	
13400-47q	
11407 47 Acn	
Pr 6251/53la	
14068-47-N	
Ma150q-000230v1	
Msa225p-100-Du	
11107-50-N	
H2o-S-Pack Patrone	
Pma 7500 Analysis Is Over 0.1	
940526201531	
Mdb5-E	
Pauschale	
Bp3100s	SCALE
120988	
17805-----E	
Lh-780316	
Pr6241/52d1	
13006 47 Acn	
69qc0039	
H2o-Ccs	

Nps M-Tge	
Ydp20oce	DATA PRINTER 2.5LINES/SEC 24CHARACTERS
Pr6221/50to C3	
940596051122	
Maxxis5	CONTROLLER
Bo-103960155	
Pr5210/10	
Mp58/454kg	
11406 47 50acn	
Pr6221/50tc3	
940536130043 Pr6130/04n Cable Junction Boxe For 4 Load Cells,Aluminium, Ip67	
11107-50-N	
Pr6201/53c3	
790014	
13906 47 50acn	
Pr6201/23d1 Silica Dosing Tank 2.5 M3	
Ba310s	SCALE LAB BALANCE ANALYTICAL
Sartobran P Mini Cartridge 5231507h9 0,45+0,2 Micron 5ã39;Ã39;	
Mp92/00 N	
940596051002	
17593-K	
Ycc01-02ism3	
Pr6201/15n	
13006z 47 50scm	
Py-P10	
Pr 5510/00 (Ex Pr5610)	
Pr5220/06	art nr. 940515220061
Ma30	MOISTURE ANALYZER 3.3AMP 100-120/220-240VAC
940556251149	
17804-G Midisart 2000; 0,45m	
Mse225s000du	BALANCE

Mw1s1-30-Fe-L	
14068-50-N	MFC NPS, R: 50 MM 0.45 MIKRON
120988 Card Pasf 2 Series	
Combics 1 Cais1	
Mw1s1-30ed-L	
17593-K Minisart® Nml Syringe Filter	
Pr6211/13d1	
Combics 1 Cais1	
Pr 6246/52c6	
11406 47 Acn	
11304 25 N	
940515210001 Pr5211/00 Process Transmitter With Usb -Profibus-Dp And Analogue Output	
940526211231 Kompakt Druckwaegezelle Pr 6211/23d1 2 T	